


Maintenance, Repair, & Operational Supplies

2021 Catalog

FACILITY & MAINTENANCE SOLUTIONS CATALOG

We're your complete source for facility maintenance & safety. Look inside for over 7,500 items, including reliable essentials and innovative new products to boost your effectiveness. Organized for easy navigation, we make it simple to find just what you need.



Printed in the U.S.A.

Prices shown are in U.S. dollars and are subject to change without notice; we encourage you to confirm prices when placing your order. We reserve the right to correct pricing or copy errors and to limit quantities. Company and product names appearing in this catalog are the trademarks of their respective owners. Products on the front cover may be for illustration only and may not be available for sale. Food, beverages, medicines and custom orders cannot be returned. Casters supplied with the chairs in this catalog may not be suitable for all floor types. Alternative casters are available.

PRODUCTS CANNOT BE ORDERED THROUGH THIS CATALOG

The information contained in this catalog is for information purposes only and should not be used by consumers to make final buying decisions. Information is subject to change at any time without notice. This catalog is to be used as general advertising material. Latest pricing, product information, and Prop 65 warnings are included at point of sale.

SYMBOL LEGEND

Look for these helpful icons throughout the catalog.



Products that meet the recovered materials content ranges specified by the EPA through the Comprehensive Procurement Guideline (CPG).

4	N SI	41	_
Ň	(1000
ſ	GEI	111.	

Identifies products third-party tested for environmental responsibility.

Because there is no universally accepted standard to designate products as environmentally preferable, we have adopted the green leaf symbol to highlight products that have one or more of the following attributes: reduced VOCs, compostable, biodegradable, contains recycled content, or other environmental attributes that make this product⁺ less harmful to the environment or humans, when compared to its traditional counterparts. Many of the products marked with the green leaf symbol have been endorsed by third-party certifying organizations, and where applicable, the certifying body's logo appears next to the product's name. Please note that we have not independently verified the environmental attributes. [†]These environmental attributes refer to the products themselves and not the processes for manufacturing and transporting the products.



A business that is not less than 51% owned by minority group members who are African-American, Hispanic American, Native American or Asian American and whose management and daily operations are controlled by one or more minority group members; in a publicly owned business, not less than 51% of the stock must be owned by one or more minority group members.



A business that is not less than 51% owned by one or more women — in a publicly owned business not less than 51% of the stock must be owned by one or more women - and whose management and daily operations are controlled by one or more women.



A business that is not less than 51% owned by one or more persons with disability; or in the case of any publicly owned business, not less than 51% of the stock must be owned by one or more individuals with disability, and whose management and daily operations are controlled by one or more individuals with disability.

A SMARTER WA y to shop

HAND PROTECTION EYE PROTECTION

HEARING PROTECTION

RESPIRATORY PROTECTION

HEAD PROTECTION

PROTECTIVE CLOTHING

FALL PROTECTION

FIRST AID

HYDRATION

FIRE & GAS PROTECTION

SAFETY & SECURITY

BUYING **GLOVE PROTECTION GUIDELINES** GUIDE

Facts and Tips about Gloves:

- Gloves protect your hands from the following workplace hand injuries: sharp objects, abrasive surfaces, moving components, wet environments, chemicals, blood-borne pathogens and viruses.
 You must follow a safe procedure for removing gloves so soil, chemicals or viruses do not come into contact with
- your hands. Remove one glove from top to bottom with the other gloved hand. Then, tuck the first glove into the other gloved hand and peel off the second glove from the inside.The glove cuff style is an important consideration based on the protection needed. Some cuffs will allow the glove
- The glove call style is all important constant and not seed on the protection needed, come can wind glove to be removed quickly or allow ventilation.
 There are several standards and ratings for cut-resistant and coated gloves (i.e. EN, ANSI, ASTM, etc.). Compare similar standards when choosing gloves because ratings can be determined based on different testing methods.
 If you have an allergy to latex or rubber, look for gloves that contain no latex such as vinyl or nitrile.

Size and Fit Matter:

Size and fit are very important to properly protect your hands. Poorly fitted gloves will not be worn and increase the chance for hand injuries. Too small: make hands fatigue while providing less dexterity and decrease productivity Too big: more likely to get caught in moving components and not have proper dexterity Measure your dominant hand with a tape measure around the palm and knuckles.

Here are some general guidelines for men's sizes. 7.5 – 8" – Small 8.5 – 9" – Medium 9.5 – 10" – Large 10.5 – 11" – X-Large 11.5 – 12" – XX-Large General guidelines for women's sizes. 6" -

7.5" – Large 8" – X-Large

- X-Small	
' – Small	
Medium	

Questions to Consider When Buying Gloves:

In which task or application will you be wearing gloves for protection?
What types of gloves do you use? Why?
What types of hand injuries happen in your work area?
What do you like or dislike about your gloves?

6.5'

- If you can change one thing about your gloves, what would it be?
 What are the costs of the gloves you have purchased recently?

Gloves by Application:

• There is no one glove that will fit each job or situation. Assess the job and protection needed to purchase the right glove. Below is a chart that shows the types of gloves commonly found in various applications.

	Cleaning	Construction	Maintenance	Health Care	Foodservice	Office	Lab	Sheet Metal	Industrial	Warehouse
Unsupported	~		~	~	~	~	V		~	~
Supported	V	~	~				V	~	V	
Leather		~	~							~
Cotton	~		~			V			~	~
Strings		~	~						~	~
Coated or Dipped	~	~	~					~	~	~
Cut Protection		~	~					~	v	~
Multi-Task		~	~					~	V	~

GUIDE GLOVE TYPES AND ATTRIBUTES

Unsupported: (Chemical Protection)

(Disposable and Multi-Use) Reliable and economical protection. **Materials:** Butyl, Latex, Neoprene, Nitrile, Vinyl. **Uses:** Small part handling, food handling, medical and lab use, manufacturing. **Attributes:** All latex, vinyl and polyethylene disposable glove component materials comply with relevant federal regulations for food contact. Many are Medical Grade, Class 1 Medical Device approved. Nitrile and vinyl are great alternatives for those with latex allergies. Ideal for tasks when greater dexterity is needed.

Supported: (Chemical Protection)

(Cut/Sewn, Dipped and Cut Protection) Materials: Butyl, Neoprene, Nitrile, PVC. Uses: General cleaning, chemical processing. Attributes: Delivers a varying degree of cut protection and enhanced grip.

Leather: (Leather Palms, Drivers and Welders)

Provides durability, dexterity and comfort. Uses: General and medium-duty tasks. Attributes: Leather palms (shown left) are a popular type of leather glove. Lined leather gloves provide added warmth in cold environments.

Cotton: (Canvas, Jersey and Terrycloth)

Cotton material is cut and sewn together in glove pattern. Uses: These can keep hands clean and protect against abrasions, but may not be strong enough to handle work with rough or sharp materials. Attributes: Good abrasion, some with enhanced thermal protection.

Strings: (String Knit, Dipped and Cut Protection)

Fibers are knitted together in glove pattern. Uses: Light-duty tasks. Attributes: Allows hands to breathe and reduces perspiration. Provides protection and dexterity. Can be used as a liner for extra protection. Coated/Dotted knits also provide extra grip.

Coated or Dipped Seamless Knit:

(Ninja, Flex, Tuff, UltraTech and Memphis) Glove is dipped in a polymer coating for added protection. **Uses:** Some chemical handling, cleaning, oil refining, food processing. **Attributes:** Coatings protect against solvents and chemicals, abrasions, punctures and cuts.

Cut Protection: (Supported, Strings and Synthetic)

Protects hands from sharp edges such as blades, glass, metal, ceramics, etc. Uses: Medium to heavy-duty tasks. Attributes: Materials can vary, such as Kevlar[®], Dyneema[®] or composite yarns (HPPE) Not effective in protecting against punctures or power equipment.

Multi-Task: (Leather, Synthetic and Cotton)

Extra material offers more protection. **Uses:** Tasks that require superior or specific area protection but with dexterity, grip and working with small parts.

Attributes: Offers specific protection areas and materials depending on the particular task.



 PURPLE NITRILE* Exam Gloves Get a good grip and an excellent fit. Textured fingertips allow you to work with ease and confidence. Easy-to-don beaded cuffs provide greater strength and durability. Nitrile, synthetic rubber construction eliminates the possibility of latex-oriented allergic reactions. Long, 9½-inch ambidextrous design.

ID	No.	Color	Size	Thickness	Qty.	Unit	Price
1	KCC-55081	Purple	Small	6 mil	100	ВΧ	
2	KCC-55082CT	Purple	Medium	6 mil	1000	СТ	
3	KCC-55083CT	Purple	Large	6 mil	1000	СТ	
4	KCC-55084	Purple	X-Large	6 mil	90	ВΧ	

STERLING* Nitrile Exam Gloves A low cost nitrile glove combining the sensitivity of latex with the protection and strength of nitrile. The thin mil gray gloves are 9.5" long, ambidextrous, powder-free, with beaded cuffs and textured fingertips. They are not made with natural rubber latex.

 ID
 No.
 Color
 Size
 Thickness
 Other Price

ID	No.	Color	Size	Thickness	Qty.	Unit	Pric
5	KCC-50706	Sterling Gray	Small	3.5 mil	200	ВΧ	
6	KCC-50707	Sterling Gray	Medium	3.5 mil	200	BX	
7	KCC-50708	Sterling Gray	Large	3.5 mil	200	BX	
8	KCC-50709	Sterling Gray	X-Large	3.5 mil	170	ΒХ	

KLEENGUARD

G G10 Nitrile Gloves An economical choice offering protection, performance and comfort. 9.5" ambidextrous with beaded cuff for easy donning and textured fingertips for dexterity. Powder free gloves, not made with natural rubber latex, reducing the risk of Type-1 latex allergy reactions. Ideal for food handling, painting, manufacturing and other industrial workspaces.

ID No.	Description	Color	Size	Thickness	Qty.	Unit	Price
9 KCC-90096 ≭	KleenGuard* G10 Nitrile Gloves	Arctic Blue	Small	2 mil	200	ВХ	
10 KCC-90097 \star	KleenGuard* G10 Nitrile Gloves	Arctic Blue	Medium	2 mil	200	BX	
11 KCC-90098 ≭	KleenGuard* G10 Nitrile Gloves	Arctic Blue	Large	2 mil	200	BX	
12 KCC-90099 🖈	KleenGuard* G10 Nitrile Gloves	Arctic Blue	X-Large	2 mil	180	BX	

* Approved by Canadian Food Inspection Agency (CFIA); FDA Approved.

G10 Blue Nitrile Gloves Designed for tasks requiring maximum dexterity without sacrificing protection. Powder-free and ambidextrous. Textured fingertips. No natural rubber latex, reduces concern for people with a Type 1 Latex allergy. Approved for food handling.

ID No.	Description	Color	Size	Thickness	Qty.	Unit	Price
13 KCC-57372CT *	Blue Disposable Gloves, Nitrile	Blue	Medium (Size 8)	6 mil	1000	СТ	
14 KCC-57373CT	Blue Disposable Gloves Nitrile	Blue	Large	6 mil	1000	СТ	
15 KCC-57374	Blue Disposable Gloves Nitrile	Blue	X-Large	6 mil	90	BX	

KCC-57372CT—Meets Canadian Requirements and U.S. FDA Regulations for Food Handling Applications.



DISPOSABLE/SINGLE USE



C

boardwalk.

 Disposable General-Purpose Nitrile Gloves For superior protection against chemicals and sterile handling of food, these latex-free disposable gloves combine strength and convenience. Chemical-resistant for safe handling of dangerous liquids and puncture-resistant for added protection against sharp objects and abrasions. Ideal for lab work, chemical handling and food service applications.

ID	No.	Color	Size	Thickness	Qty.	Unit	Price
	380 Series						
1	BWK-380SCT	Blue	Small	4 mil	1000	СТ	
2	BWK-380MCT	Blue	Medium	4 mil	1000	СТ	
3	BWK-380LCT	Blue	Large	4 mil	1000	СТ	
4	BWK-380LBX ≭	Blue	Large	4 mil	100	BX	
5	BWK-380XLCT	Blue	X-Large	4 mil	1000	СТ	
	395 Series						
6	BWK-395MCT ≭	Blue	Medium	5 mil	1000	СТ	
7	BWK-395LCT ≭	Blue	Large	5 mil	1000	СТ	
8	BWK-395XLCT ≭	Blue	X-Large	5 mil	1000	СТ	
	396 Series						
9	BWK-396MCT	Black	Medium	4.4 mil	1000	СТ	
10	BWK-396LCT	Black	Large	4.4 mil	1000	СТ	
11	BWK-396LBX	Black	Large	4.4 mil	100	BX	
12	BWK-396XLCT	Black	X-Large	4.4 mil	1000	CT	
	·						

* BWK-380LBX—21 CFR, 170-199 Compliant.

BWK-395MCT, BWK-395LCT, BWK-395XLCT—Approved for use with Food; ASTM; ESD Compliant.

Disposable Examination Nitrile Gloves These latex-free disposable gloves combine strength and dexterity for superior protection against chemicals and sterile handling of food. Chemical-resistant for safe handling of dangerous liquids. Puncture-resistant for added protection against sharp objects and abrasions.

0.0							
ID	No.	Color	Size	Thickness	Qty.	Unit	Price
13	BWK-382SCT	Blue	Small	5 mil	1000	СТ	
14	BWK-382MCT	Blue	Medium	5 mil	1000	СТ	
15	BWK-382LCT	Blue	Large	5 mil	1000	СТ	
16	BWK-382XLCT	Blue	X-Large	5 mil	1000	СТ	



(B) Venom® Steel™ Industrial Nitrile Gloves Heavy duty gloves are fully textured to provide a better grip and are 70% thicker than regular Venom[®] gloves. Premium gloves are perfect for all your tough jobs including auto care, painting and household cleaning.

	-,		J				
ID	No.	Color	Size	Thickness	Qty.	Unit	Price
17	MII-VEN6143	Black	Large	6 mil	100	BX	
18	MII-VEN6543N	Black	Large	6 mil	500	BX	
19	MII-VEN6045N	Black	Large	6 mil	50	BX	
20	MII-VEN6544	Black	X-Large	6 mil	500	BX	

Venom[®] Nitrile Exam Gloves Great quality and protection. Non-sterile, powder- and latex-free gloves offer lightweight strength, excellent donning characteristics and textured fingertips for enhanced grip and control. Features beaded cuff.

ID	No.	Color	Size	Thickness	Qty.	Unit	Price
21	MII-MG6112	Black	Medium	3 mil	100	BX	
22	MII-MG6113	Black	Large	3 mil	100	BX	
23	MII-MG6114	Black	X-Large	3 mil	90	BX	





B General Purpose Powdered Latex Gloves Enhanced comfort and fit for everyday functionality. Strong and elastic latex gloves provide maximum protection and comfort. These sturdy gloves are designed to reduce the possibility of tears and holes while providing tactile sensitivity. Safe for food contact applications. Color Size Qty. Unit Price

Thickness

5 mil

5 mil

5 mil

Qty. Unit

100 ΒX

100

100 ΒX

ВΧ

Price

4	BWK-355SBX	Natural	Small	100	BX
5	BWK-355SCT	Natural	Small	1000	СТ
6	BWK-355MCT	Natural	Medium	1000	СТ
7	BWK-355LCT	Natural	Large	1000	СТ
8	BWK-355XLCT	Natural	X-Large	1000	СТ

A Dura-Touch® PVC Gloves When you need economical hand and product protection, Dura-Touch® PVC gloves are a great choice. Near "bare hand" dexterity and sensitivity ensures hassle-free use. Use for light manufacturing,

Size

Medium

Large

X-Large

C General-Purpose Latex Gloves Ideal for food handling and preparation, assembly and manufacturing work and other nonmedical applications requiring dexterity. Ambidextrous. Nonsterile. Powder-free.

ID	No.	Color	Size	Thickness	Qty.	Unit	Price
9	BWK-345MCT ≭	Natural	Medium	4.4 mil	1000	СТ	
10	BWK-345LCT ≭	Natural	Large	4.4 mil	1000	СТ	
11	BWK-345XLCT ≭	Natural	X-Large	4.4 mil	1000	СТ	

* FDA Compliant; USDA Compliant.

Ansell

ID No.

ID No.

1

3

maintenance and cleanup.

ANS-34725M *

ANS-34725L 苯

ANS-34725XL 苯

* FDA Compliant.

boardwalk

Color

Clear

Clear

Clear

D Powder-Free Latex Exam Gloves Powder-free exam gloves eliminate the problems of potential aerosolization of glove powder and powder associated transfer of chemical allergens. Designed to provide the right combination of protection and sensitivity. Latex gloves are strong and elastic, ensuring enhanced strength and durability. Quick and easy to don

clastic, clisting clinariced strength and durability. Quick and easy to doll.									
ID No.	Color	Size	Thickness	Qty.	Unit	Price			
12 BWK-351SCT	Natural	Small	4.8 mil	1000	СТ				
13 BWK-351MCT	Natural	Medium	4.8 mil	1000	СТ				
14 BWK-351LCT	Natural	Large	4.8 mil	1000	СТ				
15 BWK-351XLCT	Natural	X-Large	4.8 mil	1000	СТ				

 Powder-Free Synthetic Examination Vinyl Gloves Sturdy synthetic examination vinyl gloves give the look and feel of latex without the latex allergens. They offer exceptional strength and protection, while maintaining maximum tactile sensitivity. This glove is the ultimate solution for those who are sensitive to natural rubber latex. Eliminates glove powder aerosolization. Safe for food and medical applications.

ID	No.	Color	Size	Thickness	Qty.	Unit	Price
16	BWK-310SCT• ≭	Cream	Small	5 mil	1000	CT	
17	BWK-310MCT ≭	Cream	Medium	5 mil	1000	CT	
18	BWK-310LCT ≭	Cream	Large	5 mil	1000	СТ	
19	BWK-310XLCT ≭	Cream	X-Large	5 mil	1000	CT	

* FDA Approved Examination Grade for Medical Use

DISPOSABLE/SINGLE USE







boardwalk

(1) Exam Vinyl Gloves Powder-free. Can be used in doctors' and dentists' offices and for EMS personnel when a sterile glove is not required. Ideal for food preparation, general light duty cleaning, painting, precision parts handling and manufacturing and parts assembly. 100% latex-free. Ambidextrous. Nonsterile.

ID	No.	Color	Size	Thickness	Qty.	Unit	Price
1	BWK-361SCT	Clear	Small	3.6 mil	1000	CT	
2	BWK-361MCT	Clear	Medium	3.6 mil	1000	CT	
3	BWK-361LCT	Clear	Large	3.6 mil	1000	CT	
4	BWK-361XLCT	Clear	X-Large	3.6 mil	1000	СТ	

General Purpose Vinyl Gloves Convenient vinyl general purpose powder free gloves provide excellent tactile sensitivity and protection. These gloves are ideal for users who are at risk of becoming sensitive to latex protein allergens. Quick and easy to don. Safe for food contact applications.

ID	No.	Color	Size	Thickness	Qty.	Unit	Price
5	BWK-365SCT ≭	Clear	Small	2.6 mil	1000	СТ	
6	BWK-365MCT ≭	Clear	Medium	2.6 mil	1000	СТ	
7	BWK-365LCT ≭	Clear	Large	2.6 mil	1000	СТ	
8	BWK-365XLBX ≭	Clear	X-Large	2.6 mil	100	BX	
9	BWK-365XLCT ≭	Clear	X-Large	2.6 mil	1000	СТ	

* FDA Compliant; USDA Compliant.

 Powder-Free Synthetic Vinyl Gloves Sturdy synthetic vinyl gloves give the look and feel of latex without the latex allergens. They offer exceptional strength and protection, yet maintain maximum tactile sensitivity. This glove is designed as the ultimate solution for those who are at risk of becoming sensitive to natural rubber latex. Eliminates glove powder aerosolization. Safe for food contact applications.

ID	No.	Color	Size	Thickness	Qty.	Unit	Price
10	BWK-315SCT	Cream	Small	4 mil	1000	СТ	
11	BWK-315MCT	Cream	Medium	4 mil	1000	СТ	
12	BWK-315LCT	Cream	Large	4 mil	1000	СТ	
13	BWK-315XLCT	Cream	X-Large	4 mil	1000	СТ	

Wire Wall-Mount Glove Box Holder Durable glove box holders are made of strong, stainless steel with a baked-on white finish. Open design allows view of sizes and glove types. Multiple glove box holders allow for easy dispensing of assorted sizes and glove types for all staff needs.

ID No.	Size	Color	Gauge/Material	Unit	Price				
Single-Box Holder									
14 UMI-BXWW004029•	11" × 3½" × 3½"	White	Stainless Steel Wire	EA					
Holds Two Boxes of Glo	ves —Horizontal dispenser holds two box	es of gloves faced out for easy ac	cess.						
15 CTT-BHDH004040•	11" × 4" × 10½"	White	Stainless Steel Wire	EA					
Holds Three Boxes of GI	oves—Horizontal dispenser holds three	boxes of gloves faced out for easy	access.						
16 CTT-BVTH004055.	16" × 4" × 8"	White	Stainless Steel Wire	EA					
Holds Four Boxes of Glo	Holds Four Boxes of Gloves—Horizontal dispenser holds four boxes of gloves faced out for easy access.								
17 CTT-BVQH004065•	22" × 4" × 8"	White	Stainless Steel Wire	EA					
Holds Two Boxes of Glo	ves—Vertical dispenser holds two boxes	of gloves faced out for easy acces	SS.						
18 CTT-BVDH004045•	111/2" × 4" × 8"	White	Stainless Steel Wire	EA					
Holds Three Boxes of GI	oves—Vertical dispenser holds three bo	xes of gloves faced out for easy ac	cess.						
19 CTT-BHTH004050•	11" × 4" × 14"	White	Stainless Steel Wire	EA					
Holds Four Boxes of Glo	Holds Four Boxes of Gloves—Vertical dispenser holds four boxes of gloves faced out for easy access.								
20 CTT-BHQH004060	11" × 4" × 22"	White	Stainless Steel Wire	EA					

Unimed

 Clear Acrylic Wall-Mount Glove Box Holder Convenient, economical organizer keeps gloves clean, accessible and ready to use. Clear acrylic allows easy identification of glove type and size. Accommodates most brands and sizes of glove boxes. Multiple glove box holders allow for easy dispensing of assorted sizes and glove types.

ID	No.	Size	Color	Gauge/Material	Unit	Price
	Single-Box Holder					
1	UMI-CCG1061004•	11" × 3½" × 4¾"	Clear	Acrylic	EA	
	Holds Two Boxes o	f Gloves				
2	UMI-CCG2061281•	11" × 3½" × 9½"	Clear	Acrylic	EA	
	Holds Three Boxes	of Gloves				
3	UMI-CCG3061282•	11" × 3½" × 14½"	Clear	Acrylic	EA	
	Holds Four Boxes o	f Gloves				
4	UMI-CCG4061284•	11" × 3½" × 19¼"	Clear	Acrylic	EA	

Ansell

B Chemi-Pro[®] Neoprene Gloves Unique dipping process lays neoprene over natural rubber to provide increaed protection against a wide range of chemicals. Recessed diamond pattern adds gripping power on both wet and dry surfaces. Sturdy gloves stand up to acids, alkalies, salts and ketones. ID No. Color Size Thickness Qty. Unit Price

	ANSI Abrasion: 3; ANSI Cut Resistance: 0						
5	ANS-22410•	Blue/Yellow	Size 10	27 mil	12	PK	

 Snorkel[®] Chemical-Resistant Gloves Cover all the bases with comfortable, flexible, full-immersion chemical-resistant gloves. Heavyduty PVC/nitrile-blend shell protects you from contact with acids, caustics and solvents. Rough, nylon-particle-infused finish enhances cut/abrasion protection while helping you get a better grip on wet and dry objects. Price ID No. Color Size Otv. Unit ANS-4412-10• * 6 Size 10 DZ Green 1

* EN374; EN374AKL. Products that provide "chemical resistance" and/or "resistance" to oil or grease or do not completely prevent or eliminate the potential for injury due to chemical exposure and do not completely prevent or eliminate the potential for oil or liquid penetration or absorption.

Sol-Vex[®] Sandpatch-Grip Nitrile Gloves Gauntlet-style gloves are perfect for heavy-duty cleaning applications. High-quality nitrile provides excellent chemical resistance and tensile strength. Flexible and comfortable.

ID	No.	Color	Size	Qty. Unit	Price			
	ANSI Abrasion: 4; ANSI Cut Resistance: 0							
7	ANS-3717510•	Green	Size 10	12 PK				

E Sol-Vex[®] Unsupported Nitrile Gloves High-performance gloves deliver an outstanding combination of strength and chemical resistance. When exposed to aromatic and petroleum solvents as well as caustics and animal fats, Sol-Vex® gloves have proven to be a superior choice over rubber or neoprene. Skin-safe nitrile helps minimize the potential for contact dermatitis.

ID	No.	Color	Size	Thickness	Qty. Unit	Price
8	ANS-371859	Green	Size 9	22 mil	12 CT	

 XT Premium Latex Gloves Powder-free latex disposable gloves with textured grip are ambidextrous. They provide the highest degree of dexterity available with the strength and comfort of 100% natural rubber latex. For laboratory analysis/technical work, intricate parts handling, food processing and handling, guality control, electronics assembly, light-duty maintenance and cleanup.

ID	No.	Color	Size	Thickness	Qty. Unit	Price
9	ANS-69318S	White	Small	5 mil	100 BX	
10	ANS-69318M	White	Medium	5 mil	100 BX	
11	ANS-69318L	White	Large	5 mil	100 BX	
12	ANS-69318XL	White	X-Large	5 mil	100 BX	



CHEMICAL RESISTANT/SPECIALTY









boardwalk.

Nitrile Flock-Lined Gloves Protect your hands with gloves that are chemical- and abrasion-resistant. Perfect for car repair or working with harsh cleaners and solvents or pesticides. Gloves have an embossed grip.

ID	No.	Color	Size	Qty.	Unit	Price
1	BWK-183S•	Green	Small	1	DZ	
2	BWK-183M ≭	Green	Medium	1	DZ	
3	BWK-183L	Green	Large	1	DZ	
Л	B\//K_183XI	Green	X-Largo	1	D7	

* BWK-183M—FDA Compliant.

B Flock-Lined Latex Cleaning Gloves Lined gloves are good for working with harsh detergents, acids, solvents, alcohols and alkalis. Gloves protect your hands and help you maintain a steady grip. Perfect for cleaning up those big messes. Embossed nonslip grip.

ID	No.	Color	Size	Qty.	Unit	Price				
5	BWK-242M	Yellow	Medium	1	DZ					
6	BWK-242L	Yellow	Large	1	DZ					
7	BWK-242XL	Yellow	X-Large	1	DZ					

() Neoprene Flock-Lined Gloves Heavy-duty flock lined neoprene gloves offer superior protection, greater thickness and looser fit for extreme chemical handling applications. Resistant to chlorinated solvents, inorganic acids, petroleum products, paint and varnish remover. Long-sleeve ensures forearm protection. Embossed grip.

ID N	lo.	Color	Size	Qty. Uni	t Price
8 B	3WK-543M•	Black	Medium	1 DZ	
9 B	3WK-543L	Black	Large	1 DZ	
10 B	3WK-543XL•	Black	X-Large	1 DZ	



Flock-Lined Nitrile Gloves Nitri-Chem heavy-duty nitrile gloves maintain strength in both wet and dry conditions with diamond embossed grip. Added length and straight cuffs protect hands and wrist area while working with food and dangerous chemicals. Component materials comply with FDA regulations for food contact. Ideal for food processing, chemicals, machine operations, maintenance and more.

ID	No.	Color	Size	Qty.	Unit	Price
11	CRW-5319E	Green	One Size	1	DZ	

Isinja® HPT Gloves When working in both wet and dry environments, professional-grade nylon gloves maintain a solid, durable performance. Hydropellent technology coating process creates encapsulated air molecules which repel liquids for a firm wet or dry grip. Gloves remain fresh and free of bacteria with Actifresh® coating. Great for assembly, plumbing, shipping and general maintenance.

51	Shipping and general mantenance.									
ID	No.	Color	Size	Qty.	Unit	Price				
12	CRW-N9699S	Black	Small	1	PR					
13	CRW-N9699MBX	Black	Medium	12	BX					
14	CRW-N9699LPK	Black	Large	12	PK					
15	CRW-N9699XLDZ	Black	X-Large	1	DZ					

COATED GLOVES





boardwalk

Rubber Paim Gloves Sturdy blue latex palm coated work gloves are ideal for jobs requiring cut and abrasion resistance, while rough grip style maintains the best grip in wet and dry conditions. Form fitting, super flexible and silicone free, they have a grey machine knit polyester shell with a blue rubber coated palm and fingers.

ID	No.	Color	Size	Qty. Unit	Price
1	BWK-00027L ≭	Gray/Blue	Large	1 DZ	
2	BWK-00027XL• ≭	Gray/Blue	X-Large	1 DZ	

Made of FDA Accepted Materials.

Honeywell

NORTH

B NorthFlex Red[™] Foamed PVC Gloves Gloves are made with a soft and flexible foamed PVC coating for shock and vibration absorption. Stretchy and form-fitting seamless nylon liners create a snug fit for exceptional comfort. PVC coating also has high abrasion resistance for extra protection.

 ID
 No.
 Color
 Size
 Qtv. Unit
 Price

ID	No.	Color	Size	Qty.	. Unit	Price
3	NSP-NF119L	Red/Black	Large (Size 9)	1	DZ	
4	NSP-NF1110XL•	Red/Black	X-Large (Size 10)	1	DZ	

boardwalk.

Black PU Palm Coated Gloves Fitted gloves feature a black polyurethane coated palm on a 100% black polyester seamless machine knit shell. They provide outstanding grip and superior abrasion resistance. These general purpose black gloves adapt to the contours of the hand for a completely custom fit. They feature color overcasts to help designate size and a rubber band edge finish to enhance fit.

ID	No.	Color	Size	Qty.	Unit	Price
5	BWK-000288• ≭	Black	Medium (Size 8)	1	DZ	
6	BWK-000289• ≭	Black	Large (Size 9)	1	DZ	
7	BWK-0002810• ≭	Black	X-Large (Size 10)	1	DZ	
8	BWK-0002811• ≭	Black	2X-Large (Size 11)	1	DZ	

★ ANSI Level 1 Cut Resistance; Made of FDA Accepted Materials.

 Palm Coated HPPE Gloves Sturdy gloves are constructed of a high performance polyethylene (HPPE), nylon, with a polyester fiber blended machine knit shell. They deliver cool comfort, superb dexterity and dependable cut resistance. Polyurethane palm coating channels away oils, provides a secure grip and delivers ultra-high abrasion resistance. Dark coloring hides dirt.

	D No.	Color	Size	Qty	. Unit	Price				
Ç	BWK-000298• *	Salt & Pepper/Black	Medium (Size 8)	1	DZ					
1	0 BWK-000299• ≭	Salt & Pepper/Black	Large (Size 9)	1	DZ					
1	1 BWK-0002910• ≭	Salt & Pepper/Black	X-Large (Size 10)	1	DZ					
1	2 BWK-0002911• ≭	Salt & Pepper/Black	2X-Large (Size 11)	1	DZ					

ANSI Level 2 Cut Resistance; ANSI Level 6 Abrasion Resistance; Made of FDA Accepted Materials.





COATED GLOVES











(1) Ultra Tech® Foam Nitrile Gloves Strength and comfort are a durable combination with these nitrile-dipped work gloves. Ultra Tech® foam provides additional protection against heavier tasks and cushions impacts. Nitrile-dipped palm and fingers maintain a solid grip during both wet and dry applications. Seamless nylon knit design offers flexibility. Ideal for small parts handling where tactile sensitivity and dexterity are important.

ID	No.	Color	Size	Qty.	Unit	Price
1	CRW-9674M•	Gray/White	Medium	1	DZ	
2	CRW-9674L•	Gray/White	Large	1	DZ	

Byneema® Gloves The economical choice for solid protection against cuts and abrasions. Polyurethane palm and finger coating provides a sturdy, durable grip in both wet and dry applications. Flexible Dyneema® material remains breathable and lint-free. Laundry-safe and easy to clean, with no loss in cut resistance.

ID	No.	Color	Size	Qty.	Unit	Price		
3	CRW-9672M• ≭	Gray/White	Medium	1	PR			
4	CRW-9672L• ≭	Gray/White	Large	1	PR			
5	CRW-9672XL• ≭	Gray/White	X-Large	1	PR			
	* ANSI Jourd 2 Cut Registrant							

🔻 ANSI Level 2 Cut Resistant.

(b) Ultra Tech® Tactile Dexterity Work Gloves Protection, comfortable fit and sure grip. Resistant to cuts and abrasions. Provides tactile sensitivity and hand dexterity.

ID	No.	Description	Color	Size	Thickness	Qty.	Unit	Price
6	CRW-N9696S*	Polyurethane coated palm and fingertips on 18 gauge shell	Blue/ Black	Small	18 gauge	1	DZ	
7	CRW-N9696M•	Polyurethane coated palm and fingertips on 18 gauge shell	Blue/ Black	Medium	18 gauge	1	DZ	
8	CRW-N9696L	Polyurethane coated palm and fingertips on 18 gauge shell	Blue/ Black	Large	18 gauge	1	DZ	

() Flex Latex Gloves Multipurpose work gloves provide durable strength and grip, without compromising breathability. Gray nylon shell offers added comfort and flexibility. Blue foam latex-dipped palm and fingertips maintain a solid grip in both wet and dry environments. Ideal for small parts handling where tactile sensitivity and dexterity are important.

ID	No.	Color	Size	Qty.	Unit	Price
9	CRW-96731SDZ	Blue/Gray	Small	1	DZ	
10	CRW-96731MDZ	Blue/Gray	Medium	1	DZ	
11	CRW-96731LDZ	Blue/Gray	Large	1	DZ	
12	CRW-96731XLDZ	Blue/Gray	X-Large	1	DZ	

COATED GLOVES



Ninja® Force Gloves Don't sacrifice comfort for protection with these polyurethane coated gloves. Dyneema/synthetic/fiberglass shell provides flexibility and style. Solid protection from abrasions, cuts and tears while synthetic glove back keeps hands cool and comfortable. Durable choice for automotive, metal fabrication and transportation industries.

ID	No.	Color	Size	Thickness	Qty.	Unit	Price
1	CRW-N9677S•	Gray	Small	13 gauge	1	PR	
2	CRW-N9677M•	Gray	Medium	13 gauge	1	PR	
3	CRW-N9677L•	Gray	Large	13 gauge	1	PR	
4	CRW-N9677XL•	Gray	X-Large	13 gauge	1	PR	

 Ninja® X Gloves Premium durability and softness complement a bi-polymer coating on palm and fingertips for solid protection. These high-performance nylon/lycra gloves are treated with Actifresh® to kill bacteria and promote longlasting freshness. Industry applications include manufacturing, fabrication, inspections and packaging when maximizing dexterity and sense of touch is required.

ID	No.	Color .	Size	Qty.	Unit	Price
5	CRW-N9674S	Black	Small	1	PR	
6	CRW-N9674M	Black	Medium	1	PR	
7	CRW-N9674L	Black	Large	1	PR	
8	CRW-N9674XL•	Black	X-Large	1	PR	

(b) Economy Foam Nitrile Gloves Solid, 13 gauge nylon knit design provides a durable, economical glove choice for the workplace. Nitrile-dipped palm and fingers for handling larger spills and heavier cleanup without losing grip. Ideal for small parts handling where tactile sensitivity and dexterity are important.

ID No.	Color	Size	Qty.	Unit	Price
9 CRW-9673S	Black/Gray	Small	1	DZ	
10 CRW-9673M	Black/Gray	Medium	1	DZ	
11 CRW-9673L	Black/Gray	Large	1	DZ	
12 CRW-9673XL	Black/Gray	X-Large	1	DZ	

Ninja® Flex Latex Coated Palm Gloves N9680 Crinkle latex coating providing superb flexibility, elasticity, and durability. Excellent dexterity and protection. Component materials comply with all relevant federal regulations for food contact.

ID No.	Description	Color	Size	Thickness	Qty.	Unit	Price
13 CRW-N9680S•	Ninja Flex, 15 Gauge, Red, Nylon Shell, Gray	Red/ Gray	Small	15 gauge	1	DZ	
14 CRW-N9680M•	Latex Palm & Fingers Ninja Flex, 15 Gauge, Red, Nylon Shell, Gray	Red/ Gray	Medium	15 gauge	1	DZ	
15 CRW-N9680L•	Latex Palm & Fingers Ninja Flex 15 gauge, Red, Nylon Shell/Gray	, Red/ Gray	Large	15 gauge	1	DZ	
16 CRW-N9680XL•	Latex Palm & Fingers Ninja Flex, 15 Gauge, Red, Nylon Shell, Gray	Red/ Gray	X-Large	15 gauge	1	DZ	
	Latex Palm & Fingers						

European Standa offerings meet th abrasion, cut, tea A glove's overall	n Directives for Personal Protective ard EN388 established the criteria necessary for rating all PPE items. I nese standards – reflected with the CE logo – and have a 4-digit perfi ar and puncture resistance (ACTP). performance score is indicated by four numbers that represent the fi better the performance. Manufacturers may use an X to indicate not	Nany of our hand protection prmance rating that measures our test criteria. The higher
	Criteria	Rating
A	Abrasion Resistance	0-4
C	Blade Gut Resistance	0-5
	📴 ar Resistance	0-4
•	Puncture Resistance	0-4



WORK GLOVES







(2) **ProFlex® 710 Heavy-Duty Utility Gloves** Heavy-duty utility gloves offer superior protection for the skilled professional. Padded palm with Tena-Grip[™] reinforcement for extra protection. Tena-Grip[™] reinforced fingertips and thumb saddle. Technical hex-stretch material construction for long-lasting durability.

ID	No.	Color	Size	Qty.	Unit	Price
1	EGO-17043•	Gray	Medium	1	PR	
2	EGO-17044•	Gray	Large	1	PR	
3	EGO-17045•	Gray	X-Large	1	PR	

BroFlex® 812 Standard Utility Gloves High quality utility gloves provide all-purpose protection, dexterity and comfort. Durable synthetic leather palm. Reinforced thumb saddle wear area for added strength. Breathable poly mesh construction designed for user comfort. Low-profile molded hook and loop closure with ID space. Pull-on tab for easy on/off.

ID	No.	Color	Size	Qty.	Unit	Price
4	EGO-17172•	Black	Small	1	PR	
5	EGO-17173•	Black	Medium	1	PR	
6	EGO-17174•	Black	Large	1	PR	
7	EGO-17175•	Black	X-Large	1	PR	

(c) ProFlex® 720 Heavy-Duty Framing Gloves Heavy-duty framing gloves feature three open fingers for superb dexterity and functionality. Convenient configuration for grasping fasteners. Padded palm with Tena-Grip™ reinforcement for extra protection. Technical hex-stretch material construction for long-lasting durability.

ID No.	Color	Size	Qty	. Unit	Price
8 EGO-17112•	Gray	Small	1	PR	
9 EGO-17113•	Gray	Medium	1	PR	
10 EGO-17114•	Gray	Large	1	PR	
11 EGO-17115•	Gray	X-Large	1	PR	

D ProFlex[®] 710CR Heavy-Duty + Cut Resistance Gloves Heavy-duty, cut resistant gloves are a durable choice for everyday challenges. Armortex[®]-backed palm for cut protection. Padded palm with Tena-Grip[™] reinforcement for superior protection overall. Technical hex-stretch material construction for long-lasting durability.

ID No.	Color	Size	Qty.	Unit	Price
12 EGO-17123•	Gray	Medium	1	PR	
13 EGO-17124•	Gray	Large	1	PR	
14 EGO-17125•	Gray	X-Large	1	PR	

Content in the second seco

ID No.	Color	Size	Qty	. Unit	Price
15 EGO-17242•	Gray	Small	1	PR	
16 EGO-17243•	Gray	Medium	1	PR	
17 EGO-17244•	Gray	Large	1	PR	



(A) Cold Condition Gloves Wind-resistant, water-repellant membrane, Duraclad® reinforcements which are 8X more abrasion-resistant than normal synthetic leather, TPR knuckle protection, micro fleece liner, TPR cuff puller, reflective stripes. The first work glove to deliver warmth, comfort and full dexterity, this glove is windproof and water-repellant to keep hands warm and dry. Ideal for any task where precision is desired in cold conditions. For temperatures down to 40 degrees F.

A

ID	No.	Color	Size	Qty.	Unit	Price
1	IRN-CCG203M•	Black	Medium	1	PR	
2	IRN-CCG204L•	Black	Large	1	PR	
3	IRN-CCG205XL	Black	X-Large	1	PR	

Box Handler Gloves Duraclad[®] reinforcements are 8X more abrasionresistant than normal synthetic leather. Patented Diamondclad[®] silicone fused palm, Airprene knuckle protection, hybrid cuff system, TPR cuff puller, terry cloth sweat wipe. A favorite among package delivery professionals around the world, this industrial grip glove features our patented Diamondclad[®] silicone fused palm for maximum grip.

ID No.	Color	Size	Qty.	Unit	Price
4 IRN-BHG03M	Black	Medium	1	PR	
5 IRN-BHG04L 🛪	Black	Large	1	PR	
6 IRN-BHG05XL ≭	Black	X-Large	1	PR	

* CE Rating 3131 Abrasion 3, Cut 1, Tear 3, Puncture 1.

(c) Ranchworx[®] Leather Gloves Machine washable genuine Bullwhip[®] leather, patented Rolltop[®] fingertips, Exo-Guard[™] protection, Kevlar[®] reinforcements, TPR cuff puller, terry cloth sweat wipe. Ironclad's top of the line leather glove is exceptionally durable, comfortable and versatile. Our Bullwhip[®] leather won't dry out or shrink when washed while our advanced protection features make this glove tough enough for just about any task.

ID	No.	Color	Size	Qty.	Unit	Price
7	IRN-RWG203M• ≭	Black/Tan	Medium	1	PR	
8	IRN-RWG204L• ≭	Black/Tan	Large	1	PR	
9	IRN-RWG205XL• ≭	Black/Tan	X-Large	1	PR	

* CE Rating 2123 Abrasion 2, Cut 1, Tear 2, Puncture 3.

D General Utility Gloves[™] Synthetic leather reinforcements, patented palm design, hybrid cuff system, TPR cuff puller, terry cloth sweat wipe. Reinforced dexterity. The original high performance utility glove. A comfortable, form-fitting glove designed to handle all of your day-to-day tasks.

ID	No.	Color	Size	Qty.	Unit	Price
10	IRN-GUG-03-M ≭	Black	Medium	1	PR	
11	IRN-GUG-04-L ≭	Black	Large	1	PR	
12	IRN-GUG-05-XL ≭	Black	X-Large	1	PR	

★ CE Rating 2132 Abrasion 2, Cut 1, Tear 3, Puncture 2.



FastFit[®] Work Gloves Protective work gloves have stretch panels set in between fingers to provide a comfortable fit. Convenient cuffs allow wearer to easily slip gloves on and off. Synthetic leather wraps around glove for improved protection and stronger grip.

ID No.	Color	Size	Qty. Unit	Price
13 MNX-MFF05009	Black/Gray	Medium	1 PR	
14 MNX-MFF05010	Black/Gray	Large	1 PR	
15 MNX-MFF05011	Black/Gray	X-Large	1 PR	
16 MNX-MFF05012•	Black/Gray	2X-Large	1 PR	







WORK GLOVES













(A) Cheetah 935CH Gloves Cheetah multi-task gloves stand up to grease and grime, with a dark coloring that helps hide dirt. Sturdy gloves provide the grip, durability and protection for tough tasks. Black synthetic palm, hook and loop wrist closure, G shaped gel pad in palm.

ID	No.	Color	Size	Qty. Unit	Price
1	CRW-935CHS•	Black	Small	1 PR	
2	CRW-935CHM•	Black	Medium	1 PR	
3	CRW-935CHL•	Black	Large	1 PR	
4	CRW-935CHXL•	Black	X-Large	1 PR	

Full Leather Cow Grain Work Gloves Sturdy, versatile gloves are made for tough jobs. Good balance between dexterity, durability and comfort. Abrasion-resistant.

ID	No.	Color	Size	Qty.	Unit	Price
5	MPG-3200L•	Tan	Large	1	DZ	

() Unlined Pigskin Driver Gloves Unlined pigskin gloves offer excellent abrasion resistance. They are naturally soft and retain their softness even after exposure to water. The breathable nature of the hide allows hands to be comfortable.

ID	No.	Color	Size	Qty.	Unit	Price
6	MPG-3400L•	Cream	Large	1	DZ	

D Economy Leather Drivers Gloves Durable, cowhide leather gloves provide comfort and convenience for any workplace. Flexible, keystone thumb offers added mobility. Applications include construction, farm equipment, utility work and general maintenance where greater dexterity is required. Color-coded hem to identify size.

ID	No.	Color	Size	Qty.	Unit	Price
7	CRW-3215M•	Beige	Medium	1	PR	
8	CRW-3215L	Beige	Large	1	PR	

(B) Select Shoulder Gloves When working conditions turn harsh, turn to Memphis[™]. Sturdy cow leather gloves with Gunn pattern offer excellent protection. Comfortable fleecy lining. Rubberized cuff and knuckle strap offer extra protection.

ID	No.	Color	Size	Qty.	Unit	Price
9	MPG-1311•	Blue/Gray	Large	1	DZ	







boardwalk.

(1) Cow Split Leather Double Palm Gloves Cow split leather palm gloves have a double layer of leather over the palm area for reduced wear and tear and added grip. This sturdy glove features a wing thumb, knuckle strap, pull patch and a lined palm for additional protection and easy use. Elastic back for comfort and improved fit. Recommended for rugged jobs that require extra protection for the back of the wearer's hand and fingers.

ID No.	Description	Color	Size	Qty	. Unit	Price
1 BWK-00034• *	Double Palm Leather Glove with Safety Cuff	- 1	Large	1	DZ	

★ Made of FDA Accepted Materials.



Ben's Split Leather Palm Gloves For superior protection against sharp objects and abrasions in the workplace, these leather palm gloves offer continued durability and performance. Soft cotton back provides premium comfort and breathability. Rubberized cuff provides added protection to wrist and lower arm. Ideal for general purpose applications requiring abrasion protection.

ID	No.	Color	Size	Qty.	Unit	Price
2	CRW-12010M•	Gray	Medium	1	PR	
3	CRW-12010L	Gray	Large	1	PR	
4	CRW-12010XL	Grav	X-Large	1	PR	

() 1040 Leather Palm Glove Economical leather palm glove provides general purpose protection.

ID	No.	Description	Color	Size	Thickness	Qty. Unit	Price
5	CRW-1040•	Leather Palm	Gray/	Large	0.8 mil -	1 DZ	
			White		1.3 mil		

D Grain Goatskin Driver Gloves Supple leather gloves contain natural lanolin for an extra-soft feel. Excellent tensile strength and tactile sensitivity. Gloves have exceptional durability.

ID	No.	Color	Size	Qty.	Unit	Price
6	MPG-3601M•	White	Medium	1	DZ	
7	MPG-3601L•	White	Large	1	DZ	
8	MPG-3601XL•	White	X-Large	1	DZ	

 Mustang MIG/TIG Leather Welding Gloves MIG/TIG welding gloves are made from high-quality top grain leathers. Sewn with super-strong, heat-resistant DuPont[™] Kevlar[®] thread. Gloves offer easy dexterity for detail-oriented low heat welding.

	No.	Color	Size	Qty.	Unit	Price
9	MPG-4950L•	Cream/Russet	Large	1	DZ	

















boardwalk.

A 8-oz. Cotton Canvas Gloves White, all-purpose.

ID	No.	Color	Size	Qty.	Unit	Price
1	BWK-7•	White	Large	1	DZ	

 Jersey Knit Wrist Gloves Protect your hands from even the toughest of jobs involving materials handling. Lightweight with clute cut and comfortable knit wrist cuffs.

ID	No.	Color	Size	Qty.	Unit	Price
2	BWK-9	Brown	One Size	1	DZ	

() PVC-Dotted String Knit Utility Gloves Long-lasting utility gloves have black PVC dots on both sides, providing a firm grip and doubling the life of the glove. Knit wrists provide secure and comfortable fit, while machine knit offers breathability. Suitable for a wide range of tasks including warehouse work and handling materials.

ID	No.	Color	Size	Qty.	Unit	Price
3	BWK-792•	Beige/Black	Large	1	DZ	

() String Knit General-Purpose Gloves Long-lasting reversible utility gloves are a cotton-polyester blend, making them ideal as liners for cold applications and for general purposes. Knit wrists provide secure and comfortable fit. Suitable for a wide range of tasks, including warehouse work and handling materials.

ID	No.	Color	Size	Qty.	Unit	Price
4	BWK-782	Natural	Large	1	DZ	



 Men's Brown Jersey Gloves Reach for the general-purpose cotton glove alternative for work in and out of the home. Flexible knit wrist allows for easy on and off convenience. Straight, durable thumb for heavier workloads. Ideal for any general purpose applications without sacrificing breathability and comfort.

ID	No.	Color	Size	Qty.	Unit	Price
5	CRW-7100D•	Brown	One Size	1	DZ	

 Men's Dotted Canvas Gloves Durable cotton gloves with dotted palm and index finger are a handy accessory to have on hand when you need a firm grip. Flexible knit wrist and straight thumb provide added protection and flexibility. Perfect for simple household tasks or light-duty jobs in the workplace.

ID	No.	Color	Size	Qty.	Unit	Price
6	CRW-8808•	White	One Size	1	DZ	

KLEENGUARD

 G60 PURPLE NITRILE* Cut-Resistant Gloves Ambidextrous with tapered coating on the fingertips for added dexterity. Made of ultra-high molecular weight polyethylene (UHMWPE) fiber, which enhances breathability and comfort. Dotted palms to keep a better grip. 12 pairs per carton.
 D No. Description Color Size Qty. Unit Price

IL	No.	Description	Color	Size	Uty. Unit	Pric
7	KCC-97431CT ≭	Purple Nitrile* Level 3 Cut Resistant		Medium (Size 8)	24 CT	

≭ ANSI Level 3 Cut Resistance.

BUYING PROTECT YOUR EYES!

Personal protective eyewear, such as goggles, safety glasses and faceshields, must be used in a workplace where an eye hazard exists.

Each day approximately 2,000 U.S. workers sustain an eye injury on the job that requires medical treatment. A third of the injuries are treated in ERs and more than 100 result in a day or more of lost work. The majority of injuries occur because of small particles or objects striking or abrading the eye.

Having the right protective eyewear is critical in preventing eye-related injuries.

Before choosing eye protection, identify the hazards of your workplace. Then, the choice can be made between safety glasses, goggles or a combination with a faceshield as secondary protection.

Eye protection should be fit to the worker or adjustable to provide for appropriate coverage. The worker's personal vision should be considered, with safety glasses large enough to allow the user to wear their own glasses underneath.

www.cdc.gov/niosh/topics/eye

Eyewear Types

Safety Glasses protect against general impact; however, speed of impact must be considered. The higher the velocity, the more likely the safety glasses could be dislodged. In this case, goggles or a faceshield may be a better choice. **See pages 322-326.**

Goggles are available in direct and indirect vented styles. See pages 326-327.

Direct vented goggles allow airflow, but are only approved for protection against particulates. Use for jobs such as grinding or cutting where dust is an issue.

Indirect vented goggles are for protection against vapors, chemicals, liquids and dust.

Full Faceshields are the best option for workers exposed to flying particles or chemical splashes. Use in conjunction with safety glasses or goggles to protect against secondary hazards. **See page 328.**

Eyewear Features

UV Protection – for workers exposed to ultraviolet radiation, such as outdoor workers and welders.

Hard-Coated – for applications where lens scratching is an issue.

Anti-Fog/Anti-Mist – for workers who are exposed to extreme temperatures or warm humid environments.

Clear Lenses—for indoor or outdoor applications in below-normal light conditions.

Gray or Brown Lenses—for outdoor use where above-average light is available.

Amber Lenses—for applications where light is below normal or enhanced contrast is needed.

SAFETY GLASSES





(1) Storm® Safety Glasses Face-flattering design appeals to a wide range of professionals. High-quality polycarbonate lenses provide superior protection without hindering visual acuity. Five-position ratchet-action temples make getting a proper fit quick and easy. Manufacturer's lifetime frame warranty.

ID	No.	Frame Color	Lens Color	Qty.	Unit	Price
1	CRW-ST110 ≭	Black	Clear	12	BX	
	+ 1101 707 1 0 1					

★ ANSI Z87.1 Compliant.

B Stratos® Safety Glasses Stylish, highly practical wraparound design helps maximize your field of vision. Duramass® coating keeps lenses scratch-free. Extension-adjustable temples enhance comfort.

ID	No.	Frame Color	Lens Color	Qty.	Unit	Price
2	CRW-SS110BX	Black	Clear	12	BX	

 Tomahawk[®] Safety Glasses Lightweight safety glasses with a scratch-resistant, polycarbonate, wraparound lens. Fully adjustable temples with ratchet for custom fit and one-piece lens with integral side shields. Filters 99.9% of UV rays. Manufacturer's lifetime frame warranty.

10	110.		20113 00101	uty.	Unit	11100
3	CRW-TK110• ≭	Black	Clear	12	ВΧ	
	* ANSI Z87.1 Compliant.					

DearKat[®] Safety Glasses Well-thought-out construction combines the best in safety, comfort and affordability! Wraparound lenses won't obstruct vision; fits snugly for maximum safety. Flexible temples and nonslip rubber head grips. Filters 99.9% of UV rays.

ID	No.	Frame Color	Lens Color	Qty.	Unit	Price	
4	CRW-BK110BX ≭	Black	Clear	12	BX		
5	CRW-BK110AFBX	Frost	Clear	12	BX		
6	CRW-BK112BX ≭	Gray	Gray	12	BX		
	IVagnifier Lens—1.5	liopter strength.					
7	CRW-BKH15	Clear	Clear	1	EA		
	Magnifier Lens—2 diopter strength.						
8	CRW-BKH20•	Clear	Clear	1	EA		
	* CRW_RK110 CRW_RK	110BX CRW_RK112 CRM	LRK112RX	Comr	liant		

* CRW-BK110, CRW-BK110BX, CRW-BK112, CRW-BK112BX—ANSI Z87.1+ Compliant.

(E) Law OTG® Safety Glasses Breaks through the traditional look of over-the-glasses protective eyewear. Durable polycarbonate frame is designed to be worn over prescription glasses. Ratcheting temple design for optimum fit. Nonslip temple inserts provide comfort and grip. Anti-fog, scratch-resistant and filters 99.9% of UV rays.

ID	No.	Frame Color	Lens Color	Qty.	Unit	Price
9	CRW-OG110AF ≭	Gray	Clear	1	EA	
	the second se					

★ ANSI Z87.1+ Compliant.

Yukon® Safety Glasses Convenient, low-cost glasses make a great courtesy handout for visitors to your workplace. Contemporary wraparound style provides increased angular coverage for improved peripheral vision. Molded-in brow guards and vented side shields.

	No.		Lens Color	Qty.	Unit	Price
10	CRW-9810• ≭	Clear	Clear	1	EA	

* ANSI Z87.1+ Compliant.

boardwalk.

(G) Safety Glasses Safety glasses feature a hard-coated polycarbonate frame and lens for superb scratch and impact resistance. These versatile spectacles provide 99.9% UV protection. Lightweight, for comfortable long-term wear.

ID No.	Frame Color	Lens Color	Qty.	Unit	Price
11 BWK-00021• ≭	Clear	Clear	1	DZ	
12 BWK-00023• 🛪	Gray	Gray	1	DZ	
Anti-Fog Lens					
13 BWK-00022• 🗰	Clear	Clear	1	DZ	

* ANSI Z87.1-2010 Compliant; CAN/CSA Z94.3-07; Made of FDA Accepted Materials.





O Virtua[™] Protective Eyewear Lightweight safety eyewear weighs less than 1 ounce and is comfortable for long wear. High-wraparound coverage offers extra protection. Sturdy polycarbonate lenses.

ID	No.	Frame Color	Lens Color	Qty. Unit	Price
1	MMM-113290000020 ≭	Clear	Clear	1 EA	
2	MMM-113260000020• *	Clear	Clear	20 CT	

* ANSI Z87.1-2003 Compliant.

KLEENGUARD

Belement* Safety Glasses Lightweight, popular styling and economical price. Frame features universal nose bridge. Clear polycarbonate lenses provide 99.9% UVA/ UVB/UVC protection.

ID	No.	Frame Color	Lens Color	Qty.	Unit	Price
3	KCC-25631• 🗰	Black	Smoke	1	EA	
	V10					
4	KCC-25627• ≭	Clear	Clear	1	EA	

* ANSI Z87.1+ Compliant.

(B) Maverick[™] Safety Glasses Eye protection combines a modern, sleek, and trendy design with comfort and safety features. Integrated side shields and browguard help the user feel confident they are protected.

ID	No.	Frame Color	Lens Color	Qty. Unit	Price
5	KCC-49309• ≭	Black	Clear	144 CT	
6	KCC-49311• ≭	Black	Smoke	12 CT	
7	KCC-49312• ≭	Black/Orange	Clear	144 CT	
8	KCC-49301• ≭	Clear/Orange	Clear	144 CT	

* ANSI-Z87, EN 166 "N" and "K" Mark Tests.

D Nemesis[™] Safety Glasses Feature sleek, flexible, lightweight design with soft touch temples for comfort. Patented nose piece designed to be extremely flexible, to channel sweat away from the eyes, and to help prevent slippage down the nose – all for long-term comfort. Scratch-resistant dual polycarbonate lens offers 99% UVA/ UVB/UVC protection.

ID No.	Frame Color	Lens Color	Qty	. Unit	Price
9 KCC-25676 ≭	Black	Clear	1	EA	
Indoor/Outdoor Lens					
10 KCC-25685 ≭	Black	Indoor/Outdoor	1	EA	
V30					
11 KCC-25688 🛪	Black	Smoke Mirror	1	EA	
★ ANSI Z87.1+ Compliant.					







BM 🛕 WARNING!

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and User Instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash, see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 800-243-4630. In Canada, call Technical Service at 800-267-4414.

SAFETY GLASSES





A trendy design that also offers soft and secure TPR nosepads. Inner TPR side shields for added protection.

ID	No.	Frame Color	Lens Color	Qty.	. Unit	Price
	Anti-Fog Lens					
1	CRW-BD110PF• ≭	Clear	Clear	1	EA	
2	CRW-BD112PF• ≭	Clear	Gray	1	EA	
	Hard Coat Lens					
3	CRW-BD110P• ≭	Clear	Clear	1	EA	
4	CRW-BD112P• ≭	Clear	Gray	1	EA	

* ANSI Z87.1 Compliant.

B Forceflex[™] Professional Grade Safety Glasses The ultimate in safety, flexible frame combines with lenses to achieve military-level impact resistance. Thermoplastic frames flex to fit any size face. Stylish and comfortable. Scratch-resistant.

ID	No.	Frame Color	Lens Color	Qty	Unit	Price
5	CRW-FF128B• ≭	Black	Blue Diamond Mirror	1	EA	
6	CRW-FF120• ≭	Black	Clear	1	EA	

* ANSI Z87.1+ Compliant.

C Klondike® Plus Safety Glasses Safety and style at an affordable price. Great on the slopes or in the workplace. Adjustable temples and gel nose piece keep you comfortable all day. Scratch-resistant, lightweight polycarbonate lenses. Filters 99.9% of UV rays.

ID	No.	Frame Color	Lens Color	Qty.	Unit	Price
7	CRW-KD310 ≭	Black	Clear	1	EA	
8	CRW-KD312• ≭	Black	Gray	1	EA	
	4					

* ANSI Z87.1+ Compliant.

D Klondike® Safety Glasses Attractive, modern design gives you a stylish, light-weight option that you'll want to wear all day long. Strong polycarbonate lenses provide excellent protection from flying debris. Adjustable temples and gel nose piece enhance wearing comfort.

ID	No.	Frame Color	Lens Color	Qty.	Unit	Price
9	CRW-KD110BX	Black Matte	Clear	12	BX	
10	CRW-KD112BX	Black Matte	Gray	12	BX	

■ Dallas[™] Safety Glasses Fashion and function combine with sleek styling that offers a lightweight, comfortable fit. Unique nosebridge with gel nose pad. Nonslip temple sleeves and wraparound lens design. Filters 99.9% of UV rays.

ID	No.	Frame Color	Lens Color	Qty.	Unit	Price
11	CRW-DL110• *	Black	Clear	1	EA	
12	CRW-DL112• ≭	Black	Gray	1	EA	
	Anti-Fog					
13	CRW-DL310AF ≭	Metallic Blue	Clear	1	EA	
	Anti-Fog; Indoor/Outd	loor Lens				
14	CRW-DL119AF• ≭	Black	Clear Mirror	1	EA	
	* ANGL 707 1 Complian	*				

* ANSI Z87.1+ Compliant.

 Checklite Safety Glasses CL110AF Near total coverage of eve orbit assures high level of protection. Exclusive Duramass® scratch-resistant and anti-fog lens.

ID	No.	Frame Color	Lens Color	Qty.	Unit	Price
15	CRW-CL110AF *	Clear	Clear	1	EA	
	* ANSI Z87.1+ Compliant.					

CAN'T FIND WHAT YOU NEED? CALL & LET US HELP.





(1) Klondike® Magnifier Safety Glasses Modern style combines with excellent fit, comfort and adjustability. Provides a range of magnification to see the details up close. Strong, lightweight lenses. Five-position ratchet spatula temples. Filters 99.9% of UV rays.

ID	No.	Frame Color	Lens Color	Diopter Strength	Unit	Price
1	CRW-K3H15• ≭	Black	Clear	1.5	EA	
2	CRW-K3H20• ≭	Black	Clear	2	EA	
3	CRW-K3H25• ≭	Black	Clear	2.5	EA	

* ANSI Z87.1+ Compliant.

B Checklite[®] Safety Glasses Stylish safety glasses offer exclusive Duramass scratch-resistant lens coating. Flexible temple design for a comfortable fit. Filters 99.9% of UV rays.

ID	No.	Frame Color	Lens Color	Qty.	Unit	Price
	Uncoated Lens					
4	CRW-CL010BX	Clear	Clear	12	BX	
	Scratch-Resistant Lens (Coating				
5	CRW-CL110BX ≭	Clear	Clear	12	BX	
6	CRW-CL112BX ≭	Smoke	Gray	12	BX	

* CRW-CL110, CRW-CL110BX, CRW-CL112, CRW-CL112BX—ANSI Z87.1+ Compliant.

(c) Checkmate[®] Safety Glasses Lightweight, polycarbonate frame and nose piece. Design provides near total seal of eye orbit and maximum protection. Manufacturer's lifetime frame warranty.

ID	No.	Frame Color	Lens Color	Qty.	Unit	Price
	Scratch-Resistant Lens-	–Blocks 99.9%	of UV rays.			
7	CRW-CK110BX ≭	Clear	Clear	12	BX	

* ANSI Z87.1 Compliant.



D Tour-Guard[™] V Protective Eyewear Economical visitor spec fits over most personal prescription eyewear. Polycarbonate lenses absorb 99.9% UV.

ID	No.	Frame Color	Lens Color	Qty.	Unit	Price
	Wraparound design; Wa	ll-mountable di	ispenser box for easy ac	cess		
8	MMM-TGV0120• *	Clear	Clear	20	BX	

ANSI 287.1-2010 Compliant; CSA Z94.3-2007 Compliant. IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

(E) LightVision[™] 2 Protective Eyewear Light up your workspace! Dual LED lights provide hands-free illumination that swivels/adjusts for directional convenience. Long-lasting batteries provide up to 50 hours of use. Clear anti-fog lens. Soft temples and nosebridge.

ID	No.	Frame Color	Lens Color	Qty.	Unit	Price
9	MMM-114760000010• *	Gray	Clear	1	EA	

ANSI 287.1-2010 Compliant; Meets CSA 294.3-2007 Compliant. IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

Magnification to see the details









BM A WARNING!

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and** *User Instructions* **may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash, see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 800-243-4630. In Canada, call Technical Service at 800-267-4414.





3M

Smart Lens[™] Photochromic Eyewear Lightens and darkens with changing outdoor light conditions. Nylon brow and magnesium alloy spring-hinged temples. Soft, adjustable nosebridge.

ID	No.	Frame Color	Lens Color	Qty. Unit	Price
1	MMM-13407000005• *	Clear	Photochromatic	1 EA	

ANSI Z87.1-2010 Compliant; Meets the Traffic Signal Recognition Requirements of ANSI Z80.3-2008. IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

Honeywell UVEX

Astro OTG® 3001 Safety Glasses Easily fit over most prescription glasses. The scratch-resistant, Ultradura® hardcoated polycarbonate lenses resist impact and absorb 99.9% of UV rays. Adjustable temple length allows various sizes for customized comfort. Manufacturer's lifetime frame warranty.

ID	No.	Frame Color	Lens Color	Qty.	Unit	Price
2	UVX-S2500 *	Black	Clear	1	EA	

* ANSI Z87.1 Compliant; CSA Z94.3-2007 Compliant.

Genesis® Safety Eyewear The dual 9-base unilens offers peripheral vision and protection, while the soft, flexible fingers adjust and conform to most nasal profiles. Impact to the forehead is minimized by the soft elastomer brow. The scratch- and impact-resistant hardcoat is ideal for individuals working in labor-intensive environments. Manufacturer's lifetime frame warranty.

ID	No.	Frame Color	Lens Color	Qty	. Unit	Price
	Anti-Scratch, Anti-Fog					
3	UVX-S3200 ≭	Black	Clear	1	EA	

Infra-Dura Lens, Uvextreme Anti-Fog Coating, Advanced TPE
4 UVX-S3200X * Black Clear 1 EA

* ANSI Z87.1 Compliant; CSA Z94.3-2007 Compliant.



D Stryker Goggles Anti-fog lenses provide chemical protection for your eyes. Indirect vent. Easy adjusting strap.

ID	No.	Lens Color	Unit	Price
5	CRW-2310AF•	Clear	EA	

Safety Goggles Provides a wide, unobstructed field of vision and can be worn with most half-mask respirators. Transparent PVC body; fits over glasses.

ID	No.	Lens Color	Unit	Price
	Chemical Splash Goggl	es—Indirect vented. Transparent protective	PVC body	y
	permits a comfortable fi	t while protecting against impact and splash.		
6	CRW-2230R	Clear	EA	
	Economy Goggles—Per	forated ventilation, direct vents.		
7	CRW-2220	Clear	EA	
_	_			

Honeywell

A610S Safety Goggles Economically protect yourself from airborne particulates, flying debris and chemical hazards. Indirect-venting design provides excellent impact and splash protection. Fog-Ban anti-fog coating. Manufacturer's limited one-year warranty.

ID	No.	Lens Color	Unit	Price
8	UVX-A610S *	Clear	EA	

* ANSI Z87.1-2010 Compliant; CSA Z94.3-2007 Compliant.

WARNING!

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and** *User Instructions* **may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash, see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 800-243-4630. In Canada, call Technical Service at 800-267-4414.

Honeywell

A Seismic[®] Sealed Eyewear Protect your eyes from sun, wind, impacts and airborne debris without compromising your peripheral vision. Convertible design allows you to wear them as fully sealed goggles (using the included headband) or as wraparound safety glasses (using the included temple frame). Manufacturer's limited one-year warranty.

ID	INO.	Frame Color	Lens Color	uly.	Unit	PIIC
	Uvextra [™] AF Anti-Fog Lens	Coating				
1	UVX-S0600X• ≭	Black	Clear	1	EA	

* ANSI Z87.1-2010 Compliant; CSA Z94.3-2007 Compliant .

B Stealth[®] Safety Goggles Low-profile design for chemical splash and impact protection. Uvextreme® AF lens coating provides antifog, antiscratch, antistatic and anti-UV protection. Prescription insert available.

ID	No.	Lens Color	Unit	Price
2	UVX-S3960C ≭	Clear	EA	
	+ 1101 707 1 0			

* ANSI Z87.1 Compliant; CSA Z94.3-2007 Compliant.

C Refine[™] Protective Eyewear Specially sized for the smaller face profile of women. Lightweight, slim frame design. Wrap-around lens for optimum protection. Padded, adjustable nosebridge.

ID	No.	Frame Color	Lens Color	Qty. Unit	Price
3	MMM-117350000020• *	Teal	Clear	1 EA	

* ANSI Z87.1-2015 Compliant. IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.



D Skullerz[®] Odin Safety Glasses Pick the king of safety glasses, with full frame safety glasses designed with rubber coinjection temples and a non-slip nose piece. Scratch-resistant lens blocks 99.9% of harmful UV rays.

1	No.	Frame Color	Lens Color	Qty.	Unit	Pric
4	EGO-50000• ≭	Black	Clear	1	EA	
5	EGO-50080• ≭	Black	Indoor/Outdoor	1	EA	
6	EGO-50042• ≭	Black	Silver-Mirror	1	EA	
7	EGO-50030 🗰	Black	Smoke	1	EA	
8	EGO-50400• ≭	Matte Black	Clear	1	EA	
9	EGO-50442• ≭	Matte Black	Silver-Mirror	1	EA	
1	0 EGO-50430• ≭	Matte Black	Smoke	1	EA	
1	1 EGO-50130• ≭	Matte Gray	Smoke	1	EA	
1	2 EGO-50150• ≭	Matte Gray	Yellow	1	EA	
	Fog-Off [™] Technology—Fog	-Off™ Technology aı	nti-fog coating wor	ı't wa	ish off o	r
	wear off.					
1	3 EGO-50003• ≭	Black	Clear	1	EA	
1	4 EGO-50033• ≭	Black	Smoke	1	EA	
1	5 EGO-50103• ≭	Matte Gray	Clear	1	EA	
1	6 EGO-50133• ≭	Matte Gray	Smoke	1	EA	
	* ANGL 797 1 Compliant: CCA	704 2- MAIL DDE 22422	Polliotia Impost			

* ANSI Z87.1+ Compliant; CSA Z94.3; MIL-PRF 32432 Ballistic Impact.

B Skullerz[®] Dagr Safety Glasses Sleek half frame[™] blade style[™] safety glasses are an excellent choice for everyday safety. Designed with coinjection rubber temples and a non-slip nose piece. Scratch-resistant lens blocks 99.9% of harmful UV rays. Temple accessory slot improves air flow.

ID	No.	Frame Color	Lens Color	Qty.	Unit	Price
17	EG0-52000• ≭	Black	Clear	1	EA	
18	EG0-52042• ≭	Black	Silver-Mirror	1	EA	
19	EG0-52030• ≭	Black	Smoke	1	EA	
20	EG0-52100• ≭	Matte Gray	Clear	1	EA	
21	EGO-52130• 🗰	Matte Gray	Smoke	1	EA	
22	EGO-52150• ≭	Matte Gray	Yellow	1	EA	

* ANSI Z87.1+ Compliant; CSA Z94.3; MIL-PRF 32432 Ballistic Impact.



 Skullerz[®] Loki Safety Glasses/Goggles Go a little loco with convenient Loki full frame safety glasses. They convert from safety glasses to a sealed goggle with interchangeable temples, elastic strap and removable foam gasket (all included). Scratch-resistant lens blocks 99.9% of harmful ŪV ravs.

ID No.	Frame Color	Lens Color	Qty	. Unit	Price			
23 EGO-56092• ≭	Black	Blue Mirror	1	EA				
24 EGO-56000• ≭	Black	Clear	1	EA				
25 EGO-56080• ≭	Black	Indoor/Outdoor	1	EA				
26 EGO-56030• ≭	Black	Smoke	1	EA				
Fog-Off™ Technology—Fog-Off™ Technology anti-fog coating won't wash off								
or wear off.								
27 EGO-56003• 🛪	Black	Clear	1	EA				
28 EGO-56033• ≭	Black	Smoke	1	EA				
29 EGO-56133• ≭	Matte Gray	Smoke	1	EA				
≭ ANSI Z87.1+ Complia	* ANSI Z87.1+ Compliant: CSA Z94.3: MIL-PRF 32432 Ballistic Impact.							

ANSI Z87.1+ Compliant; CSA Z94.3; MIL-PRF 32432 Ballistic Impaci

(b) Skullerz[®] Elastic Retainer Strap Elastic retainer strap secures safety glasses for a snug fit. Inserts into temple slots, twists and locks. Use alone or with foam gasket insert (sold separately). For use with Odin, Dagr, Kvasir, or Valkyrie safety glasses (sold separately).

1 EA PROTECTIO

ž

ID No. 30 EGO-59991• *

HEAD GEAR



3M

Deluxe Headgear with Ratchet Adjustment High-strength thermoplastic crown protector provides impact resistance. Five-position crown strap and adjustable ratchet suspension help provide a precise fit. No snaps, cams or bands needed. Must be used with 3M faceshields only (sold separately). Test compatible with 3M[™] E-A-R fit[™] Validation System.
ID No. For Use With Style Unit Price

ID	No.	For Use With	Style	Unit	Price
1	MMM-82501-00000• *	Faceshield Headgear	Five-Point Ratchet	EA	

* ANSI 287.1-2010 Compliant. IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

Beluxe Faceshield Propionate faceshield is designed to reduce the risk of splash, spray and light impact with good chemical resistance. For use with Deluxe Headgear with ratchet adjustment (sold separately).

 ID
 No.
 For Use With
 Style
 Unit
 Price

- 2 MMM-82700-00000 * Faceshield Full Face EA * ANSI 287.1-2010 Compliant. IMPORTANT: This 3M product must be used in accordance with
- ANSI 287.1-2010 Compliant: INPORTAINT: This 3NP product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

Honeywell

(b) Bionic® Face Shield Lightweight face shield provides all-day comfort and full protection from chin to the top of the head. Panoramic polycarbonate window furnishes increased visibility and minimal blind spots. Efficiently shuts out airborne dust, dirt and debris.

ID	No.	For Use With	Style	Unit	Price		
	Anti-Fog/Hardcoat						
3	UVX-S8510• ≭	Face Shield	Anti-Fog Visor	EA			
	Uncoated						
4	UVX-S8500 ≭	Face Shield	Uncoated Visor	EA			
	* Face shield offers secondary protection and must be worn with spectacles or googles						

BAUSCH+LOMB

D – Sight Savers[®] Lens Cleaners Keep glass or plastic lenses spotless with antifog, antistatic cleaner. Comes in dispenser box that can be attached to wall or placed on countertop.

O Sight Savers[®] Lens Cleaning Station Includes 16-oz. silicone cleaning fluid with spray pump and 1,520 tissues.

ID	No.	W×L	Qty.	Unit	Price		
5	BAL-8565	6½" × 4¾"	1	EA			

Sight Savers® Premoistened Lens Cleaning Tissues Tissues come in individual packets.

ID	No.	W×L	Qty. l	Unit	Price
6	BAL-8574GM	8" × 5"	100 I	BX	

(i) Sight Savers® Respirator and Equipment Wipes Alcohol-free, individually packaged tissues to clean respirator masks, hard hats, hearing protectors and other safety equipment. Won't irritate skin. Safe to use on rubberized materials.

ID	No.	Color	uty. Unit	Price
7	BAL-8595	White	100 BX	

BM 🛕 WARNING!

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and** *User Instructions* **may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash, see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 800-243-4630. In Canada, call Technical Service at 800-267-4414.



KIMTECH[®]

(A) Kimwipes Delicate Task Wipers Wipes are designed to handle a variety of delicate tasks, including wiping up liquid and dust.

ID	No.	Color	W×L	Sheets	Qty.	Unit	Price
	Value Pack—St	ock up and save!					
1	KCC-34155CT	White	4⅔" × 8⅔"	280	16800	СТ	
2	KCC-34256CT	White	141⁄10" × 163⁄5"	140	2100	СТ	

(B) KIMWIPES* Lens Cleaning Station A one-stop spot for lens cleaning. It includes a bottle of anti-static, anti-fog, silicone-free cleaning solution and soft, lens-friendly cleaning wipes.

ID	No.	Color	Qty.	Unit	Price
3	KCC-34644	White	4	СТ	



(b) Lens Cleaning Towelettes Premoistened towelettes are safe to use on plastic, polycarbonate and glass lenses. Specialized solution reduces fogging. Individual-use packets are easy-to-carry.

ID No.		-	-	Qty. Unit
4 CRW	LCTCT			1000 CT

BAUSCH+LOMB

O Sight Savers Pre-Moistened Anti-Fog Tissues with Silicone Individually packaged tissues treated with anti-fog formula for continuously clear glasses. Silicone based, anti-static formula cleans glass and plastic. Works in cold to hot and hot to cold conditions. Perfect for heavy and light industrial, office, sports and recreation. Excellent for non-coated glasses.
 ID No. W × L Oty. Unit Price 5 BAL-8576 8" × 5" 100 BX

(B) Sight Savers[®] Non-Silicone Disposable Lens Cleaning Station Make clean lenses an easy option with an all-in-one cleansing station, complete with wipes and spray. The spray bottle dispenses non-silicone based cleaner, making it a great option for employees with silicone allergies. Convenient dispenser can be wall-mounted to conserve space, and also makes an appealing countertop display.

ID	No.	W×L	<u>Uty</u>	. Unit	Price
6	BAL-8565GM•	51/4" × 71/2"	1	EA	

FogShield Extreme Protection Disposable Safety Lens Cleaning

Station FogShield protection lens cleaning kit provides an excellent option if your facility has extreme variations in temperatures or harsh conditions. Easy-to-use FogShield is applied in two steps – first spray and clean the surface with FogShield XP, then use a dry tissue to buff, polish, and coat the surface for extreme protection. Combining the effective cleaning of all glass and plastic lenses with extreme anti-fog protection, the FogShield XP Lens Cleaning Station can keep employees vision clear in all conditions.

ID	No.	W×L	ûty.	Unit	Price
7	BAL-8577	10" × 7½"	1	EA	



EYE PROTECTIO

EYEWASH STATIONS







Honeywell

Q - C Eye Wash Stations There's no time to lose when harmful material gets into the eyes of someone at your workplace. That's why an efficient wash station should always be nearby. Pull the straps on this self-contained unit and the reservoir releases crisscross streams of solution, leaving hands free to hold eyes open. Can be placed on level surfaces or mounted on vertical surfaces (brackets incl.). Includes Eyesaline® Concentrate and an EMERGENCY EYE WASH sign.

(A) Fendall Porta Stream[®] II Eye Wash Station Flushes up to 15 minutes. Exclusive "full-flow" nozzles cover a wide area around the eyes.

ID	No.	$W\timesD\timesH$	Size	Qty.	Unit	Price
	With Eyesaline Concentra	te (Saline)				
1	FND-320002000000 ≭ 🚺	19½" × 19½" × 26"	16 gal	1	EA	
	With Water Additive-Inc	ludes 8-oz Eyesaline®	water additive.			
2	FND-320002300000 ≭	19" × 19¾" × 24"	16 gal	1	EA	
	* FND-320002000000—ANSI 2 FND-320002300000—FDA A	,	tified to Meet ANSI	Z358.	1 Require	ments.

Also Consider:

ID	No.	Description	Ωty. Unit	Price
3	FND-320005130000•	Honeywell [®] 180 oz Saline Refill Bottles	4 CT	

Fendall Single Eye Wash Wall Station Be prepared for quick action when an eye needs to be flushed or decontaminated. This station helps provide relief until primary eyewash care can be provided. Includes single-use 32-oz. bottle of eye wash. Mounts easily with fasteners (included). Classified as a personal (secondary) device.

ID	No.	$W \times D \times H$	Size	Qty.	Unit	Price
4	FND-320004610000 *	13" × 4½" × 14"	32 oz	8	СТ	

Does not meet ANSI Z358.1 standard 15-minute flushing requirement. Is intended to support, not replace, primary plumbed or self-contained units.

Also Consider:

ID	No.	Description	Qty.	Unit	Price
5	FND-320005020000•	Honeywell® Ready-to-Use	4	CT	
6	FND-320004550000	Refill Bottles Honeywell® 32 oz Refill Bottles	12	CT	

() Fendall Porta Stream[®] I Eye Wash Station Has six-gallon capacity

an	ld six minutes of flushing	ı time. Classified	as personal	(secondary) de	vice.
ID	No.	$W \times D \times H$	Size	Qty. Unit	Price
7	FND-320001000000• *	16" × 13½" × 24"	6 gal	1 EA	

Does not meet ANSI 2358.1 standard 15-minute flushing requirement. Is intended to support, not replace, primary plumbed or self-contained units.

Also Consider:

ID <u>No.</u>	Description	Qty. Un	it Price
8 FND-320005090000•	Honeywell® 70 oz Saline Refill Bottles	6 CT	





Honeywell

A Saline Eye Wash Wall Station Wall-mountable saline solution kit allows immediate eye flushing until the injured person can be helped to a primary eyewash device. Brightly colored station is highly visible. Instructions in English and Spanish facilitate use in an emergency.

ID	No.	$W\timesD\timesH$	Size	Qty.	Unit	Price
1	FND-3200046200CT *	$19"\times14"\times4"$	32 oz	4	СТ	

* ANSI Z358.1-2009 Compliant.

Also Consider:

ID	No.	Description	Qty.	Unit	Price
2	FND-320004550000	Honeywell® 32 oz Refill Bottles	12	СТ	

B Fendall Eyesaline Ready-to-Use Solution Use directly from the container to fill eyewash stations. No mixing or measuring. Manufacturer's limited one-year warranty

ID	No.	Description	Qtv.	Unit	Price
3	FND-320005020000•	Honeywell® Ready-to-Use Refill Bottles, 1 gal Bottle	4	CT	

Also Consider:

ID	No.	Description	۵ty	. Unit	Price
4	FND-320005130000•	Honeywell® 180 oz Saline Refill Bottles	4	CT	

boardwalk

C Emergency Eyewash Station Convenient twin bottle eye flush station with wall mount provides easy access to solution in emergency situations. A reliable choice for use in flushing or irrigating the eyes. Includes eye cup for easily focusing the fluid stream into affected eye.

ID	No.	$W \times D \times H$	Size	Qty.	Unit	Price
5	BWK-54842	$10^{3}/4^{"} \times 3^{3}/4^{"} \times 17^{1}/2^{"}$	16 oz	1	KT	

FIRST AID ONLY.

D Eyewash Relieves irritation by removing loose foreign material, chlorinated water, smog and pollen. Twist-top bottle. 🜌

ID	No.	Description	Qty.	Unit	Price
6	FA0-24101001•	Eyewash, 16 oz Bottle	12	СТ	





EAR PLUGS



3M

(A) E-A-R[™] Classic[™] Plus Earplugs Slightly longer than regular E-A-R[™] Classic[™] earplugs to fit deeper into the ear canal and provide higher noise reduction. Test compatible with 3M[™] E-A-Rfit[™] validation system.

- No.
 Noise Reduction Rate
 Style
 Qty. Unit
 Price

 1
 MMM-3101101 *
 33 dB
 Uncorded
 200 BX
 - IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

E-A-R[™] UltraFit[™] Reusable Earplugs Premolded triple-flange earplug design inserts easily. Washable and reusable. Test compatible with 3M[™] E-A-Rfit[™] validation system.

ID	No.	Noise Reduction Rate	Style	Qty. Unit	Price
2	MMM-340-4004 🗰	25 dB	Corded	100 BX	

IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

(C) E-A-R[™] Classic[™] Earplugs Slow recovery, low-pressure foam conforms to the shape of the ear canal. Flame-resistant and moisture-resistant. Test compatible with 3M[™] E-A-Rfit[™] validation system.

ID	No.	Noise Reduction Rate	Style	Qty. Unit	Price
3	MMM-310-1060 *	29 dB	Uncorded	30 BX	
	Safety cord helps preve	ent loss—One pair per poly	/bag.		

4 MMM-311-1101• * 29 dB Corded 200 BX

IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

D E.A.R[™] Swerve[™] Banded Hearing Protector Banded hearing protector features a flexible, comfortable band which helps keep earplugs in place. Includes two sets of earplug tips: Comfort Pod tips NRR 19 dB, Flex tips NRR 28 dB.

ID N	lo.	Noise Reduction Rate	Style	Qty.	Unit	Price
5 N	1MM-322-2000• ≭	28 dB	Banded	1	EA	

IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

[] E-A-R[™] Classic[™] Single-Use Earplugs Classic cylindrical shape provides the high-grade protection that you've come to expect. Slow-recovery, gradual post-insertion expansion ensures the creation of an effective sound barrier. Top-quality, moisture-resistant, dermatologically safe foam.

ID	No.	Noise Reduction Rate	Style	Qty. Unit	Price
6	MMM-3121201• *	29 dB	Uncorded	200 BX	
	≭ ISO 9000 Certified.				

IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

NRR footnote

Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise reduction provided.



Choking Hazard – Keep away from infants and small children. These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, *User Instructions*, or call 3M PSD Technical Service in the USA at 800-243-4630. In Canada, call Technical Service at 800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing earplugs. Failure to do so may result in hearing loss or injury. **Noise Reduction Rating (NRR)**: 3M strongly recommends fit testing of hearing protectors. If NRR is used to estimate typical workplace protection, 3M recommends that NRR be reduced by 50% or in accordance with applicable regulations. See *User Instructions* for more information.

MOLDEX

 Pura-Fit[®] Single-Use Earplugs Choose Pura-Fit[®] and get excellent hearing protection from industrial-environment noise. Long, tapered-bullet design simplifies insertion while providing a more comfortable fit. Smooth, soft foam ensures irritation-free use.

ID	No.	Noise Reduction Rate	Style	Qty. Unit	Price
1	MLX-6800 ≭	33 dB	Cordless	200 BX	
	PlugStation® Dispens	ser			
2	MLX-6845 ≭	33 dB	Cordless	500 BX	
	* ANOL 00 10 1074 0				

* ANSI S3.19-1974 Compliant

B SparkPlugs[®] Single-Use Earplugs Eye-catching random color patterns on top of the highly successful Softies[®] design put SparkPlugs[®] first in line. Extra-soft foam provides a comfortable no-pressure fit. Form-fitting, tapered bullet ensures excellent attenuation.

ID	No.	Noise Reduction Rate	Style	Qty.	Unit	Price
3	MLX-6654 🗰	33 dB	Corded	100	BX	
4	MLX-6604 ≭	33 dB	Cordless	200	ВΧ	
	PlugStation® Dispen	ser				
5	MLX-6644 🗰	33 dB	Cordless	250	ВΧ	
6	MLX-6645 ≭	33 dB	Cordless	500	BX	
	≭ ANSI S3.19-1974 Com	pliant.				



🕞 E·A·Rsoft™ Yellow Neon Blasts™ Soft Foam Earplugs Soft, slow-recovery foam for excellent noise reduction and comfort. Test compatible with 3M" E-A-Rfit[™] validation system.

ID	No.	Noise Reduction Rate	Style	Qty. Unit	Price
7	MMM-311-1252• ≭	33 dB	Corded	200 BX	
8	MMM-312-1252 🗰	33 dB	Uncorded	200 BX	

★ IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings. and limitations that accompany each item.

D E-A-Rsoft™ Yellow Neons™ Soft Foam Earplugs Seal the ear canal with soft, slow-recovery foam for excellent noise reduction and comfort. Test compatible with 3M[™] E-A-Rfit[™] validation system. 200 pairs.

ID	No.	Noise Reduction Rate	Style	Qty. Unit	Price
9	MMM-311-1250 *	33 dB	Corded	200 BX	
10	MMM-312-1250 ≭	33 dB	Uncorded	200 BX	

IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

E •A•R[™] TaperFit[™] 2 Earplugs Self-adjusting foam plugs, tapered for easier insertion and removal. Excellent attenuation. Test compatible with 3M[™] E-A-Rfit[™] validation system. 200 pairs.

ID No.	Noise Reduction Rate	Style	Qty. Unit	Price
11 MMM-312-1219• ≭	32 dB	Uncorded	200 BX	

★ IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

E·A·R[™] Classic[™] Small Earplugs in Pillow Paks Small diameter for medium and small ear canals. Excellent level of protection. Test compatible with 3M[™] E-A-Rfit[™] validation system.

ID No.	Noise Reduction Rate	Style	Qty. Unit	Price
12 MMM-310-1103• ≭	29 dB	Uncorded	200 BX	

* IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item

C е Ø WARNING!

HEARIN

Choking Hazard – Keep away from infants and small children. These hearing protectors help reduce exposure to hazardous noise and other loud sounds. Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury. For proper use, see supervisor, User Instructions, or call 3M PSD Technical Service in the USA at 800-243-4630. In Canada, call Technical Service at 800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing earplugs. Failure to do so may result in hearing loss or injury. Noise Reduction Rating (NRR): 3M strongly recommends fit testing of hearing protectors. If NRR is used to estimate typical workplace protection, 3M recommends that NRR be reduced by 50% or in accordance with applicable regulations. See User Instructions for more information.

A

EAR PLUGS





(2) AirSoft[®] Multiple-Use Earplugs Excellent noise attenuation meets exceptional in-ear comfort. Advanced air-pocket design and internal interlocking fins create a noise-blocking barrier that ensures optimal protection. Four-flange profile provides a low-pressure, solid ear canal seal. Manufacturer's limited one-year warranty.

ID	No.	Noise Reduction Rate	Style	Qty. Unit	Price
1	Red Polycord UVX-DPAS30R• *	27 dB	Corded	100 BX	

* OSHA 29 CFR 1910.95 Compliant.

B Fusion[®] Multiple-Use Earplugs Multi-use plugs fuse great noise protection performance with all-day wearing comfort. Patented SoftFlange[™] design securely seals off your ear canal without subjecting you to unpleasant pressure. FlexiFirm[®] stem core simplifies insertion and removal.

ID	No.	Noise Reduction Rate	Style	Qty. Unit	Price
	Blue/White				
2	HOW-FUS30HP•	27 dB	Corded	100 BX	

 Laser Lite[®] Single-Use Earplugs Vibrant coloring simplifies compliance sighting. Self-adjusting polyurethane foam expands upon insertion, ensuring a tight yet comfortable ear-canal seal. Smooth, soil-resistant closed-cell foam skin prevents dirt buildup.

ID	No.	Noise Reduction Rate	Style	Qty. Unit	Price	
3	HOW-LL30	32 dB	Corded	100 BX		
4	HOW-LL1	32 dB	Cordless	200 BX		
	Leight Source 500 Refill					
5	HOW-LL1D	32 dB	Cordless	500 BX		

D Laser Trak® Detectable Single-Use Earplugs Brilliantly colored plugs feature a nonferrous metal grommet, ensuring excellent visual and metal-scan detectability. Low-pressure polyurethane foam gently expands to fit the wearer's ear canal. Contoured T shape simplifies insertion and removal.

ID	No.	Noise Reduction Rate	Style	Qty. Unit	Price
6	HOW-LT30	32 dB	Corded	100 BX	

 Max Lite® Single-Use Earplugs Petite earpieces are ideal for those with smaller ear canals. Soft polyurethane foam expands to fit snugly without creating uncomfortable pressure. Smooth, soil-resistant closed-cell foam skin helps keep plugs clean.

ID	No.	Noise Reduction Rate	Style	Qty. Unit	Price
7	HOW-LPF30	30 dB	Corded	100 BX	
8	HOW-LPF1	30 dB	Cordless	200 BX	

 MAX[®] Single-Use Earplugs High NRR plugs deliver superior noise-blocking performance. Contoured bell-shaped design provides an excellent ear-canal fit with enhanced back-out resistance. Soft, expanding polyurethane foam ensures a comfortable fit.

ID	No.	Noise Reduction Rate	Style	Qty. Unit	Price	
9	HOW-MAX30	33 dB	Corded	100 BX		
10	HOW-MAX1	33 dB	Cordless	200 BX		
	Leight Source 500 Refill					
11	HOW-MAX1D•	33 dB	Cordless	500 BX		

EARMUFFS



3M

PELTOR™ OPTIME™ 105 High Performance Earmuffs For noise levels up to 105 dBA. Over-the-head earmuffs feature double-shell technology to provide effective hearing protection. Stainless steel headband distributes weight for low-pressure fit. Earcup pivot points that tilt for optimum comfort and efficiency.

ID	No.	Noise Reduction Rate	Unit	Price
1	MMM-H10A ≭	30 dB	PR	

ANSI S3.19-1974; Testing per Method B, ANSI standard, S12.6-1997(R2002); Noise Reduction Rating (NRR) of 30 dB. IMPORTANT: The 3M products in this catalog must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

B PELTOR™ OPTIME™ 95 Low-Profile Folding Earmuffs For noise levels up to 95 dBA. This over-the-head, folding earmuff features a stainless steel headband for consistent force and effective hearing protection. Cups fold up into the headband for compact storage.

ID No.	Noise Reduction Rate	Unit Price
2 MMM-H6F/V *	21 dB	PR

ANSI S3.19-1974; Noise Reduction Rating (NRR): 21 dB. CSA Class B. IMPORTANT: The 3M products in this catalog must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

Honeywell



(c) Leightning[®] Hi-Visibility Noise-Blocking Earmuffs When you need to be seen as much as you need to protect your hearing choose Leightning[®] double-duty muffs. Patented Air Flow Control[™] technology ensure excellent, full-frequency noise attenuation. Hi-Visibility, high-contrast, bright-green cans.

ID	No.	Noise Reduction Rate	Unit	Price
	L3HV: With Reflective Headband			
3	HOW-1013941•	30 dB	EA	



D Ear Muffs Seal out sound with cushioned ear covers that are durable,				
	nd adjustable for a comfortable fit. Color ma			
ID No.	Noise Reduction Rate	Unit	Price	

4	FAO-13256	21 dB	EA









Choking Hazard – Keep away from infants and small children. These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, *User Instructions*, or call 3M PSD Technical Service in the USA at 800-243-4630. In Canada, call Technical Service at 800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing earplugs. Failure to do so may result in hearing loss or injury. **Noise Reduction Rating (NRR)**: 3M strongly recommends fit testing of hearing protectors. If NRR is used to estimate typical workplace protection, 3M recommends that NRR be reduced by 50% or in accordance with applicable regulations. See *User Instructions* for more information.

STA

WARNING!



3M

Particulate Respirators When the job requires work around tiny particles, you and your co-workers will be protected with these lightweight respirators. Adjustable nose clip ensures a more secure seal against the face. At least 95% filtration efficiency when subjected to a 0.3µmMMAD Sodium Chloride particle challenge.

A Particulate Respirator 8210, N95 Suggested for grinding, sanding, sweeping and other non-oil based operations. Proprietary filter media.

ID	No.	Resistance	Rating	Size	Qty.	Unit	Price
1	MMM-8210 ≭	Non-Oil	N95	Standard	20	BX	
		Based Particles					
	Plus Staple-Free Braid	ed Headband					
2	MMM-8210PLUS *	Non-Oil Based Particles	N95	One Size	20	BX	
		Based Particles		Fits All			

NIOSH Approved. MMM-8210—IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

Particle Respirator 8200, N95 Suggested for applications such as bagging, sanding and sweeping. Advanced electrostatically charged microfibers designed for ease of breathing.

ID	No.	Resistance	Rating	Size	Qty.	Unit	Price
3	MMM-8200 *	Non-oil based particles	Unvalved N95	Standard	20	BX	

NIOSH Approved. IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

C Particulate Respirator 8210V, N95 with Cool Flow[™] Valve

Half-face-mask respirator provides excellent protection from non-oil-based particulates. Cool Flow[™] exhalation valve reduces heat buildup, keeping the wearer more comfortable. Designed for grinding, sanding, sweeping and other dust-creating tasks.

ID	No.	Resistance	Rating	Size	Qty.	Unit	Price
4	MMM-8210V *	Non-Oil Based Particles	N95	Standard	10	BX	

NIOSH Approved. IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

D Particulate Respirator 8211, N95 Particulate respirator is ideally suited for hot and humid environments. Light construction makes it less obtrusive for long periods of wear. Cool Flow™ Exhalation Valve aids breathing and reduces moisture buildup.

ID	No.	Rating	Size	Qty. Unit	Price
5	MMM-8211 ≭	N95	One Size Fits All	10 BX	

NIOSH Approved. Do not use for: gases and vapors, oil aerosols, asbestos, arsenic, cadmium, lead, 4,4'-methylene dianiline (MDA) or sandblasting; concentrations that exceed 10 times the PEL/OEL, specific OSHA standards, or applicable government regulations, whichever is lower. This respirator does not supply oxygen.

Barticulate Welding Respirator 8212, N95 Disposable respirator protects against exposure to molten metal fumes. Cool Flow™ Exhalation Valve minimizes moisture and heat build-up. Contoured foam faceseal helps enhance comfort levels.

No.	Size	Qty. Unit	Price
MMM-8212• *	One Size Fits All	10 BX	
* NIOSH Approved.			

WARNING!

ID 6

These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910 134 including training, fit testing and medical evaluation. In Canada, SCA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.



3M

Particulate Respirators When the job requires work around tiny particles, you and your co-workers will be protected with these lightweight respirators. Adjustable nose clip ensures a more secure seal against the face. At least 95% filtration efficiency when subjected to a 0.3µm MMAD Sodium Chloride particle challenge.

▲ Particulate Respirator 8511, N95 with Cool Flow[™] Exhalation Valve

Suggested for grinding, sanding, sweeping and other non-oil based operations. Cool Flow™ exhalation valve reduces heat buildup, keeping the wearer more comfortable. Suited for heat, humidity or long periods of wear.

ID NO	0.	Resistance	Rating	Size	uty. Unit	Price
1 M	IMM-8511 ≭	Non-Oil Based Particles	N95	Standard	10 BX	

NIOSH Approved. IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

B N95 Particulate Respirator 8247 With Nuisance-Level Organic Vapor Relief Chemical absorbent removes odors. Lightweight construction and contoured fit enhance comfort and wear-time. Easy to breathe through even without an exhalation valve.

ID	No.	Rating	Size	Qty.	Unit	Price
2	MMM-8247• ≭	N95	One Size Fits All	20	ВΧ	

NIOSH Approved. IMPORTANT: The 3M products in this catalog must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

C Particulate Respirator 8271, P95 Respirator provides P95 level

protection in environments where grinding, sanding and other dust inducing operations occur. Advanced electret filter technology blocks particles without impeding airflow. Contoured faceseal and adjustable M-noseclips help enhance long-term wearing comfort.

ID	No.	Rating	Size	Qty.	Unit	Price
3	MMM-8271 \star	P95	One Size Fits All	10	BX	

NIOSH Approved. IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

Particulate Respirator 8577, P95 Respirator provides P95 level protection against oil and non-oil based aerosols. Added carbon-layering to the filter helps minimize organic vapor bleed-through. Lightweight design and adjustable M-noseclip enhance comfort levels, particularly over extended use periods

ID	No.	Rating	Size	Qty. Unit	Price	
	Nuisance Level Organic Vapor Re	elief				
4	MMM-8577 ≭	P95	One Size Fits All	10 BX		
* NIOSH Approved IMPORTANT: This 3M product must be used in accordance with OSHA						

NIUSH Approved. IMPORIANT: This six product must be used in accordance with USH regulations, warnings, and limitations that accompany each item.



B Half Facepiece Respirator 6000 Series, Reusable Here's

the solution for workers who frequently need a respirator for job after job. It's reusable—just replace cartridges and filters when used to capacity. Comfortable, soft and lightweight with easy-to-adjust headstraps. Suitable for use against a variety of gases, vapors, and particulate hazards. Filters and cartridges sold separately. For Use With 3M 2000 Series Filters; 3M 7093 P100 Filters; 3M 6000 Series Cartridges; 3M Dual Airline Systems.

ID	No.	Size	Unit	Price
5	MMM-6291 🗰	Medium	EA	
6	MMM-6391• ≭	Large	EA	

NIOSH Approved. IMPORTANT: The 3M products in this catalog must be used in accordance with OSHA regulations, warning, and limitations that accompany each item.

Also Consider:

ID	No.	Description	Qty.	Unit	Price
7	MMM-6001	Organic Vapor Cartridge	2	РК	

WARNING!

These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910 134 including training, fit testing and medical evaluation. In Canada, SCA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.

RESPIRATORS













Procedure Mask with Earloops Provides complete protection while remaining light and comfortable. Polypropylene outer facing offers a soft, fluid protection barrier while the cellulose inner facing assures comfort and breathability. A full-width nosepiece guarantees proper fit.

Iυ	INU.	3128	uly. U	ווונ	FIICE
1	MII-NON27375Z	One Size Fits All	50 E	3X	



B Nuisance Dust Mask Disposable dust mask effectively reduces your exposure to airborne particles such as pollen, cut grass, dirt and dust. Adjustable nosepiece enhances comfort. Durable design stands up to moisture and high-humidity environments.

ID	No.	Size	Qty. Unit	Price
2	GSN-1501 🗰	One Size Fits All	50 BX	

* Does not provide NIOSH-Approved respiratory protection.



Comfort Masks Keep a pack of these disposable masks with you for breathing relief from the irritating effects of nontoxic dusts and airborne particles such as pollen, common household dust and cut grass. Plastic headband and adjustable soft metal nose clip.

ID	No.	Size	Qty.	Unit	Price
3	FAO-13259	Adjustable	5	РК	

boardwalk.

N95 Disposable Particulate Respirator Industrial disposable safety respirators protect against non-oil and solid particulates. Designed for comfort, with a soft padded adjustable nose piece. Adjustable metal nose clips keep your eyewear free of fog. Elastic, double headbands provide a strong, secure fit.

ID	No.	Resistance	Rating	Size	Qty.	Unit	Price
4	BWK-00018• ≭	Non Oil & Solid Particulate	N95	One Size Fits All	20	BX	
	X NIOSH-N95 & 42	CRF84 Approved					

(3) N95 Disposable Respirator With Valve Industrial disposable safety respirators protect against non-oil and solid particulates. Designed for comfort, with a soft padded adjustable nose piece. Adjustable metal nose clips keep your eyewear free of fog. Convenient exhalation valve. Elastic double headbands provide a strong, secure fit.

ID	No.	Resistance	Rating	Size	Qty. Unit	Price
5	BWK-00019 ≭	Non Oil & Solid Particulate	N95	One Size Fits All	10 BX	

NIOSH-N95 & 42CRF84 Approved; Made of FDA Accepted Materials.

RESPIRATORS









 Premium Particulate Respirator Premium particulate respirator offers N99 protection for applications such as welding, metal pouring, torch cutting and brazing. Softspun® liner adds durability and comfort. Dura-Mesh® shell holds up in extreme heat and humidity.

ID No.	Size	Qty. Unit	Price
1 MLX-2310N99• *	One Size Fits All	10 PK	
× NIOSH Approved.			

HandyStrap® Respirator 2700N95 Series Convenient HandyStrap® allows you to keep the mask in an at-the-ready, hangdown position during brief periods of downtime. Ventex® valve facilitates heat dissipation, enabling easier breathing. Dura-Mesh® shell holds up in extreme heat and humidity.

ID	No.	Resistance	Rating	Size	Qty. Unit	Price
2	MLX-2700N95° *	Particulates	N95	Medium/ Large	10 BX	

* NIOSH Approved.

(b) Particulate Respirator 2200N95 Series For humid and/or dusty work environments, this is a mask that fits the bill. Dura-Mesh® shell stands up to extreme heat environments while providing better protection to the filter. Contoured faceseal and molded nose bridge deliver enhanced comfort, particularly during extended periods of wear.

ĪD	No.	Resistance	Rating	Size	Qty.	Unit	Price
3	MLX-2200N95 ≭	Non-Oil	N95	One Size	20	BX	
		Based Particles		Fits All			

^{*} NIOSH Approved.

D Particulate Respirator 2300N95 Series Durable particulate respirator is suitable for most welding applications. Exhale valve reduces hot-air buildup, keeping workers cooler. Dura-Mesh® shell protects filter from extreme heat conditions.

ID	No.	Resistance	Rating	Size	Qty. l	Unit	Price
4	MLX-2300N95 *	Non-Oil Based Particles	N95	Medium/ Large	10 E	BX	
	* NIOSH Approved.						

 Particulate Respirator, 2400N95 Series Added carbon layer effectively filters out ozone and organic vapors. Dura-Mesh® shell holds up in extreme heat and humidity. Effective against most non-oil based welding fumes.

ID	No.	Rating	Size	Qty.	Unit	Price
5	MLX-2400N95• *	N95	Medium/ Large	10	ВΧ	

* NIOSH Approved.

20-FA-CU-RNU



RESPIRATORS









3M

Full Facepiece Respirator 6000 Series, Reusable Protect yourself from a variety of gas, vapor and particulate hazards. Full facepiece features a large, clear lens, giving you a wide field of vision and excellent overall visibility. Unique center adapter directs exhaled breath downward, effectively reducing liquid and debris buildup.

ID	No.	Rating	Size	Qty.	Unit	Price
1	MMM-6800	P100	Medium	1	EA	
2	MMM-6900•	P100	Large	1	EA	

Honeywell

NORTH

B 7600 Series Full-Facepiece Respirator Mask Superior performance, fit, comfort and visibility: get it all with the 7600 Series. Wide lens provides an excellent, 200° field of vision. Dual-flange sealing area and five-strap harness provide a comfortable fit. Supports PAPR and Supplied Air systems.

ID	No.	Size	Unit	Price
3	NSP-760008A• ≭	Medium/Large	EA	

* NIOSH Certified. Wide range of cartridges and filters available (sold separately).

() 7700 Series Half Mask Respirators Comfortable half masks are suitable for multiple work environments and can be adapted to PAPR or Supplied Air systems. Because of low "dead air" space within the mask, less exhaled air is recycled. Strategic placement of the exhalation valve means that more breath leaves the mask swiftly. For Use With North Safety® Respirator Cartridges/Filters.

ID	No.	Size	Unit	Price
4	NSP-770030M•	Medium	EA	
5	NSP-770030L•	Large	EA	

D P100 All-Particulate Filter Cartridge Keep your mask in top shape by regularly replacing your filter. Standard filter cartridge design accommodates all compatible masks. Easy to replace. For Use With North Safety® 5400, 5500, 7600, 7700 Series Facepieces.

ID No.	Туре	Used With	Rating	Unit	Price
6 NSP-7580P100•	Particulate	North Safety® 5400, 5500, 7600, 7700 Series Facepieces	P100	PR	

3M

Particulate Filter 5P71, P95 Approved 95% effective against certain oil- and non-oil-based particles. For Use With 501 Filter Retainer (sold separately).

ID	No.	Туре	Used With	Rating	Qty.	Unit	Price
7	MMM-5P71• ≭	Filter	501 Filter Retainer (sold separately).	P95	10	BX	

NIOSH Approved. IMPORTANT: The 3M products in this catalog must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

WARNING!

These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910 134 including training, fit testing and medical evaluation. In Canada, SCA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.

CAN'T FIND WHAT YOU NEED? CALL & LET US HELP.



Skullgard® Protective Hard Hats Heavy-duty helmet provides excellent protection against nearly all workplace hazards. Phenolic construction withstands elevated temperatures. Easy-adjust pin lock suspension allows you to get the right fit.

ID	No.	Color	Unit Price
	Cap: Standard Size 6½	- 8—Non-slotted.	
1	MSA-475395	Natural Tan	EA
	Hat: Standard Size 61/2	- 8—Non-slotted.	
2	MSA-475407•	Natural Tan	EA
	Staz-On [®] Pin-Lock		
3	MSA-454617• ≭	Tan	EA

* MSA-454617—ANSI Z89.1 Type 1, Class G Compliant.

V-Gard® Hard Hats Premium hard hat provides comfortable protection. Polyethylene shell with ratchet suspension ensures excellent shock absorption while keeping weight down. Self-adjusting crown straps simplify sizing.

ID	No.	Color	Unit	Price	
	Standard: Size 61/2 - 8-Non-s	slotted.			
4	MSA-475368•	Blue	EA		
5	MSA-475367•	Gray	EA		
6	MSA-475370•	Green	EA		
7	MSA-10021292•	Hi-Viz Orange	EA		
8	MSA-475371•	Red	EA		
9	MSA-475369	White	EA		
10	MSA-475366•	Yellow	EA		
	Standard: Size 61/2 - 8-Slotte	d.			
11	MSA-475359•	Blue	EA		
12	MSA-475360•	Yellow	EA		
Fas-Trac III Suspension: Standard Size 6½ - 8—Slotted.					
13	MSA-475358•	White	EA		
	Staz-On Suspension: Standar	rd Size 6½ - 8—Slotted.			
14	MSA-463942•	White	EA		

() Fas-Trac[®] III Replacement Suspension Fas-Trac[®] III ratchet suspension and flush rear lug attachments eliminate pressure points. Three levels of nape strap adjustment allow for a comfortable, customized fit. Graspable ratchet with ultra-smooth rotation and steadfast hold.

ID No.	For Use With	Style	Unit	Price
15 MSA-10148708• *	4-Point Ratchet Suspension	Fas-Trac® III	EA	

Third-Party Tested by SEI to Comply with Standards Defined on Label in MSA Helmet.



Skullerz® 8950 Bump Cap Select comfort and protection in one very cool lid—bump caps provide protection against cranial bumps and bruises. Removable impact-resistant shell with foam lining. Patented flanged design for comfort and air flow. Sturdy caps with reflective accents for easy visibility.

0001		
ID No.	Color	Unit Price
Long Brim		
16 EGO-23344• ≭	Black	EA
17 EGO-23345• ≭	Navy	EA
Short Brim		
18 EGO-23340• ≭	Black	EA
19 EGO-23343• ≭	Navy	EA
≭ EN 812-Compliant.		

🗰 EN 812-Compliant





(3) Skullerz[®] 8960 Bump Cap with LED Lighting Technology Select comfort and protection in one very cool lid—bump cap with LED lighting technology provides protection against cranial bumps and bruises. Built-in LED lighting under the brim illuminates projects without the need for a flashlight or bulky headlamp. Removable impact-resistant shell with foam lining for protection and added comfort.

ID	No.	Color	Unit	Price
	Long Brim			
20	EGO-23374• ≭	Black	EA	
21	EGO-23375• ≭	Navy	EA	
	Short Brim			
22	EGO-23370• ≭	Black	EA	
23	EGO-23373• ≭	Navy	EA	
	* EN 812-Compliant.			

HARD HATS









3M

(1) H-700 Series Hard Hat Protective hard hat with comfortable four-point ratchet suspension and standard brow pad.

ID	No.	Color	Unit	Price
1	MMM-H-701R ≭	White	EA	
2	MMM-H-702R ≭	Yellow	EA	
	Vented			
3	MMM-H-701V 苯	White	EA	

MMM-H-701R, MMM-H-702R—Meets Requirements of ANSI/ISEA Z89.1-2014 Type 1, Class G and E.

MMM-H-701V—Meets Requirements of ANSI/ISEA Z89.1-2014 Type 1, Class C.



(B) Cotton Hard-Hat Sweatband Make your hard hat a little more comfortable with this soft and absorbent sweatband. Plastic snaps keep band securely in place. All-cotton fabric stands up to repeated machine washing.

ID	No.	Color	Size	Qty.	Unit	Price
	Compatible With All	MSA Helmets				
4	MSA-696688•	White	One Size Fits All	10	РК	



© Chill-Its® 6609 Terry Sweat Band 12440 Machine washable. Absorbent terrycloth sweatband, fits most hard hat suspension systems. Economical way for hard hat wearers to manage moisture.

ID	No.	For Use With	Style	Unit	Price
5	EG0-12440•	Sweatband	Terry	EA	

KLEENGUARD

A65 Zipper Front Flame Resistant Coveralls Designed for protection against non-hazardous and hazardous dust in areas where exposure to sparks is possible. Breathable material, with a high moisture vapor transmission rate, to be worn comfortably over flame-resistance garments.
 ID No. Color Size Oty. Unit Price

īυ	110.	00101	0126	uty.	Unit				
	Hood and Boots, Elastic Wrists and Ankles								
6	KCC-45355• ≭	Blue	2X-Large	25	СТ				
7	KCC-45356• ≭	Blue	3X-Large	21	СТ				
	* NFPA 99 Compliant; NFPA 701 Compliant.								

KLEENGUARD

A60 Zipper Front Elastic Back Coveralls Three-layer fabric construction features a middle layer of microporous film that allows heat and sweat vapor to escape while protecting against dry particulates and liquid. Passes ASTM F1670/1671 testing for penetration of blood, body fluids and blood-borne pathogens. Patented REFLEX* Design is 7-½ times less likely to rip out than ANSI minimums — provides 12% more chest room and 6% longer body length.

No.	Color	Size	Qty. Unit	Pri <u>ce</u>					
Elastic Wrists and Ankles with Storm Flap									
KCC-45003• ≭	Blue	Large	24 CT						
KCC-45004• ≭	Blue	X-Large	24 CT						
KCC-45005• ≭	Blue	2X-Large	24 CT						
	Elastic Wrists and KCC-45003• * KCC-45004• *	Elastic Wrists and Ankles with Sto KCC-45003° * Blue KCC-45004° * Blue	Elastic Wrists and Ankles with Storm Flap KCC-45003• * Blue Large KCC-45004• * Blue X-Large	Elastic Wrists and Ankles with Storm Flap KCC-45003• * Blue Large 24 CT KCC-45004• * Blue X-Large 24 CT					

* Conforms to ASTM F1670 Standards.

G A60 Bloodborne Pathogen & Chemical Splash Protection Coveralls Protection against bloodborne pathogens in forensic or other environments where exposure to blood is possible. A60 also provides protection against some chemicals. Three-layer fabric construction features a middle layer of microporous film that allows heat and sweat vapor to escape while protecting against dry particulates and liquid. Seamless front provides more protection in primary exposure areas. Outer layer provides protection of film barrier against tearing and abrasion.

ID	No.	Color	Size	Qty.	Unit	Price		
	Zipper Front; Elastic Back, Wrists, Ankles and Hood							
4	KCC-45094•	Denim Blue	X-Large	24	СТ			
5	KCC-45095•	Denim Blue	2X-Large	24	СТ			

() A40 Zipper Front Liquid and Particle Protection Coveralls Coveralls have better liquid and particulate barrier than TYVEK[®]. Zipper front close makes them easy to put on and take off. Made of breathable, microporous film laminate which is low lint.

D No.	Color	Size	Qty. Unit	Price
Elastic Wrists and	Ankles			
KCC-44314•	White	X-Large	25 CT	
KCC-44315• ≭	White	2X-Large	25 CT	
KCC-44316• 🛪	White	3X-Large	26 CT	
KCC-44317• 🛪	White	4X-Large	25 CT	
Hood and Boots, E	lastic Wrists and	Ankles		
0 KCC-44333•	White	Large	25 CT	
1 KCC-44334• ≭	White	X-Large	25 CT	
2 KCC-44335 ≭	White	2X-Large	25 CT	
3 KCC-44336• ≭	White	3X-Large	25 CT	
4 KCC-44337• ≭	White	4X-Large	25 CT	
Hooded, Elastic W	rists and Ankles			
5 KCC-44323• ≭	White	Large	25 CT	
6 KCC-44324• ≭	White	X-Large	25 CT	
7 KCC-44325• ≭	White	2X-Large	25 CT	
Open Wrists and A	Ankles			
8 KCC-44303•	White	Large	25 CT	
9 KCC-44304	White	X-Large	25 CT	
0 KCC-44305•	White	2X-Large	25 CT	

* KCC-44315, KCC-44336, KCC-44323, KCC-44324, KCC-44325—Conforms to ASTM F1670 Standards.

KCC-44316, KCC-44317—NFPA 99 Compliant.

KCC-44334—Passes NFPA 99 criteria for antistatic materials.

KCC-44335—Conforms to ANSI/ISEA 101 Sizing Standards; Conforms to ASTM F1670

Standards; Passes NFPA 99 criteria for antistatic materials.

KCC-44337—Conforms to ANSI/ISEA 101-1996 Standard.



TECTIVE CLOTHI

COVERALLS



K KLEENGUARD

(A) A35 Coveralls Ensure safety with coveralls made from breathable, microporous laminate. Lightweight and comfortable. Zipper front makes it easy to put on and quick to remove.

ID	No.	Color	Size	Qty.	Unit	Price
	Zipper Front, Hooded, Elas	tic Wrists and	Ankles			
1	KCC-38938• ≭	White	Large	25	СТ	
2	KCC-38939• ≭	White	X-Large	25	СТ	
3	KCC-38941 ≭	White	2X-Large	25	СТ	

* Conforms to ANSI/ISEA 101 Sizing Standards.

(B) A30 Elastic-Back Zipper Front Coveralls Features Patented Reflex* design, which offers excellent fit (with elastic back) and freedom of movement. The material is strong and abrasion resistant, and filters out many water-based liquids and dry particles.

ID	No.	Color	Size	Qty.	Unit	Price
	Elastic Wrist and Ankles, 1	-Inch Flap				
4	KCC-46104•	White	X-Large	25	CT	
	Hooded, Elastic Wrist and A	Ankles, 1-Inch	Flap			
5	KCC-46114•	White	X-Large	25	СТ	
6	KCC-46115•	White	2X-Large	25	СТ	
	Open Wrists and Ankles, 1-	Inch Flap				
7	KCC-46004•	White	X-Large	25	СТ	
8	KCC-46005•	White	2X-Large	25	СТ	

(B) A20 Breathable Particle Protection Coveralls Patented Reflex* design minimizes the potential for rips and tears while providing more chest room than average. The material is strong and abrasion resistant, and filters out many water-based liquids and dry particles.

ID	No.	Color	Size	Qty.	Unit	Price
	Hood, Elastic Back, Wrists	and Ankles				
9	KCC-49115•	White	2X-Large	24	СТ	
10	KCC-49116•	White	3X-Large	20	СТ	
	Hood, Elastic Wrists and A	nkles				
11	KCC-49114•	White	X-Large	24	СТ	
	Zipper Front, Open Wrists a	nd Ankles				
12	KCC-49003• ≭	White	Large	24	СТ	
13	KCC-49004•	White	X-Large	24	СТ	
14	KCC-49005•	White	2X-Large	24	СТ	
15	KCC-49006•	White	3X-Large	20	СТ	
	* KCC-49003•—NFPA 99 Comp	liant.				

QU POND.

D Tyvek® Elastic-Cuff Hooded Coveralls Industrial use coverall is designed for lead and asbestos abatement, spray painting, and general maintenance and cleanup. Durable Tyvek® material allows greater range of movement and a more tailored fit. Attached respirator-fit hood has elastic around face opening and protects neck and chin.

ID	No.	Color	Size	Qty.	Unit	Price
16	DUP-TY127SL• ≭	White	Large	25	CT	
17	DUP-TY127SXL• ≭	White	X-Large	25	СТ	
18	DUP-TY127S2XL• ≭	White	2X-Large	25	СТ	
19	DUP-TY127S3XL• ≭	White	3X-Large	25	CT	

AATCC 127 Compliant; Conforms to ASTM D1777 Standards. Should not be worn in the presence of strong acids.

OUPOND

 ProShield® NexGen® Coveralls Ideal for use in automotive refinishing, waste cleanup and remediation and other fields. ProShield® NexGen® material is made of microporous film laminated to polypropylene substrate. Protects against non-hazardous particles, light liquid splashes and aerosols.

ID	No.	Color	Size	Qty.	Unit	Price
1	DUP-NG120SXL• ≭	White	X-Large	25	СТ	
2	DUP-NG120S2XL• ≭	White	2X-Large	25	СТ	
	Zipper Front					
3	DUP-NG120S3XL• ≭	White	3X-Large	25	СТ	

DUP-NG120SXL, DUP-NG120S2XL—AATCC 127 Compliant; Conforms to ASTM D751 Standards. Should not be worn in the presence of strong acids. DUP-NG120S3XL—Conforms to ASTM F739 Standards.

Tyvek® Coveralls Industrial use coverall is designed for lead and asbestos abatement, spray painting, and general maintenance and cleanup. Durable Tyvek® material allows greater range of movement and a more tailored fit. Effective barrier for particles down to 1 micron in size.

ID	No.	Color	Size	Qty. Unit	Price
4	DUP-TY120SL• ≭	White	Large	25 CT	
5	DUP-TY120SXL ≭	White	X-Large	25 CT	
6	DUP-TY120S2XL• ≭	White	2X-Large	25 CT	
7	DUP-TY120S3XL• ≭	White	3X-Large	25 CT	

AATCC 127 Compliant; Conforms to ASTM D1777 Standards. Should not be worn in the presence of strong acids.

() Tyvek[®] Elastic-Cuff Hooded Coveralls With Attached Boots Industrial use coverall is designed for lead and asbestos abatement, spray painting, and general maintenance and cleanup. Durable Tyvek[®] material allows greater range of movement and a more tailored fit. Attached Tyvek[®] FC boots have special coating to provide added skid-resistance.

ID	No.	Color	Size	Qty.	Unit	Price
8	DUP-TY122SL• ≭	White	Large	25	СТ	
9	DUP-TY122SXL• ≭	White	X-Large	25	СТ	
10	DUP-TY122S2XL• 苯	White	2X-Large	25	СТ	
11	DUP-TY122S3XL• ≭	White	3X-Large	25	СТ	

* AATCC 127 Compliant; Conforms to ASTM D1777 Standards. Should not be worn in the presence of strong acids.

boardwalk.

Disposable Coveralls Manufactured from lightweight, spunbonded polypropylene material, these disposable long sleeve coveralls are ideal for general applications where coolness and comfort are top priority. Features serged seams and an attached elastic hood and elastic wrists and ankles. Convenient zipper front closure. General coveralls are not liquid proof, but they are an excellent choice for dirty areas.

ID No.	Color	Size	Qty. Unit	Price
12 BWK-00032S• ≭	White	Small	25 CT	
13 BWK-00032M• 🛪	White	Medium	25 CT	
14 BWK-00032L• ≭	White	Large	25 CT	
15 BWK-00032XL• ≭	White	X-Large	25 CT	
16 BWK-0032XXL• 🗰	White	XXL	25 CT	

* Made of FDA Accepted Materials.



SLEEVES & APRONS

C





OUPOND

A Tyvek[®] IsoClean[®] Sleeves Sturdy sleeves provide an excellent barrier to dry particles, microorganisms and non-hazardous liquids. Breathable, lightweight, and durable for long-term use. Sleeves extend from wrist to bicep with covered elastic ends for complete coverage.

ID	No.	Color	Size	Qty. Unit	Price
1	DUP-IC501BWB•	White	One Size Fits Most	100 CT	

B Tyvek® Sleeves Durable Tyvek® material offers barrier to particles down to 1 micron in size. Arm sleeves have elastic at both ends for secure fit. One size fits most.

ID	No.	Color	Size	Qty. Unit	Price
2	DUP-TY500S• ≭	White	One Size Fits All	200 CT	

* AATCC 127 Compliant; Conforms to ASTM D1777 Standards. Should not be worn in the presence of strong acids.

C Tyvek® Apron Provides enhanced frontal protection from the chest to past the waistline. Durable Tyvek® material. Ties at the waist.

ID	No.	Color	Size	Qty. Unit	Price
3	DUP-TY273BWH• ≭	White	One Size Fits All	100 CT	

* Conforms to ASTM F739 Standards.

K KLEENGUARD

A20 Breathable Particle Protection Apron Universal size apron made of a breathable barrier SMS fabric, which helps protect against hazardous and non-hazardous dust. Strong and abrasion-resistant for extended wear.

ID	No.	Color	Size	Qty. Unit	Price
4	KCC-36550•	White	One Size Fits All	100 CT	

A40 Liquid & Particle Protection Apron Breathable, microporous film laminate combines comfort and protection in a clean, white apron. Aprons offer a sturdy liquid and particle protection barrier. Low-linting aprons are a solid safety choice.

ID	No.	Color	Size	Qty. Unit	Price
5	KCC-44481• ≭	White	One Size Fits All	100 CT	
	* Passes NFPA 99 criteria	for antistatic mat	erials.		

A10 Breathable Particle Protection Sleeve Protectors Protective sleeves made from a lightweight, polypropylene material provide additional protection on the job. Comfortable fit. Elastic top adjusts easily for assorted sizes. Designed for entry level hazardous dust protection.

ID	No.	Color	Qty.	Unit	Price
6	KCC-23610•	White	200	CT	



G Rainsuit Two-piece rainsuit made of durable PVC polyester offers both protection and comfort. Adjustable elastic suspenders on overalls assure a customizable fit. Jacket has a vented cape back and five-snap front closure with storm flap.

ID	No.	Color	Size	Qty.	Unit	Price
7	ANR-9000L	Yellow	Large	1	EA	
8	ANR-9000XL	Yellow	X-Large	1	EA	
9	ANR-90002XL	Yellow	2X-Large	1	EA	







K KLEENGUARD

A20 Breathable Particle Protection Shoe Covers Slip-on covers designed to protect against hazardous and non-hazardous dust. They feature serged seams and are fully elasticized for a formed fit. They are 6.5" tall and are one size fits all.

ID	No.	Color	Size	Qty. Unit	Price
1	Shoe Covers KCC-36885•	White	One Size Fits All	300 CT	

QUPOND

B Tyvek[®] Shoe Covers Covers feet in a barrier that keeps out particles down to 1 micron in size. Durable Tyvek® material. Elastic top helps secure cover to almost any size shoe.

ID No		Color	Size	Qty. Unit	Price
2 DU	P-FC450S• ≭	Gray	One Size Fits All	200 CT	
3 DU	P-TY450S• ≭	White	One Size Fits All	200 CT	

* AATCC 127 Compliant; Conforms to ASTM D1777 Standards.

C Tyvek® FC Boot Cover Protect precious footwear with sturdy boot covers made of Tyvek® FC. Protective fabric with a skid resistant friction coating. High boot cover with elastic top provides complete coverage up to calf.

ID	No.	Color	Size	Qty. Unit	Price
4	DUP-FC454S•	Gray	One Size Fits Most	100 CT	



20-FA-CU-RNU

D Polypropylene Non-Skid Shoe Covers Shoe covers are made from breathable, fluid-repellent spunbond material. Non-skid tread on bottom offers good traction. Regular/Large fits up to men's size 12.

ID	No.	Color	Size	Qty. Unit	Price
5	MII-CRI2002	Blue	Large	100 BX	

boardwalk

Disposable Shoe Covers Sturdy, disposable shoe covers are constructed with tear and puncture resistant spunbond polypropylene. Elastic at the ankles for a comfortable fit. They provide particulate protection and keep out dirt and dust. These protective covers are excellent for work in dirty areas.

ID	No.	Color	Size	Qty.	Unit	Price
6 7	BWK-00031L * BWK-00031XL *	White White	3-	50 50		

★ Made of FDA Accepted Materials.





PROTECTIVE CLOTHING

SAFETY VESTS



▲ Luminator[™] Class 2 Safety Vest Occupational activities such as roadway, construction, airport and utility projects call for Luminator[™] protection. This economy Class 2 vest is 100% solid polyester in lime green with a 2[™] silver reflective stripe. The hook and loop closure is a full 8[™] to stay in place even in the most inclement weather conditions. Two outer and one inside pocket allow worker to keep essentials close at hand. 10[™] imprintable width allows customization. Washable.

ID	No.	Color	Size	Qty.	Unit	Price
1	CRW-VCL2SLL *	Fluorescent Lime w/Silver Stripe	Large	1	EA	
2	CRW-VCL2SLXL ≭	Fluorescent Lime w/Silver Stripe	X-Large	1	EA	
3	CRW-VCL2SLXL2 *	Fluorescent Lime w/Silver Stripe	2X-Large	1	EA	
4	RVR-VCL2SLX3•	Lime Green/Silver	3X-Large	1	EA	

* CRW-VCL2SLL, CRW-VCL2SLXL, CRW-VCL2SLXL2—ANSI/ISEA 107-2010 Compliant.

(B) One Size Reflective Safety Vest Bright orange color and reflective strips provide high visibility day or night for a variety of hazardous situations. Lightweight polyester mesh fabric with hook and loop closure keeps vest secure in all weather conditions. One size, 18" × 47", with 8" elastic side straps.

ID	No.	Color	Size	Qty	Unit	Price
5	CRW-V201R	Bright Orange/Lime; Silver Reflective Strips	One Size Fits All	1	EA	

West Basic, economical bright orange safety vest for warehouse, parking lot, or other roadside workers with a call for caution. The mesh design allows for air movement, making these vests comfortable in warm weather. The hook and loop closure firmly secures the vest around the worker.

 ID No.
 Color
 Size
 Qty. Unit
 Price

6 CBW/-V201e Bright Orange/Black One Size Fite All 1 EA							
o chw-vzor- blight orange/black one size his All i LA	6	CRW-V201•	Bright Orange/Black	One Size Fits All	1	EA	

Garments[®] Luminator Safety Vest Keep employees safe and secure with a sturdy Class 2 100% polyester safety vest with solid front and mesh back. Bright, neon coloring with fluorescent reflective stripes ensures easy visibility and promotes safety. Mesh back allows for cool comfort in hot conditions. Convenient dielectric zipper-front closure for easy on and off. Six pockets provide plenty of space for storage on-the-go.

ID	No.	Color	Size	Qty.	Unit	Price
7	CRW-CL2LCM ≭	Lime	Medium	1	EA	
8	CRW-CL2LCL ≭	Lime	Large	1	EA	
9	CRW-CL2LCXL ≭	Lime	X-Large	1	EA	

* ANSI/ISEA 107-2010 Compliant.

348

 Safety Baton Five super bright LED lights in baton may be seen up to 3,000 yards away and last up to 100,000 hours. Three different lighting modes include: slow flashing red, quick flashing red, and steady red light. Shock-proof, water-resistant, safe to use in inclement weather. Comfortable handle.

ID I	No.	Handle Color	Power	Unit	Price
10	TCO-25400	Black	2 C Batteries (Sold Separately)	EA	



GloWear® 8310HL Type R Class 3 Economy Safety Vest Economy polyester mesh vests for visibility on the job—they're an excellent choice for use in road construction, utility crews, survey crews and more. Bright neon coloring with reflective striping ensures high visibility. Hook and loop front closure for easy on/easy off.

ID No.	Color	Size	Qty.	Unit	Price
11 EGO-22023• ≭	Lime	S/M	1	EA	
12 EGO-22025• ≭	Lime	L/XL	1	EA	
13 EGO-22027• ≭	Lime	2XL/3XL	1	EA	
14 EGO-22013• ≭	Orange	S/M	1	EA	
15 EGO-22015• ≭	Orange	L/XL	1	EA	
16 EGO-22017• ≭	Orange	2XL/3XL	1	EA	
17 EGO-22019• ≭	Orange	4XL/5XL	1	EA	
≭ ANSI 107 Type F	Class 3.				

G GloWear® 8205HL Type R Class 2 Super Econo Mesh Safety Vest Sturdy mesh vest is a great value for everyday on-the-job applications—excellent for use in road construction or on utility and survey crews. Bright neon coloring with silver stripes ensures high visibility. Convenient hook and loop closure for easy wear.

ID	No.	Color	Size	Qty.	Unit	Price
18	EGO-20963• ≭	Orange	S/M	1	EA	
19	EGO-20965 ≭	Orange	L/XL	1	EA	
20	EGO-20967• ≭	Orange	2XL/3XL	1	EA	
21	EGO-20969• ≭	Orange	4XL/5XL	1	EA	
	+ ANOLANT D	<i>a</i> , <i>a</i>				

* ANSI 107 Type R Class 2.





GloWear® 8215BA Type R Class 2 Econo Breakaway Mesh Safety Vest

Great for everyday on-the-job visibility—it's an excellent choice for use in road construction, utility crews, survey crews and more. Bright neon coloring with reflective striping ensures high visibility. Hook and loop front closure for easy on/easy off. Five-point hook and loop breakaway on both shoulders and sides.

ID	No.	Color	Size	Qty.	Unit	Price
1	EGO-21063• ≭	Orange	S/M	1	EA	
2	EGO-21065• ≭	Orange	L/XL	1	EA	
3	EGO-21067• ≭	Orange	2XL/3XL	1	EA	
4	EGO-21069• ≭	Orange	4XL/5XL	1	EA	

^{*} ANSI 107 Type R Class 2.

20-FA-CU-RNU

BroFlex[®] 2000SF High-Performance Spandex Back Support 8½" 840D spandex body material. Patented non-conductive Sticky Fingers[®] stays. Innovative Power Panel Positioners[™]. Unique V-shaped design. Adjustable, detachable suspenders.

ID	No.	Size	Fits Waist	Color	Qty.	Unit	Price
5	EGO-11282•	Small	25" - 30"	Black	1	EA	
6	EGO-11283	Medium	30" - 34"	Black	1	EA	
7	EGO-11284•	Large	34" - 38"	Black	1	EA	
8	EGO-11285•	X-Large	38" - 42"	Black	1	EA	
9	EGO-11286•	2X-Large	42" - 46"	Black	1	EA	

ProFlex[®] 1650 Economy Elastic Back Support Single layer 5" elastic cinch strap for positive tension. Adjustable 1½" knit elastic suspenders. Knit elastic body material (7½" width). Machine washable.

ID No.	Size	Fits Waist	Color	Qty.	Unit	Price		
10 EGO-11093•	Medium	30" - 34"	Black	1	EA			
11 EGO-11094•	Large	34" - 38"	Black	1	EA			
12 EGO-11095•	X-Large	38" - 42"	Black	1	EA			



D Work Belt with Removable Suspenders Designed with removable, adjustable suspenders, durable elastic compression straps, breathable mesh fabric and grip tape strapping for optimal support while assuring proper fit and comfort. Hand washable.

ID	No.	Size	Fits Waist	Color	Qty	. Unit	Price
13	MMM-208605 苯	One Size Fits All	Up to 48"	Black	1	EA	

Caution: Product contains natural rubber latex which may cause allergic reactions. Warning, All ACE" back supports have been designed to help reduce the severity of back injuries however, no support can guarantee that an injury will not occur. 3M neither makes nor assumes any kind, express, implied or statutory assurance that this product will prevent an injury from occuring, when using this support. If discomfort or pain results, persists or increases, discontinue use and consult a physician.

SUPPORTS



A ProFlex® 4000 Single Strap Wrist Support Give injured wrists the support they need, with a single strap support brace that limits downward wrist movement. Designed with a Patented Open-Center Stay[™]. Three-stage hook and loop closure for security and comfort. Anti-odor treatment ensures a pleasant user experience. Black.

ID	No.	Size	Fits	Unit	Price
1	EG0-70004•	Medium (6-7")	Right Hand	EA	
2	EGO-70014•	Medium (6-7")	Left Hand	EA	
3	EGO-70016•	Large (7-8")	Left Hand	EA	
4	EGO-70008•	XL (8"+)	Right Hand	EA	
5	EGO-70018•	XL (8"+)	Left Hand	EA	

FUTURO

B Adjustable Reversible Splint Wrist Brace Can be used on either the right or left hand to help provide comfortable, moderate support and compression for injured, weak, or post-cast wrists. Low-cut, ergonomic shape. Easy sleeve design for effortless application. Adjustable palmar stay helps provide moderate stability. Breathable, durable, soft and latex-free materials. Black.

ID	No.	Size	Fits	Unit	Price
6	MMM-10770EN *	Adjustable	Wrist Size 5½"- 8½"	EA	

≭ If discomfort or pain results, persists or increases, discontinue use and consult a physician.



 ProFlex[®] 230 Wide Soft Cap Knee Pad Sturdy knee pad provides economical, light duty protection for a broad range of applications. Durable 600D polyester fabric cover. 15mm closed cell foam padding for comfortable protection. Slightly wider and longer for wraparound comfort. Anti-odor treatment ensures a positive user experience. Buckle closure for secure fit. ID <u>No.</u> Elbow/Knee Pad Type Size Group Unit Price 7 EGO-18230• Knee Pad One Size Fits All PR



D ShockWave2[™] Shock-Absorbing Lanyard Twin-leg shock-absorbing tie-off lanyard smoothly reacts to your movements and minimizes the danger of trip-fall hazards. Abrasion-resistant, tubular webbing ensures safe, reliable performance. Self-locking snap hook simplifies hookups.

ou	ouro, ronabio portormanoo. oon rooking onap nook ompinoo nookapo.								
		Ropes,Harness		Maximun					
		and Climbing		Arresting					
ID	No.	Tool Type	Application	Force	Length	Unit	Price		
8	DBS-1244412• *	Shock-Absorbing Lanyard	Construction; Iron-Working; Maintenance	900 lbs	4½ ft; 6 ft	EA			

* ANSI Z359 Compliant; OSHA Compliant.

E Delta[™] No-Tangle[™] Full-Body Harness If you're looking for a fusion of cutting-edge innovation and industry-standard-setting reliability, choose Delta[™] full-body harnesses. Features include: patented No-Tangle[™] design, stand-up D-rings and Repel[™] abrasion-resistant, water-repellant webbing.

ID	No.	Ropes,Harness and Climbing Tool Type	Application	Maximun Arresting Force		Price
	Construction-Ve	st Style: Belt Pad &	& Tongue-Buckle Legs—S	ide and ba	ick D-i	rings.
9	DBS-1101655•	Harness	Climbing; Construction; Iron-Working; Logging; Maintenance; Mining; Window Washing	1800 lbs	EA	
	Vest Style: Tong	ue-Buckle Legs—I	Back D-ring.			
10	DBS-1102000•	Harness	Climbing; Construction; Iron-Working; Logging; Maintenance; Mining; Window Washing	1800 lbs	EA	



FIRST AID ONLY.

ANSI 2015 SmartCompliance General Business First Aid Station Ideal for businesses, offices and worksites. The swing-out door and easy-tocarry handle add extra convenience. Clearly labeled compartments create a cabinet that is easy to use and restock. Expansion pocket allows you to customize your cabinet to meet your needs. This unique cabinet design eliminates disorganized and missing supplies.

ID	No.	Size	Case Material	Unit	Price
	Medium 25 Person	SmartCompliance First	Aid Cabinet without		
	Medications—94 p	pieces.			
1	FAO-90578 ≭ 🌌	3" × 9" × 11¼"	Metal	KT	
	Large 50 Person Sr	nartCompliance First Ai	d Cabinet with		
	Medications—241				
2	FAO-746000• ≭ 🌌		Metal	KT	
3	FAO-90608• ≭ 🌌	13" × 41⁄%" × 14"	Plastic	KT	
		nartCompliance First Ai	d Cabinet without		
	Medications—202				
4	FAO-90580 ≭ 🧭	4¾" × 13¾" × 13¾"	Plastic	KT	
		nartCompliance First Ai	d Cabinet without		
	Medications—241				
5		31/10" × 131/4" × 141/10"	Metal	KT	
	XL 150 Person Sma	rtCompliance First Aid (Cabinet with Medications-	—925 pie	eces.
6	FAO-90732• 🛪 🌌	17" × 5¾" × 22½"	Metal	KT	
		rtCompliance First Aid (Cabinet without		
	Medications—669				
7	FAO-90829• ≭	17" × 5¾" × 22½"	Metal	KT	
		artCompliance First Aid	Cabinet without		
	Medication—743 p				
8	FAO-90833• ≭	17" × 5¾" × 26"	Metal	KT	
	* FAO-90578—ANSI/	ISEA Z308.1-2015 Compliant;	Class A.		
	FA0-746000—ANS	l 2015; OSHA Compliant.			
	FA0-90608—ANSI/	ISEA Z308.1-2015 Compliant;	Class A+.		
	FAO-90580, FAO-74	6004—ANSI/ISEA Z308.1-20	15.		
	FAO-90732, FAO-90	829—Ansi 2015 and OSHA C	ompliant.		
	FAO-90833—ANSI	2015 Compliant.			
AI	so Consider:				

Also Consider:

ID	No.	Description	Qty.	Unit	Price
9	FAO-90827•	ANSI Class A+ Refill Pack, 202 Pieces	1	KT	
10	FAO-90582	ANSI Class A Refill Pack, 94 Pieces	1	KT	
11	FA0-90613•	ANSI A+ First Aid Kit Refill, 241 Pieces	1	KT	

ANSI 2015 SmartCompliance Food Service First Aid Cabinet

SmartCompliance easily masters the unique first aid challenges in food preparation with an innovative cabinet designed to take on common injuries. Patented snap-in boxes keep first aid organized and easy to restock and allow for easy management of first aid supplies over multiple locations.

ID	No.	Size	Case Material	Unit	Price			
	Medium 25 Persor	n SmartCompliance First	Aid Cabinet without					
	Medications—94	pieces.						
12	FAO-90658• ≭ 🌌	12" × 3" × 9½"	Metal	KT				
	Large 50 Person SmartCompliance First Aid Cabinet without							
	Medications—260) pieces.						
13	FAO-746006• ≭ 🜌	14½" × 3" × 13½"	Metal	KT				
	XL 150 Person SmartCompliance First Aid Cabinet with Medications—953 pieces.							
14	FAO-90830• 🛪 🌌	17" × 5¾" × 22½"	Metal	KT				
	XL 150 Person Sma	artCompliance First Aid (Cabinet without					
	Medications-710) pieces.						
15	FAO-90831• ≭	17" × 5¾" × 22½"	Metal	KT				
	* FAO-90658, FAO-74	46006—ANSI/ISEA Z308.1-201	15.					
	FAO-90830, FAO-90	0831—ANSI and OSHA Comp	liant.					
AI	Also Consider:							

iso consider.

ID	No.	Description	Qty.	Unit	Price
16	FAO-90828•	A+ Food Service Refill Pack, 260 Pieces	1	KT	
17	FA0-90692•	Food Service Refill Pack, 94 Pieces	1	KT	

ANSI SmartCompliance Food Service First Aid Station with

Medications Food service station is ideal for restaurants and cafeterias and for any area where you are handling and/or cooking food. The swing-out door and easy-to-carry handle add extra convenience. Clearly labeled compartments create a cabinet that is easy to use and restock. Expansion pocket allows you to customize your cabinet to meet your needs. SmartTab® ezRefills easily snap into place in cabinet. Unique cabinet design eliminates disorganized and missing supplies. Includes burn care solutions and blue metal bandages, nitrile gloves, over the counter medications and more. **Case Material** Unit Price ID No. Size 18 FAO-90834• * 17" × 5¾" × 26" Metal KΤ

* ANSI and OSHA.

20-FA-CU-RNU

FIRST AID KITS



ID	No.	Description	Qty.	Unit	Price
1	FAO-FAE4001 ≭	SmartCompliance Alcohol Cleansing Pads	20	BX	
2	FAO-FAE7021 🗰	SmartCompliance Antibiotic Ointment	10	BX	
3	FAO-FAE4002 🗰	SC Antiseptic Cleansing Wipes	10	BX	
4	FAO-FAE7004•	SmartCompliance Aspirin Refill, 2/Pack	1	EA	
5	FAO-FAE3040	SC Fingertip Bandages,1¾" × 2"	20	BX	
6	FAO-FAE3030	SC Knuckle Bandages 1" × 3", 20/Box	1	EA	
7	FAO-FAE7011 🗰	SmartCompliance Burn Cream	10	BX	
8	FAO-FAE4004	SmartCompliance Castile Soap Towelettes	10	BX	
9	FAO-FAE3009	SC Elastic Bandage Wrap, 2" × 5 yds	1	EA	
10	FAO-FAE6022	SC Eyewash Set/Eyepads and Adhesive Tape	1	EA	
11	FAO-FAE3001	SmartCompliance Fabric Bandages, 1" × 3"	25	BX	
12	FAO-FAE3006	SC Fingertip Bandages 2" × 1%"	10	BX	
13	FAO-FAE6000	First Aid Tape, ½" × 10 yards	1	EA	
14	FAO-FAE6003	SC First Aid Tape/Gauze Roll Combo	1	BX	
15	FAO-FAE5000	SmartCompliance Gauze Pads, 2" × 2"	5	PK	
16	FAO-FAE5005	SmartCompliance Gauze Pads, 3" × 3"	5	PK	
17	FA0-FAE5002	Gauze Bandages, 2"	1	EA	
18	FAO-FAE4007	SmartCompliance Hand Sanitizer Packets	10	BX	
19	FAO-FAE6012	SC Instant Cold Compress, 5" × 4"	1	EA	
20	FAO-FAE3008	Sterilized Knuckle Bandage	10	BX	
21	FAO-FAE3020	Sterilized Knuckle/Fingertip Bandages	10	BX	
22	FAO-FAE6013	SC Moleskin/Blister Protection,2" Square	10	BX	
23	FAO-FAE6018• ≭	SmartCompliance Vinyl Lightweight Gloves	2	BX	
24	FA0-FAE3000	SmartCompliance Bandage, 1½" × 1½ "	10	BX	
25	FAO-FAE3004	Smart Compliance Bandages, ¾" × 3"	25	BX	
26	FAO-FAE7012	SC Refill Burn Dressing, 4" × 4", White	1	BX	
27	FA0-16004•	SmartCompliance Refill Burn Dressing	1	BX	
28	FAO-FAE6015•	SC Rescue Breather Face Shield/2 Gloves	1	EA	
29	FAO-FAE6023 🗰	SC CPR Face Shield & Breathing Barrier	1	EA	
30	FAO-FAE6004 🗰	SC First Aid Scissors, 41/2" Long	1	EA	
31	FA0-FAE5012	Smart Compliance Trauma Pad, 5" × 9"	1	EA	
32	FAO-FAE6007	SC Triangular Sling/Bandage, 40" × 40" × 56"	1	EA	
33	FAO-FAE6019	SC Stainless Steel Tweezers, 3"	1	EA	
34	FA0-7002• ≭	ANSI 2015 Compliant First Aid Kit Refill, 4 Sterile Eye Pads and 4 Adhesive Strips	4	BX	
		4002—ANSI Z308.1-2009 Compliant. 7011—Meets ANSI/ISEA Z308.1-009 Standards mpliant.		FIRST AID	

FAO-FAE6018—FDA Compliant. FAO-FAE6023—ANSI 2308.1-2015, Class A & B. FAO-FAE6004—For left or right hand use. FAO-FAE6004—For left or right hand use.



FIRST AID ONLY.

ANSI 2015 ReadyCare First Aid Kit Convenient kit comes in an innovative plastic case with a carrying handle. Comes complete with all of the items needed to clean, treat and protect against a variety of everyday occurrences. Transparent door allows you to find items quickly in an emergency. Kit is conveniently wall mountable.

ID	No.	Size	Case Material	Unit	Price			
	For Up to 25 People—139 pieces.							
1	FAO-90697 ≭	$7" \times 9" \times 4"$	Plastic	KT				
	For Up to 50 Peo	ple —238 pieces.						
2	FAO-90698• ≭	$11" \times 12" \times 4"$	Plastic	KT				

* ANSI/ISEA Z308.1-2015; Contents exceed the 2015 ANSI Class A+ requirement.

BANSI 2015 Compliant Industrial First Aid Kit This industrial first aid station is designed as an auxiliary kit for smaller businesses, offices and work sites. Contains a variety of products to take care of cuts and scrapes, eye irritations, CPR rescue, personal discomfort, minor burns, sprains, strains and bruises. The swing-down door and easy-to-carry handle make this first aid station extra convenient. Refills are color-coded for easy identification in an emergency.

ID	No.	Size	Case Material	Unit	Price					
3	FA0-90832• ≭	17" × 5¾" × 26"	Metal	KT						
	Three-Shelf Case with Medication, For Up to 100 People—676 pieces.									
4	FAO-90575 ≭	5 ¹ ⁄⁄″ × 15″ × 16″	Metal	KT						

 Two-Shelf Case with Medication, For Up To 75 People—446 pieces.

 5 FA0-90573 * 4½* × 10½* × 15* Metal KT

FAO-90832—Ansi 2015 and OSHA Compliant. FAO-90575—ANSI/ISEA Z308.1-2015 Compliant; Class A+ Type I & II; Meets or exceeds Federal OSHA Regulation 1910.151(b). FAO-90573—ANSI/ISEA Z308.1-2015 Compliant; Class B+ Type I & II; Meets or exceeds Federal OSHA Regulation 1910.151(b).

Also Consider:

ID	No.	Description	Qty.	Unit	Price
6	FAO-90618•	ANSI First Aid Station Refills 446 Piece	1	KT	
7	FA0-90623•	ANSI Refill with Medications, 676 Pieces	1	KT	

 ANSI Class B+ 4 Shelf First Aid Station with Medications Four shelf industrial first aid station is designed for businesses, offices and work sites. Sturdy solid steel case comes with a convenient carrying handle. Case is also wall mountable. Solid steel case comes with a carrying handle and is wall mountable. Sufficient to treat 150 to 200 people. 1461 pieces. In No. Size Case Material Unit Price

10	110.	0126		Unit	11100		
8	FAO-90576• ≭	17" × 6" × 221⁄4"	Metal	KT			
	* ANSI/ISEA 7308 1-2015 Compliant: Cabinat is ANSI Class B+ compliant: Contants aver						

ANSI/ISEA 2308.1-2015 Compliant: Cabinet is ANSI Class B+ compliant; Contents exceed the 2015 ANSI Class B requirements.

Also Consider:

ID	No.	Description	Qty.	Unit	Price
9	FA0-90625°	ANSI Refill with Medications, 1427 Piece	1	KT	

D Bulk ANSI 2015 Compliant First Aid Kit Ensure employee safety with a convenient, handy plastic first aid kit, containing key items for office, vehicle and worksite kits. Supplies feature bilingual labels in English and Spanish for easy reading in an emergency.

ID	No.	Size	Case Material	Unit	Price			
	For Up to 25 Peop	p le —89 pieces.						
10	FAO-90588 ≭	91/5" × 23/4" × 71/4"	Plastic	KT				
	For Up to 25 Peop	p le —141 pieces.						
11	FAO-90589 ≭	10" × 2½" × 7"	Plastic	KT				
	For Up to 50 People—199 pieces.							
12	FAO-90566• ≭	93%" × 23/4" × 9"	Plastic	KT				
	★ FAO-90588—ANSI/ISEA Z308.1-2015 Compliant; Class A Type I & II.							
	FA0-90589—AN	SI/ISEA Z308.1-2015 Compliant	; Class A+ Type I & II.					

FAO-90566—ANSI/ISEA Z308.1-2015 Compliant; Class B Type III.

Also Consider:

ID No.	Description	Qty.	Unit	Price
13 FAO-90583	25 Person, 89 Piece First Aid Kit Refill	1	KT	







IRST AID







D No.	Description	Qty.	Unit	Price
1 FAO-7006	Disposable Eye Wash, 4 oz	1	EA	
2 FAU-92100•	Emergency First Aid Disposable CPR Mask	10	BX	
3 FAO-12302	First Aid Adhesive Tape, ½" × 10yds	6	BX	
4 FAO-51019 ≭	First Aid Alcohol Pads	50	BX	
5 FAO-51028 ≭	First Aid Antiseptic Towelettes	25	BX	
6 FAO-19002	First Aid Sting Relief Pads	10	BX	
7 FAO-13462	Reusable Hot/Cold Pack, 8.63" Long	1	EA	
8 FAO-13006 ≭	First Aid Kit Refill Burn Cream Packets	10	BX	
9 FAO-12001 苯	Triple Antibiotic Ointment	12	BX	

FAO-13006, FAO-12001—Meets ANSI/ISEA Z308.1-2009 Standards.



20-FA-CU-RNU

DML.



First Aid Kit in Metal Case for Up to 25 People 18 first aid products, 106 pieces in a metal case with mountable hanger for convenient removal and transport. (Mounting hardware not included).

ID	No.	Size	Case Material	Unit	Price				
	For Up to 25 People—107 pieces.								
1	FA0-224-U ≭	10½" × 2½" × 7½"	Metal	KT					

★ Meets or exceeds OSHA Requirements.

50-Person Complete First Aid Kit 195-piece kit, in compartmental plastic case. Also includes 28-piece bloodborne pathogen/personal protection kit and six-piece CPR pack with one-way valve faceshield. Plastic case is wall mountable (hardware not included). Full-color reorder schematic.

ID	No.	Size	Case Material	Unit	Price
2	FAO-228-CP• ≭	10¾" × 3" × 11¼"	Plastic	KT	

* Meets OSHA Requirements.

(c) Unitized ANSI 2015 Compliant First Aid Kit Complete first aid kit contains everything needed to maintain safety in the office, in your vehicle, or at a worksite. Supplies feature bilingual labels in English and Spanish, for easy reading in an emergency. This convenient ANSI-compliant first aid kit holds all 21 ANSI required items. **2**

10			0 11 1		. .				
ID	No.	Size	Case Material	Unit	Price				
	For Up to 25 Peop	ole—16 units.							
3	FAO-90568• ≭	91/8" × 23/8" × 6"	Metal	KT					
	For Up to 100 Peo	ople—54 units.							
4	FAO-90570• ≭	15" × 3" × 14"	Metal	KT					
	★ FAO-90568—AN	SI/ISEA Z308.1-2015 Complian	t; Class A Type III.						
	FAO-90570—ANSI/ISEA Z308.1-2015 Compliant; Class B Type III.								
A	Also Consider:								

ID	No.	Description	Qty.	Unit	Price
5	FA0-90584•	100 Person 217 Piece 1st Aid Kit Refill	1	KT	

D ANSI Class A+ First Aid Kit Plastic, organized case comes with

a carrying handle. Conveniently wall mountable. 🜌

ID	No.	Size	Case Material	Unit	Price	
	For Up to 50 Peo	p le —183 pieces.				
6	FAO-90639 ≭	10" × 3" × 9"	Plastic	KT		
	50 Person Weatherproof Case—215 piece weather and impact resistant carrying case is perfect for general indoor use and sheltered outdoor use.					

7 FAO-90699• ★ 13"×12"×4" Plastic KT

* ANSI/ISEA Z308.1-2015; Contents exceed the 2015 ANSI Class A+ requirement.

Also Consider:

ID	No.	Description	Qty.	Unit	Price
8	FAO-90617	ANSI First Aid Kit Refill, 183 Piece	1	KT	

■ ANSI Class A Bulk First Aid Kit Sturdy kit with plenty of first aid supplies needed for medical emergencies. Durable weatherproof case. Comes with a carrying handle.

ID	No.	Size	Case Material	Unit	Price			
	For Up to 25 People—89 pieces.							
9	FA0-90560• ≭	6.31" × 9" × 2.375"	Metal	KT				

* ANSI/ISEA Z308.1-2015; Contents meet the 2015 ANSI Class A requirements.

 ANSI Class A 10 Person Bulk First Aid Kit Convenient weatherproof case comes with a carrying handle. Case is easily wall mountable. Contents exceed the 2015 ANSI Class A requirements and are sufficient to treat up to 10 people

10	io people. Ma								
ID	No.	Size	Case Material	Unit	Price				
10	FAO-90754 ≭	8" × 5" × 3"	Plastic	KT					
	★ ANSI/ISEA Z308.1-2015.								
AI	Also Consider:								

ID No.	Description	Qty.	Unit	Price
11 FAO-90782•	10 Person ANSI Refill, 71 Piece	1	KT	



FIRST AID KITS





ANSI Class A Weatherproof First Aid Kit Convenient kit for efficient care-this handy kit is designed for use in small offices, vehicles and work sites. Weatherproof case features a gasket and an easy-to-carry handle. Convenient case is also wall-mountable for quick access in an emergency. Contents fit snugly to prevent shifting, and single-use packaging ensures that products do not become contaminated. Designed to hold all 18 ANSI required items. A list of contents can be permanently affixed inside the lid for easy restocking. 🜌

ID	No.	Size	Case Material	Unit	Price
	For Up to 25 Peo	ple —16 units.			
1	FAO-90569• ≭	9" × 3" × 6¾"	Plastic	KT	
	For Up to 50 Peo	ple—24 units.			
2	FAO-90600• ≭	10" × 10" × 3"	Metal	KT	
	For Up to 75 Peo	ple —36 units.			
3	FAO-90700• ≭	14" × 10" × 2¾"	Metal	KT	
	* ANSI/ISEA Z308	.1-2015.			

Also Consider:

ID	No.	Description	Qty.	Unit	Price
4	FA0-90611•	ANSI Class A+ Refill, 24 Pieces	1	KT	
5	FA0-90584•	100 Person 217 Piece 1st Aid Kit Refill	1	KT	

For Up to 10 People—Contains 95 pieces. 9 FAO-90166 5¾" × 7½" × 1½" Soft Fabric KT First Aid Plus Emergency Preparedness Items—For up to 10 people. Contains 105 pieces. Includes light stick, survival blanket, whistle, face mask, hand sanitizer and rain poncho.

10 FAO-90168	5¾" × 7½" × 2½"	Soft Fabric	KT

FIRST AID ONLY.

D First Aid Station for Up to 50 People Designed for contractors and vehicles. 20 first aid products, 196 pieces including bandages, compresses, eye care products, ointment, wipes, plus six-piece CPR pack. Metal case with handle. Wall mountable (hardware not incl.). 28

ID	No.	Size	Case Material	Unit	Price
11	FAO-226-U ≭	10½" × 2½" × 10½"	Metal	KT	
	★ Meets or exceed	s OSHA Requirements.			



First Aid Kit for Use By Up to 25 People 113-piece kit that includes alcohol pads, antibiotic ointment, bandages, first aid cream, instant cold pack, scissors, tape, tweezers, gloves and a first aid guide.

•	No.	Size	Case Material	Unit	Price	
12	FAO-25001 ≭	$8'' \times 5^{1}\!/\!\!2'' \times 2^{3}\!/\!\!4''$	Plastic	KT		
	★ Meets or exceeds OSHA Requirements.					

Price

Price

Price



Office First Aid Kit You'll be prepared for emergencies indoors or outdoors with this reliable kit that features first aid products. Housed in a plastic case with a weatherproof seal. Kit contains a variety of quality products to care for cuts, scrapes and bruises, minor eye irritations, personal discomfort and minor burns. Dust- and moisture-resistant with long-lasting hinges and two latches.

ID	No.	Size	Case Material	Unit	Price			
	For Up to 25 People—131 pieces.							
1	FAO-60002 ≭	7" × 3" × 10"	Plastic	KT				
	For Up to 75 Peo	p le —312 pieces.						
2	FAO-60003• ≭	10¾" × 3" × 9¾"	Plastic	KT				
	★ Meets or exceeds OSHA Reauirements.							

Johnson Johnson

B Safe Travels[™] First Aid Kit Don't let minor mishaps ruin your trip. The 70 essential first aid items in this kit will help you handle a variety of medical problems that might arise when you're on the road. Products will help you treat cuts and scrapes and relieve pain and itching. Includes an assortment of BAND-AID[®] adhesive bandages, cleansing wipes and antibiotic ointment. Comes in a compact, hard-shell case. **2**

ID	No.	Size	Case Material	Unit	Price
3	J0J-8274	$6^{1/4''} \times 1^{5/8''} \times 5^{1/2''}$	Plastic	KT	

(c) Mini First Aid to Go[®] Perfect for minor first aid situations. Conveniently packaged in a durable shell. Compact size allows for maximum portability. Fits in a purse, glove compartment or gym bag. Contains 12 essential items. Includes antiseptic wipes, gauze pads, butterfly closures and adhesive bandages. *⊗*

ID	No.	Size	Case Material	Unit	Price
4	JOJ-8295	$4\frac{1}{2} \times 1\frac{1}{4} \times 4^{"}$	Plastic	EA	

Physicians CARE, By FIRST AID ONLY.

D Emergency Care Backpack XL Spacious orange backpack has glow-inthe-dark tag that makes it easy to find. Contains essential supplies you need in an emergency based on FEMA and American Red Cross guidelines. Includes water, food, whistle, light stick, flashlight with batteries, rain poncho, emergency blanket, hand warmers, first aid kit, mask, cotton gloves and two hand sanitizer packets.

ID	No.	Size	Case Material	Unit	Price
5	FAO-90001 ≭	12½" × 4½" × 17½"	Nylon	KT	
	* Meets or exceed	s OSHA Requirements.			

FIRST AID ONLY.

■ Personal Safety Pack with Backpack One-person emergency pack to take on the go. These basic supplies could prove vital in an emergency. Supplies will keep a person warm and dry, help them stay hydrated, and treat minor injuries. A lightweight, modular design makes it easy to stow, grab, and carry. Tear-resistant nylon backpack has plenty of room for personal items.

ID	No.	Size	Case Material	Unit	Price
6	FAO-RC-622• ≭	$87\!/\!\!/_8"\times 37\!/\!\!/_8"\times 83\!/\!\!/_8"$	Nylon	KT	
	🔸 Enderse ditender	A			

Endorsed by the American Red Cross.

Essentials First Aid Kit Portable essentials first aid kit allows you to be ready for all potential emergencies on the road. Our new generation of hard kit is specially designed for easy access, to save time and frustration in the midst of emergency situations. Economical kit in a convenient size for safety on-the-go.

ID	No.	Size	Case Material	Unit	Price
7	FA0-340	$9" \times 21/_2" \times 8"$	Plastic	EA	



FIRST AID KITS





Body Fluid Spill Kit Safely removes vomit, blood and feces. Proven
effective against norovirus, E. coli, salmonella - rapid 30 second kill time.
Surface spray proven effective across most hard and soft surfaces. OSHA
and Food Code compliant.

ID	No.	Number of Pieces	Qty.	Unit	Price
1	GOJ-384101CLMS• ≭	16	2	CT	
	Refill				
2	G0J-384102RFL• ≭	16	2	CT	
	* OSHA and Food Code Complia	ant.			



Biohazard Spill CleanUp This single-use bio-hazard cleanup kit safely removes blood and bodily fluids. Kit includes essential items needed to safely clean-up and dispose of bodily fluids, blood and other substances. It Quick and easy to use on small to midsize biohazard spills. Ideal to have on hand at home, in a school or a restaurant or any location where there may be an accident of bodily fluids or blood accidents may occur. This powder works on several surfaces such as asphalt, concrete and tile surfaces. After clean up, it leaves the surface clean and dry, with no spill residue.
ID No. W×D×H Unit Price

3 FAO-SMBIOHAZARD•	$\frac{3}{4} \times 6'' \times 9''$	KT
--------------------	-------------------------------------	----

C Disinfection	Used Sharps Disposal
Biohazard Spill C	BIOHAZARD Jean-Up

C Essential OSHA Compliance Kit Protect your staff and customers from common safety hazards in every workplace. All products meet standards for medical grade quality. EPA-registered disinfectant, Medical Grade gloves, OHSA compliant spill clean-up kits and OSHA compliant sharps container with mail away capability. Take care of both biohazard body fluid spills and needle sharps waste in one kit. Mount sharps container in common areas to reduce liability with needle sticks and increase workplace safety. All products can be disposed of in Mail-Away sharps container and sent through UPS carriers (transportation, disposal and incineration charges all included). Contains (1) Box of 50 individually packaged CaviWipes XL Surface Disinfection Towelettes; (1) Box of 50 OneSafe Nitrile Latex-Free Exam Gloves, Size Small; (1) Box of 50 OneSafe Nitrile Latex-Free Exam Gloves, Size Medium; (1) Box of 50 OneSafe Nitrile Latex-Free Exam Gloves, Size Large; (1) 1-Quart Red Sharps Container with Mail-Away Box; (1) Wall Mount Bracket for 1-Quart Red Sharps Container; (2) Biohazard Spill Clean-Up Kits; (2) Plastic Disposable Scooper/Scrapers; (2) 0.75 oz. RedZ Absorbent Crystal Packets; (1) 1-Gallon Bucket for Non-Sharps Biohazard Waste with Mail-Away Box.

	No.	Number of Pieces	Qty.	Unit	Price
4	UMI-KITOEK• ≭	13	1	KT	
	★ OSHA Bloodborne Pathogens Sta	andard.			

FIRST AID ONLY.

● BBP Spill Cleanup Kit Convenient spill cleanup kit is ideal for vehicle or facility use. Sturdy weatherproof plastic case. Contains everything you need for safe and effective cleanup of small spills.

ID	No.	$W \times D \times H$	Unit	Price
5	FA0-6021	7½" × 4½" × 2¾"	KT	

boardwalk.

Blood Clean-Up Kit Convenient blood clean-up kit comes in a heavyduty plastic case with safety latch and handle. Case is wall-mountable for easy access. Complete kit comes with an assortment of tools and disposable personal protective equipment to safely clean up blood or other potentially infectious materials. Includes disposable gloves, shoe covers, an apron, protective eyewear, and an isolation mask to help protect cleaning personnel.

ID	No.	$W \times D \times H$	Unit	Price
6	BWK-54865 ≭	$3"\times8"\times5"$	KT	

* Meets OSHA requirements.



(F) Biohazard Fluid Clean Up Kit Handy kit contains everything you need to contain biohazard fluids including blood bourne pathogens and decontaminate hard surfaces. It's a must-have for personal protection and surface disinfection. Includes exam gloves, absorbent towel, absorbent powder, antimicrobial hand wipe, scoop with detachable scraper, disinfecting towelette, biohazard bag and instructions. *⊠*

	No.	W × D × H	Unit	Price
7	MII-MPH17CE210	10¾10" × 1¾" × 10½"	KT	



Sterile Tongue Depressors High-quality wood is smooth and splinterfree. Sterile and individually wrapped. 20 million 30 million

ID	No.	Length	Material	Qty. Unit	Price
1	MII-MDS202075	6"	Wood	100 BX	

B Non-Sterile Tongue Depressors These depressors are made from high quality wood, so they're smooth and splinter-free. They're great for spreading ointments and for stirring and mixing medications. Tongue depressors are non-sterile.

ID	No.	Length	Material	Qty. Unit	Price
2	MII-MDS202065	6"	Wood	500 BX	

() In-Room Locking Wall Mount Sharps Container Cabinet System Safely secures sharps containers in a sturdy locked enclosure. ☑

ID	No.	Color	Capacity	$W \times D \times H$	Unit	Price			
3	CVD-SWMU000609• *	Beige	5 qt	13" × 5" × 13"	EA				
	With Glove Box Holder—Single glove box holder slides onto bottom of unit.								
	Wall-mounting hardware included.								
4	CVD-SSGB00056H• *	Beige	5 qt	13" × 5" × 18.5"	EA				

★ Meets OSHA Bloodborne Pathogens Standard.

D Sharps Containers Safely contains and disposes of medical sharps waste. Lids provide temporary closure, and lock upon final disposal. Single use - lid locks onto base to prevent spills. Fit carts, brackets and wall-mount cabinets for OSHA compliance. Easy assembly. Autoclavable.

ID	No.	Color	Capacity	$W \times D \times H$	Unit	Price			
	Counter-Balanced Lid—Limits accidental or intentional access to								
	container contents.								
5	CVD-K5SS1007SA• ≭	Red	5 qt	4.75" × 10.75" × 11.5"	EA				

Hinged Lid—Accommodates a variety of sharps sizes.	
--	--

6	CVD-SR1Q100900• ≭	Red	1 qt	3.5" × 4.25" × 5.5"	EA
7	CVD-SSHL100980• ≭	Red	8 gal	15.5" × 11" × 17.75"	EA

* Meets OSHA Bloodborne Pathogens Standard.



Sharps Container Designed for maximum capacity to fill line and large opening accommodates larger syringes. Translucent lid provides easy-to-see fill levels. Container easily locks for final disposal and safe transport.

ID	No.	Color	Capacity	$W \times D \times H$	Unit	Price
8	MII-MDS705110•	Red	1 qt	4.25" × 4" × 6"	EA	
9	MII-MDS705202•	Red	8 qt	14" × 6" × 10.75"	EA	

ID No.	Color	Capacity	$W \times D \times H$	Unit	Price
10 MII-MDS705153H	Red	5 qt	12.25" × 4.25" × 14"	EA	
Wall Mountable					
11 MII-MDS705203H•	Red	3 gal	$14"\times6"\times20.5"$	EA	




FIRST AID SUPPLIES















Caring[®] Non-Sterile Gauze Ideal for wound debriding, prepping, packing, dressing and general wound care. 100% cotton. 8-ply. 32 Image 2014

puoling, alooonig ana gonoral troana ouror roof, ootaani o piji 🚄 🔤						
ID No.	W×L	Qty. Unit	Price			
1 MII-PRM2	21208C• 2" × 2"	200 PK				
2 MII-PRM2	21408C 4" × 4"	200 PK				

Caring® Non-Woven Gauze Sponges Ideal for absorption, wicking and wound release. Rayon/polyester formed fabric offers more absorbency and less linting than 100% cotton gauze. Virtually non-adherent, non-sterile. 4-ply. 2018

ID	No.	W×L	Qty. Unit	Price
3	MII-PRM25224•	2" × 2"	200 BX	
4	MII-PRM25444•	4" × 4"	200 BX	



(First Aid Cloth Silk Tape Strong-woven cloth tape is perfect for affixing wound dressings. Water-repellent and flexible, it keeps gauze pads securely in place, making it a top choice for active individuals. Hypoallergenic. Latex-free. **⊠**

ID	No.	W×L	Color	Qty.	Unit	Price
5	MII-NON270101•	1" × 10 yds	White	12	PK	
6	MII-NON270102•	2" × 10 yds	White	6	PK	

D Paper Adhesive Tape Flexible, comfortable and conformable, gentle and breathable – paper adhesive tape is ideal for those with sensitive skin, especially pediatric and geriatric patients. Hypoallergenic. Latex-free. 3

ID	No.	W×L	Color	Qty.	Unit	Price
7	MII-NON270001	1" × 10 yds	White	12	РК	
8	MII-NON270002•	2" × 10 yds	White	6	PK	

■ Bloodstop® Sterile Hemostat Gauze Pad In an emergency, every second counts, so stick with the gauze bandage that helps stop bleeding quickly— effective in under a minute. For cuts, abrasions and nosebleeds. More than just a bandage—this gauze turns into gel to seal the wound, keeping dirt and germs out.

ID	No.	W×L	Qty.	Unit	Price
9	MII-CUR0055	1" × 1"	10	BX	

Waterproof Tape Waterproof, oil-resistant tape is ideal for general outpatient use. Durable tape adheres securely. Cloth backing provides comfort, while the polyethylene coating adds a layer of protection. Easy to write on. Latex-free.
 W × 1 Color <u>Oty. Unit</u> Price

ID No.	W × L	Color	Uty. Unit	Price
Removable				
10 MII-NON260501•	1" × 10 yds	White	12 BX	







NEOSPORIN[®]

Antibiotic Ointment Provides long-lasting protection against infection and may help minimize the appearance of scars. 🜌

ID	No.	Description	Qty.	Unit	Price
1	J0J-512376900	0.032 oz Packets	144	ВΧ	
2	PFI-512373700	1 ozTube	1	EA	

Johnson & Johnson

B Pure Cotton Swabs Just the right combination of softness and strength. Made with the #1 premium grade of cotton, they feel extra soft on delicate skin, making them ideal for beauty and baby care. The absorption and durability make them a great tool for various uses around the household. ID No. Qty. Unit Price

	Safety Swabs—Specially shaped for children.	
3	J0J-002948 1	EA



C Alcohol Swabs The easy and convenient way to cleanse the skin and help decrease bacteria at the site of application. Individually sealed, two-fold quilted swabs are ideal for pre-injection skin prepping. Contains 70% isopropyl alcohol. 🜌

ID	No.	Description	Qty. Unit	Price
4	MII-CUR45581RBI	1" × 1"	200 BX	

D Heavy Duty Bandages Self-adhesive bandages help protect hardworking hands. Heavy-duty fabric provides superior protection. Sure-stick adhesive keeps the bandage on until you decide to remove it. 🜌

ID	No.	Description	Material	Qty. Unit	Price
	Assorted				
5	MII-CUR14924RB•	Assorted Sizes	Flex-Fabric	30 BX	

 Reusable Hot & Cold Pack Can be used when soothing heat is needed or when an icy cold compress is required. 🜌

ID	No.	$W \times D$	Qty.	Unit	Price
6	MII-CUR959•	4" × 10"	1	EA	

 Instant Cold Pack Easy to use. Ideal for minor sprains, strains, bumps and bruises. Helps control swelling and relieve discomfort. Includes an insulating layer to help maintain the cold temperature longer. 🜌

ID	No.	Description	$W \times D$	Qty.	Unit	Price
7	MII-CUR961R	Instant Cold Pack	5" × 6"	2	BX	

G Sterile Saline Wound Wash Gently cleanses minor cuts, scrapes and burns. Pressurized flow effectively removes dirt and debris with better control and less waste. Dispenses a controlled spray at any angle, even upside down. 🜌

ID N	No.	Description	Qty.	Unit	Price
8	VIII-CURSALINE7	7.1 oz	1	EA	



URAD









D





BAN	ID-AID
- folu	wen Johnsen
PLASTIC	
tor exercise of the second sec	

Ø

ND-AI

TOUGH

RIPS



G



BAND-AID

A Tru-Stay Sheer Strips Adhesive Bandages For wound protection of minor cuts and scrapes. These sterile bandages provide lightweight, breathable protection.

ID	No.	Description	Material	Qty.	Unit	Price
1	JOJ-4669 ≭	Assorted Sizes	Flex-Fabric	80	ВΧ	
	≭ Not made with natural rubber latex.					

B – F Adhesive Bandages Packaged for individual use and to replenish first aid stations and kits.

B Sheer/Wet Flex Adhesive Bandages Adhesive bandages provide breathable protection. 🜌

ID No.	Description	Qty. Unit	Price
2 J0J-4711	Assorted Sizes	280 BX	

C Flexible Fabric Adhesive Bandages Extra-tough, durable and flexible fabric. Attaches with adhesive. 🌌

ID No.	Description	Material	Qty. Unit	Price
3 JOJ-4444	1" × 3"	Fabric	100 BX	
4 J0J-11507800	Assorted Sizes	Fabric	100 BX	

D Plastic Adhesive Bandages Get superior, all-purpose protection for everyday cuts and scrapes. Breathable design. Reliable, stav-on adhesive. 🜌

ID	No.	Description	Qty.	Unit	Price
5	JOJ-100563500	3⁄4" × 3"	60	ВΧ	

E Flexible Fabric Tough-Strips[™] Adhesive Bandages Provides extra flexibility - stretchable and comfortable fabric moves with you to fit better. 🌌

ID	No.	Description	Qty.	Unit	Price
6	JOJ-4408	1" × 3¼"	20	BX	

Flexible Fabric Extra Large Adhesive Bandages Extra-large bandages are useful for knees and elbows. 🜌

ID	No.	Description	Qty.	Unit	Price
7	JOJ-5685	1¾" × 4"	10	BX	

Nexcare

G Waterproof Bandages Stays on in wet conditions and keeps water out. Features a unique diamond shape, 360-degree seal and breathable material. Offers superior protection against water, dirt and germs that may lead to infection. A must-have for any first aid kit and perfect for treating minor wounds such as cuts, scrapes and blisters. 🜌 ∩+v IInit Pri<u>ce</u>

IL	INO.	Description	uty. Unit Price
8	MMM-432-50	Clear Bandage, Assorted Sizes	50 BX





ZOLL

(A AED Plus Automated External Defibrillator The AED Plus is the first and only automated external defibrillator (AED) that provides Real CPR Help® for depth and rate of chest compressions during CPR. The AED Plus guides rescuers through the complete Chain of Survival helping all sudden cardiac arrest victims, not just those who need a shock.

ID	No.	Qty	. Unit	Price
	Fully Automatic AED Plus—Includes one set of CPR-D-Padz, se	t of ba	atteries	, carry
	case and medical prescription.			
1	ZOL-800000400701• 🖈	1	EA	
	Semiautomatic AED Plus—Includes one set of CPR-D-Padz, set case and medical prescription.	of ba	itteries,	carry
2	ZOL-800000400001• \star	1	EA	
	★ FDA Compliant.			

Beplacement Batteries for ZOLL® AED Plus Replacement batteries for ZOLL® AED Plus have a standby life of five years (installed in the unit), or 300 ±5 continuous shocks. Ten 123 lithium batteries.

ID	No.	Size	Voltage	Qty.	Unit	Price
3	ZOL-8000080701•	123	3 V	10	РК	

(B) AED Wall Cabinet Alarmed wall cabinet. Durable metal construction. For use with the ZOLL® AED Plus defibrillator.

ID	No.	Color	$W\timesD\timesH$	Shpg. Wt.	Unit	Price
4	ZOL-80000855	White	$17" \times 91/2" \times 17"$	19 lbs.	EA	

Pedi-padz[®] II Defibrillator Pads Works with intelligent pediatric capability, using text and voice prompts, applying separate energy levels for pediatric patients and using specific algorithms to analyze a child's heart rate as compared to an adult's. Can be used to defibrillate children up to eight years of age. Two-year shelf life.
 No. Unit Price

ID	No.	Unit	Price
5	ZOL-8900081001•	EA	

 CPR-D-Padz Adult Electrodes One-piece pre-connected electrode pads are easy to use, making it easy to get help to the victim quickly. This unique one-piece pad is easy to place, using CPR hand placement as a guide. Five-year shelf life.

ID	No.	Unit	Price
6	Z0L-8900080001•	EA	





IRST AID

MEDICAL EQUIPMENT



 Excel Deluxe Aluminum Transport Wheelchair Ideal for travel—weighs just 22 lbs. Back folds down for easy storage and transport. Loop brakes and seatbelt for safety. Full-length padded armrests. Convenient swingaway, detachable footrests. 12" wheels with dual-sealed bearings for stability. Black nylon upholstery with blue powder coated frame.
 D
 No. Seat Size Capacity Unit Price
 MII-MDS808210ABE• 19" × 16" 300 lbs EA

 Excel K1 Basic Wheelchair Elevating leg rest model features a notched, stainless steel ratchet bar to lock the leg rests securely in place. Durable tig-welded frame in gray powder coat finish. Comfortable nylon upholstery. Smooth-rolling, solid flat-free tires. Dual axle hemi-height adjustable. Full length permanent armrests. Swing-away, detachable footrests.

ID	NO.	Seat Size	Capacity	Unit	Price
2	MII-MDS806150EE•	18" × 16"	300 lbs	EA	

 Chrome Foot Stool Sturdy and attractive, chrome-plated steel stool

 fits perfectly into examination rooms. Textured, black-rubber platform mat

 provides enhanced comfort and traction. Non-slip rubber-tipped feet help

 ensure that the stool stays where you place it. Weight capacity is 350 lbs.

 ID
 No.

 Color
 Duty Rating

 Working Height
 Width

 3
 MII-MDS804301

 Chrome/Black
 350 lbs

 8.25"
 16"

D Room ID Flag System Quickly and clearly alerts staff to room availability. Swings 180° for ideal viewing from various locations. Allows rearrangement of flags for prioritizing by color. Clearly marking or labeling flag provides guidance to visitors and helps protect patients' privacy.

ID	No.	Color	Flag Length	Flag Qty.	Unit	Price
4	MII-0MD291716•	Assorted Primary Colors	8"	6	EA	

 Automatic Digital Upper Arm Blood Pressure Monitor Revolutionary design and proprietary programming provide automatic inflation and error detection. Customized inflation levels for each individual patient. Color gauge simplifies detection. Provides quick digital readings of systolic and diastolic pressure as well as the pulse rate. Easy-to-use one-push button design. Stores the 90 most recent measurements. Large digital readout. Batteries included.

ID	No.	Size	Power	Unit	Price
5	MII-MDS3001	Small Adult Cuff Fits Arms 22-30 cm	4 AA Batteries	EA	

 Automatic Digital Wrist Blood Pressure Monitor Easy-to-use wrist monitor automatically inflates and deflates. Digital readout details systolic and diastolic pressure as well as pulse rate. Memory automatically attaches a date and time to readings. Color gauge for quick detection. Batteries included.

ID	No.	Size	Power	Unit	Price
6	MII-MDS3003	One Size Fits All	2 AAA Batteries	EA	

(G) Premier Oral Digital Thermometer Digital thermometer provides an accurate reading. Push-button start and large LCD screen make taking temperatures quick and easy. Measures in degrees Fahrenheit and degrees Celsius.

ID	No.	Display	Qty.	Unit	Price
7	MII-MDS9950	Digital	1	EA	

3M

(i) Littmann® Master Classic II[™] Stethoscope Stethoscope brings together an ergonomic design and excellent acoustic sensitivity. Delivers reliable performance and comfortable use for professionals dedicated to providing the best patient care.

ID	No.	Color	Unit	Price
8	MMM-2144L•	Black	EA	

● Littmann[®] Classic III[™] Monitoring Stethoscope Compact and sensitive stethoscope is the perfect instrument for clinicians who monitor and assess children or adults in non-critical environments. Manufactured with strong yet lightweight materials for hours of comfortable use.

ID	No.	Color	Unit	Price
9	MMM-586127•	Black	EA	



buprofen Tablets Temporarily reliev

● Ibuprofen Tablets Temporarily relieves minor aches and pains due to headache, muscular aches, minor pain of arthritis, toothache, backache, the common cold and menstrual cramps. Also, temporarily reduces fever. Packaged for individual use to replenish first aid stations and kits. 🜌

ID	No.	Description	Qty.	Unit	Price
9	MCL-48152	2/Pack	50	BX	



● Caplets Multi-symptom relief from heartburn, indigestion, upset stomach, nausea and diarrhea. Packaged for individual use to replenish first aid stations and kits.

ID <u>No.</u>	Description	Qty. Unit	Price
10 PFY-BXPB-25	2/Pack	25 BX	

YLENOL[®]

Extra Strength Caplets—**Two Pack** Reduce fever and temporarily relieve minor aches and pains due to headache, muscular ache, backache, minor pain of arthritis, common cold, toothache and premenstrual and menstrual cramps. Packaged for individual use to replenish first aid stations and kits.

ID	No.	Description	Qty.	Unit	Price
11	MCL-44910	2/Pack	50	ВΧ	



▲ Ibuprofen Tablets Effective for headaches, backaches, muscle aches, menstrual pain, minor arthritis and other joint pain, body aches and pains from the flu. Packaged for individual use to replenish first aid stations and kits.

ID No.	Description	Qty. Unit	Price
1 PFI-015489	2/Pack	50 BX	

Bluprofen Tablets Refill Packs Effective for headaches, backaches, muscle aches, menstrual pain, minor arthritis and other joint pain, body aches and pains from the flu. Packaged for quick refill of Li' Drugstore Medicine Dispensers (sold separately) or for other use.

ID	No.	Description	Uty.	Unit	Price
2	LIL-58030	Advil [®] Ibuprofen	30	ВΧ	
		2 Tablet Pouch			

 Control Liqui-Gels
 Relieves headaches, backaches, muscle aches, menstrual pain, minor arthritis and other joint pain, body aches and pains of the flu.

 Packaged for individual use to replenish first aid stations and kits.
 ☑

 ID
 No.
 Description
 Other Price

	J INU.	Description	uty. Unit	FIIU
3	PFI-016902	2/Pack	50 BX	

D Sinus Congestion & Pain Non-drowsy relief of sinus pressure, nasal swelling and congestion and headache. Packaged for individual use to replenish first aid stations and kits.

ID	No.	Description	Qty.	Unit	Price
4	PFI-019901	1/Pack	50	BX	

■ Pain Reliever Tablets Temporarily relieves minor aches and pains due to arthritis, muscular aches, backache, menstrual cramps, headache, toothache and common cold. Also temporarily reduces fever. Packaged for individual use to replenish first aid stations and kits.

ID No.	Description	Qty. Unit	Price
5 PFY-BXAL50	1/Pack	50 BX	
and the second second second second			

BAYER

 Image: Constraint of the system
 <th

6	PFY-BXBG50	2/Pack	50	BX

DayQui

(G) Cold & Flu Temporarily relieves common cold and flu symptoms: nasal congestion, cough due to minor throat and bronchial irritation, sore throat, headache, minor aches and pains and fever. Packaged for quick refill of Lil' Drugstore Medicine Dispensers (sold separately) or for other use. **20**

ID No.	Description	Qty. Unit	Price
7 LIL-97047	DayQuil® Severe Cold and Flu 2 Tablet Pouch	20 PK	

Midol

Complete Menstrual Caplets Don't suffer - choose a reliable medication that relieves many of the pesky symptoms that come with your period. A unique combination of medicine will get you going in no time. Maximum strength acetaminophen relieves pain, while a diuretic helps relieve bloating and caffeine helps fight fatigue.

ID	No.	Description	Qty.	Unit	Price
8	PFY-BXMD30•	2/Pack	30	BX	

MEDICINALS











Medication Station Convenient kit provides quick access to four of the most frequently used medications: ibuprofen, a non-aspirin pain reliever, aspirin and antacids. Handy medication station is an innovative and easy solution for dispensing common medications at the office. Medication boxes are individually replaceable. Includes a unique, easy-to-install grid system. Ideal for use in common areas, like as office kitchens and breakrooms.

1 ACM-90780 50 doses each Aspirin, Ibuprofen, X-Strength 1 EA	ID	No.	Description	Oty.	Unit	Price
Non Aspirin and Antacid	1	ACM-90780	50 doses each Aspirin, Ibuprofen, X-Strength Non Aspirin and Antacid	1	EA	

Medication Grid Station Handy station includes a unique, easy-to-install grid system. Use with compatible medications ACM90014, ACM90015, ACM90016 and ACM90089 (sold separately) for easy-access relief to common ailments. Ideal for use in common areas like as office kitchens and breakrooms. Includes: Asprin, Ibuprofen, Non-Asprin and Antacids.
 ID No. Description Oty. Unit Price

īυ	110.	Description	uty.	UIIIL	FIICE
2	ACM-90794•	Plastic Grid Station	1	EA	
		for Medications			

€ Antacid Tablets Calcium carbonate chewable tablets help reduce your stomach's acidity level, providing relief from heartburn and acid indigestion. Packaged for individual use to replenish first aid stations and kits. ≥

ID	No.	Description	Qty.	Unit	Price
3	ACM-90089 *	2/Pack	50	ВΧ	

Ask a doctor before use if you have been taking a prescription drug. Antacids may interact with certain prescription drugs, kidney stones or a calcium-restricted diet.

● Ibuprofen Tablets Anti-inflammatory, fever reducer and pain reliever. Temporarily relieves headache, muscular aches, toothache, minor pain of arthritis, backache and menstrual cramps. Packaged for individual use to replenish first aid stations and kits.

ID	No.	Description	Qty. Unit Price
4	ACM-90015 ≭	2/Pack	100 BX
5	ACM-90109 ≭	2/Pack	125 BX

Do not use if you have ever had an allergic reaction to any other pain reliever/fever reducer, right before or after heart surgery.

(B) Extra-Strength Acetaminophen Tablets Temporary relief of minor aches and pains associated with headache, toothache, minor arthritis pain, muscular aches, common cold and menstrual cramps. Packaged for individual use to replenish first aid stations and kits. **⊗**

ID	No.	Description	Qty.	Unit	Price
6	ACM-90016 ≭	2/Pack	50	BX	

Do not use with any other drug containing acetaminophen, for more than 10 days for pain unless directed by a doctor, for more than 3 days for fever unless directed by a doctor.

■ Aspirin Tablets Easy-to-swallow coated tablets with extra-strength fever reducer and pain reliever. Packaged for individual use to replenish first aid stations and kits.

ID	No.	Description	Qty.	Unit	Price
7	ACM-90014 ≭	2/Pack	50	ВΧ	

Do not use if you have had an allergic reaction to any other pain reliever/fever reducer, right before or after heart surgery, if you are taking a prescription drug for gout, diabetes or arthritis.

G Allergy Tablets Easy-to-swallow coated tablets. Use for temporary relief from upper allergies in the eyes, mouth and throat. Packaged for individual use.

ID	No.	Description	Qty.	Unit	Price		
8	ACM-90091 *	2/Pack	50	ВΧ			
	★ Ask a doctor or pharmacist before use if you are taking sedatives or tranguilizers						

* Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

(1) Cold & Cough Tablets Relieves cold symptoms, including cough, sore throat, minor aches and pains, headache and nasal congestion. Temporarily reduces fever. Packaged for individual use. 🔀

ID	No.	Description	Qty.	Unit	Price
9	ACM-90092 *	2/Pack	50	ВΧ	

Do no use with any other drug containing acetaminophen, if you have ever had an allergic reaction to this product or any of its ingredients or if you are taking prescription monoamine oxidase inhibitor (MAO) drug.

● Extra-Strength Pain Reliever Temporary relief of minor aches and pains associated with headache, muscular aches, minor arthritis pain, back pain, common cold, toothache or menstrual cramps. Coated, easy to swallow tablets are packed in a perforated dispenser box. Contains acetaminophen and aspirin.

ID No.	Description	Qty. Unit	Price
10 ACM-90316	2/Pack	100 BX	

DrugStore

A Single-Dose Medicine Dispenser Improve productivity by keeping employees at their station when minor maladies occur. Mounts on a wall or back of a door with two screws or picture hangers (not included). Keep primary OTC medicines handy. Medicine dispenser comes with four medicines. Refill with any medicine refill. Plastic 15.5" × 2.25" × 10.75". 🜌 ID No. Unit Price

135 Pieces—Includes 30 doses each of Advil®, Aleve®, Tylenol® Extra-Strength and 15 doses of Alka-Seltzer.

LIL-71622• EA 170 Pieces—Includes 50 doses each of Lil Drugstore® Ibuprofen, Lil Drugstore® Cold Relief, Lil Drugstore® Multi Symptom Sinus and 20 doses of DayQuil Severe Cold. ΕA

2 LIL-71992•

Also Consider:

ID No.	Description	Qty.	Unit	Price
3 LIL-58030	Advil [®] Ibuprofen Tablets Refill Packs	30	BX	
4 LIL-51030	Aleve® Pain Reliever Tablets Refill	30	BX	
5 LIL-51060•	Alka-Seltzer Original Stomach Relief	15	BX	
	& Pain Relief Medicine			
6 LIL-97047	Dayquil Severe Cold & Flu LiquiCaps	20	PK	
7 LIL-97117	Lil' Drugstore [®] Allergy Relief	50	BX	
8 LIL-97187•	Lil' Drugstore [®] Cold Relief	50	BX	
9 LIL-97197	Lil' Drugstore [®] Ibuprofen	50	BX	
10 LIL-97217	Lil' Drugstore [®] Multi-Symptom Sinus	50	BX	
11 LIL-97477	Tylenol [®] Extra Strength Caplets	30	BX	

Alka-Seltzer

B Original Stomach Relief & Pain Relief Medicine Suffer no more-get fast relief of heartburn, upset stomach, acid indigestion with headache and body aches from this antacid and pain reliever. Effervescent antacid and pain is an easy-to-use solution for everyday digestive issues. Unlike other antacids, Alka-Seltzer® Original contains an analgesic for pain accompanied by heartburn and acid indigestion.

ID No.	Description	Qty.	Unit	Price
12 LIL-51060•	Alka-Seltzer [®] Single Dose Pouches	15	ВΧ	

Ricola

Cough Drops Enjoy the finest quality ingredients with cough drops made from high quality Swiss mountain herbs. Lozenges bring a unique, delicious taste and soothe the mouth and throat. A combination of honey. herbal lemon balm and Echinacea work in harmony to bring soothing relief to sore throats. Lozenges are ideal for use as cough suppressants and oral pain relievers, battling the uncomfortable symptoms of cough due to a cold or inhaled irritants, as well as minor irritation and pain due to sore throat or sore mouth. 🜌

ID No.	Description	Qty.	Unit	Price
13 LIL-7776	Ricola® Natural Herb Cough Drops	21	РК	

D Herb Throat Drops Soothing throat drop for tired, scratchy throats. Perfect for relieving minor everyday throat irritation such as dryness or hoarseness. Refreshing and unique flavor. Ten drops per stick, 24 sticks per box. 🜌

ID No.	Description	Qty. Unit	Price
14 LIL-70171	Ricola [®] Cherry Honey Drops	24 BX	











MEDICINALS



(A) Cough and Sore Throat Lozenges Temporary relief of cough, sore mouth or throat. Contains menthol to help suppress cough. Individually packed in a perforated dispenser box to allow easy access. 🜌

ID	No.	Description	Qty.	Unit	Price
1	ACM-90306	Individually Wrapped	50	BX	



B NyQuil[™] Cold & Flu Nighttime Liquid A little liquid brings big cold relief - convenient cold & flu liquid provides powerful relief of cold symptoms. Temporarily relieves common cold and flu symptoms, including cough due to minor throat and bronchial irritation, sore throat, headache, minor aches and pains, fever, runny nose and sneezing. Designed for nighttime use, it helps soothe your cold so you can sleep. 🜌

ID No.	Description	Qty. Unit Price
2 PGC-01426• ≭	Liquid, 12 oz.	12 CT
the second second		





C NyQuil[™] Cold & Flu Nighttime LiquiCaps Get some rest with powerful 6-symptom cold and flu relief in convenient LiquiCaps. Temporarily relieves common cold and flu symptoms, including cough due to minor throat and bronchial irritation, sore throat, headache, minor aches and pains, fever, runny nose and sneezing. Designed for nighttime use, it helps soothe your cold so you can sleep. 🌌

ID	No.	Description	Qty.	Unit	Price
3	PGC-01440• ≭	LiquiCaps, 24 per Box	24	СТ	

^{*} FDA Registered.

DayQuil[™] Cold & Flu Liquid Get your power back and get through your day with convenient non-drowsy, daytime cold relieving liquid. Temporarily relieves common cold and flu symptoms: nasal congestion, cough due to minor throat and bronchial irritation, sore throat, headache, minor aches and pains, and fever. It's non-drowsy, so you can stay alert through your day. 🚧

ID	No.	Description	Qty.	Unit	Price
4	PGC-01436• ≭	Liquid, 12 oz.	12	CT	

* FDA Registered.

DayQuil[™] Cold & Flu LiquiCaps Power through your day with the powerful, non-drowsy, multi-symptom cold and flu relief of DayQuil" LiquiCaps. Temporarily relieves common cold and flu symptoms, including nasal congestion, cough due to minor throat and bronchial irritation, sore throat, headache, minor aches and pains and fever. Convenient LiquiCaps are purse- and pocket-ready - they're great for on-the-go cold relief. It's non-drowsy, so you can stay alert through your day. 🜌

ID	No.	Description	Qty.	Unit	Price
5	PGC-01443• *	LiquiCaps, 24 per Box	24	СТ	

* FDA Registered.

DayQuil[™]/NyQuil[™] Cold & Flu Liquid Combo Pack Get powerful, non-drowsy cold relief, day or night, with a convenient twin pack of DayQuil[™] and NyQuil[™] liquid. Non-drowsy DayQuil[™] liquid temporarily relieves common cold and flu symptoms, including nasal congestion, cough due to minor throat and bronchial irritation, sore throat, headache, minor aches and pains, and fever, while allowing you to stay alert and power through your day. NyQuil[™] liquid temporarily relieves common cold and flu symptoms like cough, sore throat, headache, minor aches and pains, fever, runny nose and sneezing, while helping you sleep through the night. 🜌

ID	NO.	Description	uty.	Unit	Price
6	PGC-01479• *	Combo Pack - DayQuil Liquid, 12 oz. + NyQuil Liquid, 12 oz.	6	СТ	

* FDA Registered.

C DayQuil[™]/NyQuil[™] Cold & Flu LiquiCaps Combo Pack Get powerful, non-drowsy cold relief, day or night, with a convenient combo pack of DayQuil[™] and NyQuil[™] LiquiCaps. Nighttime LiquiCaps relieve sneezing, sore throat, headache, minor aches and pains, fever, runny nose, and cough and help you sleep, so you can get the rest you need. Multi-symptom cold and flu relief for both daytime and nighttime. Daytime LiquiCaps provide non-drowsy multi-symptom relief, so you can power through your day. 🜌

ID	No.	Description	Qty.	Unit	Price
7	PGC-01452• *	Combo Pack - 32 DayQuil LiquiCaps + 16 NyQuil LiquiCaps	12	СТ	

* FDA Registered.

H VapoRub® Kiss your cough goodbye, with a topical cough medicine with medicated vapors. It starts working quickly for to relieve cough symptoms. Appropriate for ages two and up. 鰯

ID <u>No.</u>	Description	Qty. Unit	Price
8 PGC-00361• 🛪	1.76 oz. (50 g.) Jar	36 CT	
≭ FDA Registered.			





C



(A) Chewable Tablets For multi-symptom relief from heartburn, indigestion, upset stomach, nausea and diarrhea, choose Pepto-Bismol[™]. Quick-acting chewable tablets.

ID No.	Description	Qty. Unit	Price
1 PGC-03977BX *	Chewable Tablets, 30 per Box	30 BX	

* FDA Registered.

ID No.	Description	Qty. Unit	Price
2 ABN-30004 *	10 Effervescent Tablets Zesty Orange Flavor	1 EA	
3 ABN-10030 🖈	30 Effervescent Tablets Zesty Orange Flavor	30 PK	
4 ABN-30006 ★	10 Lémon-Lime Effervescent Tablets	1 EA	
5 ABN-30017• ≭	10 Pink Grapefruit Effervescent Tablets	1 EA	

These statements have not been evaluated by the U.S. Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent disease. Use only as directed.

● Immune Support Chewable Tablets Delivers real immune support in a convenient chewable tablet. A unique combination of 14 vitamins, minerals, and herbs. Great-tasting, easy-to-chew tablets mean you don't need water to get a blast of Vitamin C.

ID	No.	Description	Qty. l	Unit	Price
6	ABN-97970 ≭	Airborne Chewable Tablets Berry	1 1	EA	
7	ABN-97971 ≭	Airborne Chewable Tablets Citrus	1 8	EA	

These statements have not been evaluated by the U.S. Food and Drug Administration. These products are not intended to diagnose, treat, cure or prevent disease. Use only as directed.



MEDICINALS











Immune+ Formula Brings a rush of 26 nutrients and minerals, including 1,000 mg of vitamin C, enhanced Zinc, A and D vitamins and a proprietary blend of antioxidants. 30

ID	No.	Flavor	Size	Packing Type	Qty.	Unit	Price
1	ALA-100007	Blueberry Acai	0.3 oz	Packet	30	РК	
2	ALA-100008	Citrus	0.3 oz	Packet	10	PK	

Original Formula The powerful blend of vitamins, nutrients, antioxidant power and electrolytes makes these drinks as beneficial as they are delicious.

		-				
ID	No.	Flavor	Size	Packing Type	Qty. Unit	Price
3	ALA-139052•	Raspberry	0.32 oz	Packet	60 PK	
4	ALA-130213•	Super Orange	0.32 oz	Packet	60 PK	
5	ALA-139051•	Tangerine	0.32 oz	Packet	60 PK	

Rolaids

(b) Ultra Strength Antacid Chewable Tablets Ultra strength tablets deliver the ultimate acid-neutralizing heartburn relief. Tablets provide relief for heartburn, sour stomach and acid indigestion. Tablets neutralize more than 100 times their own weight in excess stomach acid.

ID	No.	Description	Qty.	Unit	Price
	Mint				
6	LIL-R10034•	10 per roll, 12 rolls per box	12	BX	
	Assorted Fruit	Flavors			
7	LIL-R10049	10 per roll, 12 rolls per box	12	BX	

O Ultra Strength Antacid Softchews Ultra strength softchews deliver the ultimate acid-neutralizing heartburn relief. Softchews provide relief for heartburn, sour stomach and acid indigestion. They neutralize more than 100 times their own weight in excess stomach acid. *⊗*

ID	No.	Description	Qty.	Unit	Price
	Strawberry				
8	LIL-R10309•	Six per pack, 12 packs per box	12	BX	

(3) Advanced Antacid Plus Anti-Gas Tablets Take relief to the next level with advanced tablets that go to work instantly on your worst heartburn, bloating and gas. Tablets relieve a variety of unpleasant symptoms, including heartburn, sour stomach, acid indigestion, upset stomach associated with these symptoms, pressure, bloating and gas. They deliver the ultimate in rapid relief, neutralizing more than 100 times their own weight in excess stomach acid. *⊠*

ID	No.	Description	Qty.	Unit	Price
	Assorted Ber	ries			
9	LIL-R10405•	10 per roll, 12 rolls per box	12	BX	

CARMEX

● Lip Balm Moisturizing lip balm heals dry and chapped lips while protecting them from further damage. Natural emollients are added to your lips, locking in your own body's natural moisture. Alleviates cold sore symptoms.

ID	No.	Flavor	Size	Qty.	Unit	Price
10	LIL-62458•	Original	0.25 ozJar	12	BX	
	Tube with Cap	—Easy to dispense				
11	LIL-11313•	Original	0.35 ozDisplay Box	12	BX	
			with Tubes			







niagara

▲ Purified Drinking Water Pure, high quality drinking water provides refreshment at an affordable price. Strong, lightweight Eco-Air Bottles[®] have over 60% less plastic (*on average vs. original 1998 500mL bottle). Tasty drinking water in portable bottles makes it easy to stay hydrated on the qo.

ID <u>No.</u>	Size	Packing Type	Unit	Price
1 NGB-05L24PLT• *	16.9 oz	Bottle	PL	

* SQF Level 3 Certified; IBWA Certified; Kosher Schedule B Certified.



B Thirst Quencher Powder Drink Mix "Mix and drink" powder pouches provide an excellent value to anyone who needs to keep a gallon or more on hand. Enjoy the same delicious, refreshing flavors. The Thirst Quencher delivers a fun way to accelerate your rehydration process.

ID N	No.	Flavor	Size	Packing Type		Unit Price
2 0	GTD-33665	Riptide Rush	8.5 oz	Packet	40	СТ
3 0	GTD-33672	Riptide Rush	51 oz	Packet	14	СТ
4 0	GTD-33673	Riptide Rush	21 oz	Packet	32	СТ
5 0	GTD-33676•	Glacier Freeze	51 oz	Packet	14	СТ
6 6	GTD-33677	Glacier Freeze	21 oz	Packet	32	СТ
7 0	GTD-33690•	Fruit Punch	51 oz	Packet	14	СТ
8 6	GTD-33691	Fruit Punch	21 oz	Packet	32	СТ
9 0	GTD-03808	Fruit Punch	8.5 oz	Packet	40	СТ
10 6	GTD-03956•	Lemon-Lime	8.5 oz	Packet	40	СТ
11 G	GTD-03957	Orange	8.5 oz	Packet	40	СТ
12 G	GTD-03967•	Lemon-Lime	51 oz	Packet	14	СТ
13 G	GTD-03968	Orange	51 oz	Packet	14	СТ
14 G	GTD-03969	Lemon-Lime	21 oz	Packet	32	СТ
15 G	GTD-03970	Orange	21 oz	Packet	32	СТ
V	/ariety Pack					
16 G	GTD-03944	Assorted	21 oz	Packet	32	СТ

(C) G-Series® Perform 02 Thirst Quencher Hydrate deliciously with amazingly refreshing flavor combinations. Carbohydrate-infused H20 formula significantly accelerates the rehydration process, and essential electrolytes keep you performing at your best. **⊗**

ID <u>No.</u>	Flavor	Size	Packing Ty	pe Qty. Unit	Price
17 QKR-28681	Lemon-Lime	20 oz	Bottle	24 CT	
18 QKR-28667	Fruit Punch	20 oz	Bottle	24 CT	
19 QKR-32486	Glacier Freeze	20 oz	Bottle	24 CT	
20 QKR-24812	Cool Blue	20 oz	Bottle	24 CT	
21 QKR-28674	Orange	20 oz	Bottle	24 CT	

① G2® Perform 02 Low-Calorie Thirst Quencher G2 has the same amount of electrolytes as our original Gatorade® formula, but with only 20 calories per 8 oz. It's a low-calorie sports drink that helps athletes and active people stay fueled for an ultimate performance. *⊠*

ID	No.	Flavor	Size	Packing Type	Qty.	Unit	Price
22	QKR-04053	Fruit Punch	20 oz	Bottle	24	CT	
23	QKR-04060	Grape	20 oz	Bottle	24	СТ	



 Powder Pack® Concentrated Activity Drink Power-packed powder mixes quickly and easily; just add to water and enjoy. A wide range of great-tasting flavors makes it easy to please even the most finicky palates. Isotonic, quick-rehydration formula fortified with minerals and electrolytes.

ID	No.	Flavor	Size	Packing Type	Qty.	Unit	Price
	Yields 2.5 Gallons per	Package					
24	SQW-0160410R•	Orange	23.83 oz	Packet	32	СТ	
25	SQW-016042FP•	Fruit Punch	23.83 oz	Packet	32	СТ	
26	SQW-016044AS 苯	Assorted	23.83 oz	Packet	32	СТ	
27	SQW-016046GR•	Grape	23.83 oz	Packet	32	СТ	

★ SQW-016044AS—Gluten Free; Vegan.



SORBENTS







 Battlemat[™] Sorbent-Pad Roll Tough-as-it-looks pad soaks up and retains (acidic or alkaline) petroleum-, chemical- and water-based fluids. Heavy-duty, abrasion-resistant fibers ensure maximum durability. Two-layer design enables use as a walk-on mat.

ID	No.	Absorbing Volume (Unit)	W×L	Qty.	Unit	Price
1	SBD-BM15•	25 gal	15" × 150 ft	1	CT	

BENV[™] MAXX Enhanced Oil-Only Sorbent Pads Take it to the MAXX: Maximum performance; minimum weight. Task-specific pads absorb and retain oil-based liquids. Treated fibers repel water and float indefinitely, making these pads an excellent choice for off-shore use.

		Absorbing				
ID	No.	Volume (Unit)	W×L	Qty.	Unit	Price
2	SBD-ENV300	0.24 gal	15" × 19 in	100	BD	
3	SBD-ENV150•	54 gal	30" × 150 ft	1	RL	

(C) Slikwik Socs[™] AbSorbent SW46 Mold around corners and conform to uneven surfaces to prevent and soak up spills and drips. Corncob-filled SOC for quick, dependable pick-up of all but aggressive fluids.

ID	No.	Absorbing Volume (Unit)	W×L	Qty.	Unit	Price
4	SBD-SW46•	2 qt	3" × 42"	40	CT	



D Super-Sorb Liquid Spills Absorbent Absorbs 60 times its weight immediately! Easy, sanitary disposal of blood, vomit or other liquids. Sprinkle granular absorbent onto spills, sweep up. Quat and microbiocide eliminate odors.

ID	No.	Absorbs	Qty.	Unit	Price
5	FRS-614SSBX	720 oz	6	BX	



Universal Sorbent AB-BPU100 Absorbs all industrial liquids (water, petroleum, and chemical based fluids) in facility. Dimpled and perfed. Perfect fit for indoor spills.

			Capacity	Packing			
ID	No.	Sorbent Type	(Weight)	Туре	Qty	Unit	Price
6	ANR-ABBPU100	Pad	Heavyweight	Bale	100	BX	



Granular Deodorant Moisture-absorbent, clay-base deodorant makes perfect scents for trash receptacles, floors or even the cat litter box. Neutralizes odors on contact. Easy to apply, easy to remove.

ID	No.	Scent	Size	Qty.	Unit	Price
	Clay Base					
7	BGD-150	Lemon	16 oz Shaker Bottle	12	СТ	







SORBENTS





(1) **Sorbent** This lightweight and high-performance absorbent removes any liquid or semi-liquid of any source or viscosity almost instantly. A quick and economical absorbent for preventing and fall accidents.

ID	No.	Sorbent Type	Capacity (Weight)	Packing Type	Qty	Unit	Price
1	FAO-97110•	Particulates	10 lbs	Bag	1	EA	
2	FAO-SM12•	Particulates	12 oz	Bag	1	EA	
3	FA0-97115•	Particulates	15 lbs	Bag	1	EA	
4	FAO-SM103•	Particulates	25 lbs	Box	1	EA	



B Universal Sorbent Pads All-purpose pads absorb petroleum-, chemical- and water-based fluids, ensuring maximum indoor-task versatility. Dimpled, high-capacity format quickly soaks up and reliably retains liquids. Convenient sizing simplifies placement.

		Absorbing				
ID	No.	Volume (Unit)	W×L	Qty.	Unit	Price
	Heavyweight					
5	ANR-AB-BRU120	30 gal	30" × 120 ft	1	RL	

(b) Universal Sorbent AB-BPU500 Absorbs all industrial liquids (water, petroleum, and chemical based fluids) in facility. Dimpled and perfed. Perfect fit for indoor spills.

ID No.	Sorbent Type	Capacity (Weight)	Packing Type	Qty Unit	Price
6 ANR-ABBPU500	Pad	Lightweight	Bale	100 BX	



D-Vour Absorbent Powder Specially formulated polymer transforms liquid mess into semi-solid mass. Immediately neutralizes unpleasant odors. Easy cleanup.

ID <u>No.</u> 7 BGD-166 <u>Qty. Unit</u> Price 6 CT



GREENSORB®

 Sorbent Creates a cleaner, safer workplace. Absorbs up to seven times more than ordinary clay absorbents. Safe for blood, vomit and industrial liquids except hydrofluoric acid. Non-leaching and all-natural. Capacity Packing ID <u>No</u> Sorbent Type (Weight) Qty Unit Price Туре BCG-GS-4 ≭ Shaker Bottle 1 8 Particulates 4 lb ΕA

* EPA Compliant; OSHA Compliant; USDA Accepted for Use in Food Processing Facilities.









SORBENTS







3M

A - C Maintenance Sorbents Lightweight, versatile, and takes just minutes to put in place. Dust-free and contains no abrasive granules that can damage expensive equipment. Can be incinerated or fuel blended, leaving less than 0.2% ash. Wring out and reuse numerous times with virtually no loss of sorbent capacity. Allows you to get at the source of a leak before it becomes a bigger problem.

 High-Capacity Maintenance Sorbent Pad Highly absorbent and nongranular so it's perfect for placing directly on machinery. Will not damage plant equipment. Low profile so it fits in tight places. Tuck it in or around machines to catch and contain leaks at the source.
 D No.
 Absorbing Volume (Unit) W × L Qty. Unit Price

Maintenance Pad—Ideal for placing in, under and around machines to catch drips.

1 MMM-M-PD1520DD● ★ 0.375 gal per pad 15½"× 20½" 100 CT

* ASTM F 726. 3M products must be used in accordance with OSHA regulations, warnings and limitations for each product.

B High-Capacity Maintenance Folded Sorbent Four sorbents in one. It can be used as a boom, pillow, pad, or roll, which means you stock one product to meet your sorbent needs. Perforations every 16 inches allow you to select the length required, so there's less wasted sorbent. Comes in a handy dispenser box for easy, on-site use. 3M's high capacity sorbent technology: has increased fluid-holding capacity which means less sorbent used; allows for simple reclamation for recycling of valuable liquids and re-use of sorbent; and minimizes sorbent waste for disposal.

ID	No.	Absorbing Volume (Unit)	W×L	Qty.	Unit	Price
2	MMM-M-FL550DD• *	10½ gal	5" × 50 ft	1	BX	

ASTM F 726. 3M products must be used in accordance with OSHA regulations, warnings and limitations for each product.

(B) High-Capacity Petroleum Sorbent Pads High-capacity pad ensures superior fluid-holding performance, allowing you to do more with less. Specially treated fibers absorb petroleum-based liquids while repelling water. Reinforced edge provides greater strength and minimizes linting.

ID	No.	Absorbing Volume (Unit)	W×L	Qty.	Unit	Price
3	MMM-28991• ≭	0.375 gal per pad	17" × 19"	100	CT	

ASTM F 726. 3M products must be used in accordance with OSHA regulations, warnings and limitations for each product.

3M AWARNING!

FAILURE TO PROPERLY HANDLE AND DISPOSE OF SORBENTS CONTAMINATED BY HAZARDOUS MATERIALS MAY RESULT IN SERIOUS PHYSICAL INJURY OR DEATH AND/OR ENVIRONMENTAL HARM. For proper handling, consult the *Safety Data Sheet* for the material adsorbed, and applicable safety and health standards, contact your supervisor, or call 3M at 1-800-243-4630. To reduce the risk of serious injury or death, adequate precautions should be taken when handling or storing sorbents contaminated by hazardous materials, and appropriate personal protective equipment should be worn. Transportation and disposal of container and its contents must comply with applicable laws and regulations.

3M[™] Maintenance Sorbents and 3M[™] Petroleum Sorbents must not be used with aggressive liquids, including caustics, acids, oxidizers, and reactive chemicals. 3M[™] Chemical Sorbents can adsorb most acids, bases, and other hazardous fluids. For further information regarding chemical compatibility, contact 3M.







(A) Site Safety Hanging Sign Safety sign imprinted with "Closed for Cleaning" is mounted on a twist-action pole that extends up to 50" wide to prevent entry through even wide hospital doors. Manufacturer's limited one-year warranty.

ID	No.	Color	Material	Message(s)	Size	Unit	Price
	Multi-Lingual—	-Imprinted	with "Closed for	Cleaning" in E	English and S	panish.	
1	RCP-9S1600YL	Yellow		Closed For Cleaning; Cerrado Por Limpieza	50 × 1 × 13	EA	

Bultilingual Pop-Up Safety Cone Safety cone with multi-language imprint and wet floor symbol is collapsible, automatically deployed and multilingual for a strong, easy-to-transport safety statement. Manufacturer's limited one-year warranty.

ID	No.	Message	$W \times D \times H$	Unit	Price
2	RCP-9S00 YEL	Attention; Caution;	21" × 21" × 20"	EA	
3	RCP-9S0100YL	Cuidado Caution; Attention; Cuidado	21" × 21" × 30"	EA	

(C) Executive 2-Sided Multi-Lingual Caution Sign Lightweight

and versatile caution sign is easy to place wherever you need it. Foldable for easy storage. Integrated carry handles. Manufacturer's limited one-year warranty.

ID	No.	Color	Material	Message(s)	Size	Unit	Price
4	RCP-1867505	Black	Plastic	Caution	10‰ × 26‰	EA	

D Executive 2-Sided Multi-Lingual Wooden Caution Sign Elegant and sophisticated. Durable rubber feet. Hardwood finish. Manufacturer's limited one-year warranty.

ID	No.	Color	, Material	Message(s)	Size	Unit	Price
5	RCP-1867507•	Brown	Brass/Wood/ Rubber	Caution	15 × 23½	EA	
6	RCP-1867508•	Brown	Stainless Steel/ Wood/Rubber	Caution	15 × 23½	EA	





PLAY IT SAFE

Wet floor warnings can help significantly reduce the number of slip and fall injuries in the workplace! Make sure signs are visible from every point of entry into the area where work is being done to ensure that anyone entering your facility will take extra care as they pass through. Using proper wet floor signs is the most economical way to give visual warning and avoid injury!

SAFETY SIGNS







Multilingual "Closed" Folding Floor Sign This bright yellow "Closed" sign is printed in English, French, German and Spanish for maximum effective communication with a large audience. It is lightweight and versatile; easy to transport. The two-sided model is excellent for use in small or narrow areas. Measures 12" deep when open. Manufacturer's limited one-year warranty.

ID	No.	Message	$W\timesD\timesH$	Unit	Price
1	RCP-6112-78 YEL	Cerrado; Closed; Fermé;	$11"\times12"\times25"$	EA	
		Geschlossen			

 "Caution Wet Floor" Floor Sign 2-Sided Floor Safety Sign with "Caution Wet Floor" Imprint is lightweight and versatile. The caution sign makes a heavy statement about safety. Measures 12" deep when open.
 Do Message Wx Dx H Unit Print

Iυ	INO.	iviessage	VV × D × H	Unit	Price
2	RCP-611277YW	Caution—Wet Floor	$11"\times12"\times25"$	EA	

(b) Multilingual "Caution" Floor Sign 2-Sided Floor Safety Sign with "Caution" Imprint is lightweight and versatile. The caution sign with multilingual messaging makes a heavy statement about safety. Measures 12" deep when open.

ID	No.	Message	$W \times D \times H$	Unit	Price
3	RCP-611200YW	Caution; Attention; Cuidado	11" × 12" × 25"	EA	

Multilingual Safety Cone Alert co-workers and visitors alike to proceed carefully. Message is printed in English and Spanish on all four sides of bright yellow cone. Can be read from 40 ft. away. Stackable for easy transport and storage. Manufacturer's limited one-year warranty.
 No. Message W × D × H Unit Price

 ID
 No.
 Message
 W × D × H
 Unit
 Price

 With Keyhole Openings.
 4
 RCP-6276-77 ★
 Caution—Wet Floor;
 12¼" × 12¼" × 36"
 EA

Cuidado—Piso Mojado * With Keyhole Openings.

(B) "Over-The-Spill[™]" System The most effective way to deal immediately with spills, covering the spilled liquid and alerting pedestrians with its bright yellow color.

ÍD	No.	Absorbing Volume (Unit)	W×L	Qty. Unit	Price
5	RCP-4252 YEL	16 oz	16½" × 20"	22 PK	

() "Over-The-Spill[™]" Pad Tablet Contains 25 absorbent pads that each have a triangular "Caution" symbol and "Caution Wet Floor" in English and Spanish. Each caution pad absorbs 12 oz. of fluid.

ID	No.	Absorbing Volume (Unit)	W×L	Qty.	Unit	Price
6	RCP-4254	12 oz	16½" × 14"	20	РК	

 Portable Mobile Safety Barrier Barrier is easy-to-use, easy-to-see, easy-to-move, and easy-to-store. It uses articulating panels to extend to 13-feet long to be used straight, curved or circular. ANSI- and OSHA-compliant colors. Manufacturer's one-year warranty against defects. No. Size Material Qty. Unit Price

ID	INU.	3126	IVIALEITAI	uly. Unit	FIICE
7	RCP-9S1100YEL	13 ft × 40"	Plastic	1 EA	



ProLine[™] Dry-Chemical Commercial Fire Extinguisher Be prepared; choose ProLine[™] dry-chemical extinguishers for your commercial fire-suppression needs. Crystal-clear, step-by-step instruction label helps ensure effective use in a crisis. Easy-to-read, reliable pressure gauge simplifies inspections. Manufacturer's limited six-year warranty.

ID	No.	CW/UW/UL	Material	Unit	Price
1	KID-466227 ≭	2.625 lbs/4 1/2 lbs/1A-10B:C	Aluminum Cylinder; Monoammonium Phosphate	EA	
2	KID-466112 ≭	5 lbs/8 1/2 lbs/3A-40B:C	Aluminum Cylinder; Monoammonium Phosphate	EA	
3	KID-466204 ≭ 🗔	10 lbs/19 lbs/4A-60B:C	Steel Cylinder; Monoammonium Phosphate	EA	
4	KID-466206• ≭ 🗔	18 lbs/30 lbs/6-A:80-B:C	Steel Cylinder; Monoammonium Phosphate	EA	

★ CW=Charge wt. Ibs., UW=Unit wt. Ibs., UL=UL rating.

B ProPlus[™] 20 MP Dry-Chemical Fire Extinguisher Make safety your top priority, and choose Kidde ProPlus[™] Line commercial-grade dry-chemical extinguishers. Step-by-step instruction label featuring graphic illustrations brings the most inexperienced user up to speed in seconds. Pressure gauge. Manufacturer's limited six-year warranty. □

ID	No.	CW/UW/UL	Material	Unit	Price
5	KID-468003*	20 lbs/31 lbs/6-A:120-B:C	Steel; Monoammonium Phosphate	EA	



Make Fire Safety a Priority!

Each year more than 5,000 people are injured in fires and explosions on the job.* Keep extinguishers within reach to safeguard your workplace. OSHA standards require employers to provide proper exits, firefighting equipment, emergency plans, and employee training. A fire safety program is critical for employee safety and facility compliance — make sure yours includes fire extinguishers and smoke alarms.

For OSHA requirements for placemer and maintenance of portable fire extinguishers, visit https://www. osha.gov/SLTC/etools/evacuation/ portable_required.html

*Occupational Safety and Health Administration (OSHA)













UL FIRE CLASSIFICATIONS

Common Combustibles—Wood, paper, cloth, rubber, trash and most plastics.

B Flammable Liquids—Gasoline, kerosene, oil, grease, solvents and paint.

Live Electrical Equipment—Motors, computers, wiring and appliances. Requires a nonconductive extinguishing agent.

378



Full Home Fire Extinguisher 466142 Clear instruction label using graphics to show steps required to operate extinguisher. Easy-to-read gauge tells you fire extinguisher is charged and ready for use. Easy-to-pull safety pin.

ID	No.	CW/UW/UL	Material	Unit	Price
1	KID-466142MTL	2.5 lbs./3.9 lbs/1-A, 10-B:C	Aluminum; Monoammonium Phosphate	EA	

Bro Series Fire Extinguisher 21005779 Multipurpose rechargeable fire extinguisher. Heavy duty chrome plated brass valve assembly. Pressure gauge allows for immediate pressure status check.

ID No.	CW/UW/UL	Material	Unit	Price
2 KID-2	1005779 4 lbs/7.5 lbs/2-A,	10-B:C Aluminum; Monoammonium Phosphate	EA	

(c) ProLine[™] 5 CO2 Fire Extinguisher Be prepared–choose ProLine[™] dry-chemical extinguishers for your commercial fire-suppression needs. Crystal-clear, step-by-step instruction label helps ensure effective use in a crisis. □

ID No.	CW/UW/UL	Material	Unit	Price
3 KID-466180•	5 lbs/14 lbs/5-B:C	Aluminum; Carbon Dioxide	EA	

D ProPlus[™] 2.5 W H2O Fire Extinguisher Where refuse, paper and wood combustion is the most likely fire hazard, Class A water-based fire suppression may be your best choice. Illustrated step-by-step instruction label brings inexperienced users up to speed in seconds. Pressure gauge. Manufacturer's limited six-year warranty.

ID	No.	CW/UW/UL	Material	Unit	Price
4	KID-466403•	20.86 lbs/32.5 lbs/2-A	Stainless Steel; Water	EA	

E Kitchen Smoke and Carbon Monoxide Sealed Battery Alarm Make

personal safety your priority with this combination smoke and carbon monoxide alarm. This unit comes equipped with a sealed-in lithium power supply that lasts the entire ten-year life of the alarm and eliminates concerns about battery removal and unauthorized alarm deactivation. It's quick and easy to install; alarm automatically activates when attached to the mounting bracket. Manufacturer's limited 10 year warranty.

īυ	INO.	uly.	Unit	TILE
5	KID-21010071 *	1	EA	

≭ UL Listed.

Sealed Battery Carbon Monoxide Alarm Keep your family safe without the hassle of battery-replacement and maintenance. The sealed-in battery keeps this carbon monoxide alarm functioning for ten years without the need for replacement. Easy to install alarm automatically activates when attached to the mounting bracket. Test/reset button tests unit for proper operation and resets carbon monoxide alarm. Manufacturer's limited 10 year warranty.

 ID
 No.
 Qty. Unit
 Price

 6
 KID-21010073 ★
 1
 EA

 ★
 III Listed
 1
 EA

Master Lock

 Portable SafeSpace® Key Storage Lock Box For real estate sales, repair services, contractors and house/pet sitters. Molded bumper and vinylcoated shackle prevent scratches to your property. Hardened steel shackle resists cutting.

ID No.	Width	Unit	Price
1 MLK-5400D	31⁄4"	EA	

Combination Lock Three-number dialing and 1,500 combinations for maximum security. Hardened steel shackle for extra cut resistance. Black dial.

ID	No.	Width	Unit	Price	
2	MLK-1500D	11/8"	EA		
	Pack of Two—Both locks have the same combinations.				
3	MLK-1500T	11/8"	PK		

 Twin Brass 3-Pin Tumbler Lock Promote a high level of theft deterrence by using a strong and durable lock. The standard steel shackle and solid brass lock body provide both a stable, yet stylish lock. The 3-pin tumbler ensures security. Keys match both locks. Pack of two.

IL	No.	Width	Unit	Price
4	MLK-120-T	3⁄4"	PK	

Wall Mounted SafeSpace® Key Storage Lock Box For children after school, cleaning or maintenance services, vacation properties and elder care providers. Includes mounting screws.

ID	No.	Width	Unit	Price
5	MLK-5401D	31⁄4"	EA	

G 4-Pin Tumbler Lock A tough and durable steel lock to help prevent theft and increase security. The laminated steel body provides superior strength, while the 4-pin cylinder helps prevent picking. Rust proofing ensures a longer life, especially with outdoor use.

ID	No.	Width	Unit	Price			
	Model No. 7D-	-Hundreds of key changes for increased security.					
6	MLK-7D	11⁄8"	EA				
	Model No. 5D—Thousands of key changes, dual locking levers and hardened						
	boron alloy sha	ackle offer a high-quality and secure lock.					
7			ΕΛ				

MLK-5D Z EA
 Model No. 3D—Thousands of key changes, dual locking levers and hardened steel shackle provide a tough and durable lock.
 MLK-3D 1%^s EA

 Safety Lockout Padlock Designed specifically for OSHA lockout compliance, sturdy lock is brightly colored with a warning label. Steel shackle has 1½" clearance. Durable, non-conductive lock body is built to last. Manufacturer's limited lifetime warranty. Six pad locks per box.
 D No. <u>Width Unit Price</u> 9 MLK-410RED* 1½" BX

 G 4400D Bluetooth® Padlock Features a 12%₂ in (47mm) wide metal body for durability. The ½₂ in (7mm) diameter shackle offers ½ in (22mm) vertical clearance and is made of boron alloy, offering maximum resistance to cutting and sawing. The smartphone/app interface offers speed, ease of use, keyless convenience and the ability to share access. The locking mechanism features anti-shim technology, offering maximum security. Manufacturer's limited one-year warranty.

 ID No.
 Width
 Unit
 Price

			01110	1 110
1	0 MLK-4400D•	129/32"	EA	

 4401DLH Bluetooth® Padlock Features a 2¹/₃₂ inch (56mm) wide metal body for durability. The ¹/₃₂ inch (9mm) diameter shackle offers 2 inch (51mm) vertical clearance and is made of boron alloy, offering maximum resistance to cutting and sawing. The smartphone/app interface offers speed, ease of use, keyless convenience and greater control with the ability to share access. The locking mechanism features anti-shim technology, offering maximum security. A two-piece weather cover offers maximum outdoor protection. Manufacturer's limited one-year warranty.

ID	No.	Width	Unit	Price
11	MLK-4401DLH•	27/32"	EA	

















KEY CONTROL





A







STEEL MASTER

▲ Electronic Key Safe Durable, heavy-gauge steel construction provides vault-like security for keys and valuables. Programmable, battery operated keypad eliminates the need for keys (batteries included). Included key tags feature label windows for easy viewing. Removable faceplate reveals back-up lock in case of battery failure. Includes two keys. Manufacturer's limited one year warranty.

		Key Tag						
ID	No.	Capacity	Color	$W \times D \times H$	Qty	. Unit	Price	
1	MMF-20101• *	48	Sand	111 × 4" × 173/4"	1	EA		
	★ Contains a minimum of 20% total recycled content.							

ID	No.	Key Tag Capacity	Color	$W \times D \times H$	Qty.	Unit	Price
2	MMF-201903003 ≭	30	Sand	8" × 25/8" × 121/8"	1	EA	
3	MMF-2019060A03 ≭	60	Sand	105%" × 3" × 121%"	1	EA	
4	MMF-201911003• ≭	110	Sand	14" × 31⁄8" × 171⁄8"	1	EA	
5	MMF-201916003• ≭	160	Sand	16½" × 4½" × 20½"	1	EA	
6	MMF-201920003 *	200	Sand	$16\frac{1}{2} \times 4\frac{7}{8} \times 20\frac{1}{8}$	1	EA	

* Contains a minimum of 20% total recycled content.

(b) Slotted Rack Key Tags Write directly on tags with pencil, pen or permanent marker. For use with rack-style cabinets. Plastic tags with nickel-plated snap hooks hold one or more keys.

ID	No.	Color	Size	Qty. Unit	Price
7	MMF-201300006•	White	1½" × 1½"	20 PK	
8	MMF-2013004W47 ≭	Assorted	1½" × 1½"	20 PK	

★ MMF-2013004W47—Blue; Green; Red; Yellow.

 Key Rack Ideal for simple key storage when a cabinet is not required. Large key tag label can be exchanged without removing key ring. Patented key shaft for easy exchange of key ring. Height adjustable key rails. Holds 24 key tags; starter set of 6 key tags included. Mounting hardware included.

ID	No.	Key Tag Capacity	Color	$W \times D \times H$	۵ty	. Unit	Price	
24 Tag Capacity—Six key tags included: two black, two dark blue, one red and								
9	one yellow. DBL-195610	24	Gray	83%" × 13%" × 141%"	1	EA		

(B) Key Tags Key tags have extra-large snap-open label window and patented key ring shaft. Key tag label can be easily exchanged without removing the key ring. Key tags face out for easy ID. Made from high quality plastic and able to hold multiple keys.

ID No.	Color	Size	Qty. Unit	Price
10 DBL-1949-00 ≭	Assorted	11⁄8" × 23⁄4"	24 PK	

≭ Black; Dark Blue; Red; Yellow.



(Fig. Key Tags with Split Ring Round tag with metal rim and metal key ring. Ideal for housekeepers, hotel clerks, janitors, realtors, valets, auto repair services and car wash services. Each tag features a split ring that slides easily onto your key for fast, convenient organization. Inscribe your notes on white or colored tags. Packaged in convenient reusable storage container.

D <u>No.</u>	Color	Size	Qty. Unit	Price
1 AVE-11025	White	1¼ dia.	50 PK	
2 AVE-11026 ≭	Assorted	1¼ dia.	50 PK	

* AVE-11026—Green; Red; Yellow; White.

universal

(G) Wrist Coil Plus Key Ring Flexible coil with split ring key-holder expands easily to fit all arms. Sturdy design keeps your keys safe and secure around your wrist. Manufacturer's limited one-year warranty.

ID <u>No</u> .	Color	Qty.	Unit	Price
13 UNV-56050	Black	6	РК	
14 UNV-56051	Black; Blue; Green; Purple; White; Yellow	6	PK	



(A) – (D) Security Mirrors Scan unguarded aisles, eliminate blind intersections, monitor production areas and safeguard entrances and exists. Detection mirrors are curved to eliminate distortion.

Portable Convex Mirror OSHA-compliant, Plexiglas[®] convex clip-on security mirror with expanded view and articulating arm adapts to a variety of safety and security uses. 160° view angle. Manufacturer's one-year warranty against defects.

ID	No.	Size	For Areas Up To	Unit	Price
1	SEE-ICU7 ≭ 👹	7"	7 ft	EA	
2	SEE-ICU10• ≭	10"	10 ft	EA	

★ Meets OSHA Requirements.

Full Dome Mirror Panoramic[®] 360° viewing area, suspended from ceiling. Use for high-hazard areas. Plexiglas[®].

ID	No.	Size	For Areas Up To	Unit	Price
3	SEE-PV18-360• ≭	18"	300 sq ft	EA	
	* Meets OSHA Require	ements.			

● Half-Dome Mirror Panoramic[®] 180° viewing area for collision protection at intersections, as well as surveillance. Plexialas[®].

ID <u>No</u> .	Size	For Areas Up To	Unit	Price
4 SEE-PV18-180 ≭	18"	150 sq ft	EA	
5 SEE-PV26-180• ≭	26"	200 sq ft	EA	

* Meets OSHA Requirements.

160° Convex Security Mirror Double-strength glass. Adjusts for many viewing angles.

ID	No.	Size	For Areas Up To	Unit Price
	Circular			
6	SEE-N12 ≭ 👹	12"	10 sq ft	EA
7	SEE-N18 ≭ 👹	18"	15 sq ft	EA
8	SEE-N26 ≭ 👹	26"	20 sq ft	EA
9	SEE-N36• ≭ 👹	36"	30 sq ft	EA
	Round Rectangular	Shape for Low Ceiling Area	as	
10	SEE-RR1218• ≭ 🔛	18" × 12"	15 sq ft	EA
11	SEE-RR1524• ≭	24" × 15"	20 sq ft	EA

≭ Meets OSHA Requirements.

SEE-N12, SEE-N18, SEE-N26, SEE-N36—Circular.

SEE-RR1218, SEE-RR1524—Round Rectangular Shape for Low Ceiling Areas.

TATCO

 Wireless Doorbell For use with front door, back door or customer service area. Water-resistant ringer may be used outdoors or indoors and attaches easily with foam tape or screws, both included. Wireless receiver operates up to 200 ft. away. (1) 12V A23 Battery (Included); (3) AA Batteries (Sold Separately).

ID No.	Color	$W \times D \times H$	Unit	Price
12 TCO-57910 ≭	Bone	$1.38" \times 0.75" \times 3.5"$	EA	
≭ FCC Certified.				

TUU Ceruin

20-FA-CU-RNU

() LED Exit Sign with Battery Back-Up Automatically turns on when power fails. Energy-saving LED light source lasts up to 25 years. 120/277 dual-voltage input. Sealed, maintenance-free back-up battery provides 90 minutes of emergency operation and lasts up to ten years. Fully automatic charger. Front and rear stencils with snap-out directionals. Mounts on ceiling or wall. Mounting hardware included. Manufacturer's 10-year warranty.

ID	No.	Color	Material	Size	Qty.	Unit	Price
13	TCO-07230 ≭	White	Rugged Polycarbonate	$12^{1}/4" \times 2^{1}/2" \times 8^{3}/4"$	1	EA	

★ UL Listed.







EXIT

HOUSEKEEPING STOOLS & LADDERS TOOLS SQUEEGEES TABLES & CHAIRS AIR CARE OFFICE SUPPLIES PACK & SHIP

FACILITY MAINTENANCE

HOUSEKEEPING & JANITORIAL



`impact

▲ Janitorial Cart Spacious cart has enough shelf space for tools, supplies and mop bucket as well as enough hooks for brooms, mops, floor signs and more. Ergonomic handle grips deliver comfortable maneuverability. Large-capacity vinyl refuse/laundry bag. Two 2½" Swivel Casters; Two 8" Wheels. 20

ID	No.	Finish	$W \times D \times H$	Shpg. Wt.	Unit	Price
1	IMP-6850• ≭	Yellow	$20.5"\times48"\times38"$	33 lbs.	EA	
	★ Contains 100% to	otal recycled cont	tent.			



Bigh-Security Housekeeping Cart An ergonomic and lightweight housekeeping solution. This janitor cart is constructed of structural web plastic to resist germs. Full-size locking cabinet doors on both sides offer security and click into position when closed to prevent opening while on the move. 4-inch swivel casters and 8-inch wheels enhance maneuverability. Includes compact zippered fabric bag with waterproof PVC lining. Two 4" TPR Swivel Casters; Two 8" TPR Wheels. Manufacturer's limited oneyear warranty.

İD	No.	Finish	$W\timesD\timesH$	Shpg. Wt.	Unit	Price
2	RCP-9T78	Black/Silver	22" × 51.75" × 53.5"	79 lbs.	EA	

(e) Executive High Security Janitorial Cleaning Cart Select a janitorial cart with strength and security as well as an attractive appearance.

 Pre-assembled locking hood and doors provide additional security.

 Spacious cart provides plenty of storage - up to 7.25 cubic feet of space.

 Its compact size allows it to fit in constrained spaces. 8" Ball Bearing

 Wheels; 4" Casters. Manufacturer's limited one-year warranty.

 ID No.
 Finish
 W × D × H

 Shpg. Wt. Unit
 Price

	1101	THINGIN	11	onpgina	01110	1 1100
3	RCP-1861427• *	Black	23.1" × 39.6" × 27.5"	70 lbs.	EA	
	★ Conforms to The Joint Commission-EOC Standard 3.10.3.					

D Zippered Vinyl Cleaning Cart Bag Ideal for collecting refuse, launderable items, or transporting tools and supplies. Manufacturer's limited one-year warranty.

ID	No.	Color	Size	Qty.	Unit	Price
4	RCP-1966719	Yellow	17.25" × 10.50" × 30.5"	1	EA	
5	RCP-1966885•	Brown	17" × 10.50" × 33"	1	EA	

(3) Fabric Cleaning Cart Bag Keep your Rubbermaid® Commercial housekeeping carts looking new with heavy-duty fabric replacement bags. Manufacturer's limited one-year warranty.

ID	No.	Color	Size	Qty.	Unit	Price
6	RCP-1966888®	Black	17.5" × 10.50" × 33"	1	EA	











A Executive Quick Cart Repels water, oils and stains with Teflon® fabric protector coating to maintain aesthetics and protect against daily use. High performance material construction provides strength and rigidity to withstand rigorous daily use. Heavy-duty kick plate increases durability. Secure tools with handles using the heavy-duty strap and large front pocket. Adjustable dividers help organize amenities and supplies. Aluminum telescoping handle is dependable for heavy daily use. Robust ball-bearing wheels are designed for reduced noise and heavy-duty use. Removable inner liner is treated with Teflon® fabric protector for easy cleaning. Ideal for housekeeping, lobbies, public restrooms, maintenance, and much more. Four Robust Ball-Bearing Wheels. Manufacturer's limited one-year warranty.

				Shpg.		
ID	No.	Finish	$W \times D \times H$	Wt.	Unit	Price
1	RCP-1902465•	Dark Gray	14.25" × 16.5" × 25"	43 lbs.	EA	

Rubbermaid
Commercial Products
HYGEN

B HYGEN[™] Microfiber Healthcare Cleaning Cart Compact, easy-tomaneuver cart with excellent tool storage and organization features. Full-access, slide-out 30-quart storage bins and lift-out 10-quart disinfecting caddies. Charging bucket platform and Lock 'N Go attachment. Two 4" TPR Swivel Casters; Two 8" TPR Wheels. Manufacturer's limited one-year warranty.

		Shpg.				
ID	No.	Finish	$W \times D \times H$	Wt.	Unit	Price
2	RCP-9T73	Black/Yellow/Silver	22" × 48.25" × 44"	60 lbs.	EA	



C High Capacity Cleaning Cart Flexible carts offer 40% more storage space and 20% more waste capacity and can be configured in a multitude of ways to accommodate any cleaning system. Specifically designed to work with all microfiber cleaning accessories. Rubber tool holders, four in front and one in back, hold tool handles up to $1-\frac{1}{8}$ in diameter. Two removable caddies hold six, 10-qt. spray bottles (not included). Ergonomic wide comfort grip handles make it easier to maneuver the cart. Zippered, leak-proof vinyl bag holds waste. Two 4" Swivel Casters, Two 8" Wheels. Manufacturer's limited one-year warranty. 🔀

ID	No.	Finish	$W \times D \times H$	Shpg. Wt.	Unit	Price
3	RCP-9T7200BK	Black	21.75" × 49.75" × 38.38"	45 lbs.	EA	

D Multi-Shelf Cleaning Cart Cart with zippered yellow bag collects waste and transports tools for efficient cleaning. Four Casters. 🔀

ID	No.	Finish	$W \times D \times H$	Shpg. Wt.	Unit	Price
4	RCP-617388BK	Black	20" × 45" × 38.25"	38 lbs.	EA	

 High-Security Healthcare Cleaning Cart This cart is a complete system solution optimized for cleaning in healthcare facilities. Four Casters. Manufacturer's limited one-year warranty. 🔀

				Snpg.		
ID	No.	Finish	$W \times D \times H$	Wt.	Unit	Price
5	RCP-9T7500BK	Black	22" × 48.25" × 53.5"	70 lbs.	EA	

~

F Vinyl Cleaning Cart Bag Easy-to-clean, heavyweight vinyl bag is designed specifically for Rubbermaid® Commercial housekeeping carts. ID No. Capacity $W \times H$ Qty. Unit Price

```
For 9T76, 9T77, 9T78 Housekeeping Carts
6 RCP-1966881
                                        17.5" × 33"
                   34 gal
                                                               1 EA
```

CAN'T FIND WHAT YOU NEED? CALL & LET US HELP.

(1) Quik-Fold® Step Stool Features an arched foot guide for safety. 8" standard step height and super-grip step tread for firm footing. Non-slip floor protectors keep stool in place, plus diamond hole slots for easy, peggable storage.

				Working			
ID	No.	Color	Duty Rating	Height	Width	Unit	Price
1	ADM-8530023731	Black	300 lbs	12"	13"	EA	

COSCO

One-Step Folding Step Stool These lightweight stepstools are sturdy, but at less than three pounds, easy to carry around for office tasks. Large, heavy-duty top step and ribbed, slip-resistant step treads. Self-locking fold and lock release. Compact design folds flat to 3 inches for easy transport and storage. Manufacturer's limited one-year warranty.

				vvorking			
ID	No.	Color	Duty Rating	Height	Width	Unit	Price
2	CSC-11903BGR1E ≭	Blue/Gray	300 lbs	8.5"	14.5"	EA	
3	CSC-11903BG01E ≭	Orange/	300 lbs	8.5"	14.5"	EA	
		Gray					

* ANSI Type IA, Extra Heavy Duty Commercial; OSHA Compliant.

(b) Folding Step Stool These lightweight stepstools are sturdy, but at less than five pounds, easy to carry around for office tasks. Large, heavy-duty top step and ribbed, slip-resistant step treads. For your convenience, these step stools feature a self-locking fold and lock release. Manufacturer's limited ten-year warranty.

ID	No.	Color	Duty Rating	Working Height	Width	Unit	Price
	One-Step						
4	CSC-11014PBL1E *	Platinum, Black	200 lbs	9.9"	15.75"	EA	
	Two-Step						
5	CSC-11024PBL1E *	Platinum, Black	200 lbs	16.9"	16.75"	EA	

★ ANSI Type III, Light Duty Household; ISTA 3A Packaging Standards.



D Rolling Step Stool, Curved Design Casters retract when stepped on. Anti-skid bottom. Textured step surface. Manufacturer's limited one-year warranty.

				Working			
ID	No.	Color	Duty Rating	Height	Diameter	Unit	Price
6	RCP-252300BGE	Beige	350 lbs	13.5"	16"	EA	
7	RCP-252300BK	Black	350 lbs	13.5"	16"	EA	

🔈 cramer

20-FA-CU-RNU

(3) 1UP® Folding Step Stool Folding step stool with easy flip-open operation when you need it; folds flat for convenient storage when not in use. The non-slip rubber tread provides secure footing. High-density plastic construction makes this stool lightweight, yet durable.

				Working			
ID	No.	Color	Duty Rating	Height	Width	Unit	Price
8	CRA-50051PK-63	Blue	300 lbs	9.75"	14"	EA	
9	CRA-50051PK-82	Slate	300 lbs	9.75"	14"	EA	

Scooter Stool High-density plastic stool rolls easily in place. Spring mounted with retractable casters, a protective bumper and stackable design. Non-slip treads and lock-in-place wheels keep you safe. Super lightweight and easy to lift.

				Working			
ID	No.	Color	Duty Rating	Height	Diameter	Unit	Price
10	CRA-50011PK-82	Gray	300 lbs	15"	12"	EA	
11	CRA-50011PK-43•	Red	300 lbs	15"	12"	EA	



G Kik-Step[®] Stool Spring-mounted casters retract when stool is stepped on. Steel construction with nonslip treads. Protective bumper around base. No tools required; simple snap-together assembly. Manufacturer's limited ten-year warranty. ☑

ID	No.	Color	Duty Rating	Working Height	Diameter	Unit	Price
12	CRA-1001-92	Black	350 lbs	14.25"	16"	EA	
13	CRA-1001-63•	Navy	350 lbs	14.25"	16"	EA	
14	CRA-1001-30•	Orange	350 lbs	14.25"	16"	EA	
15	CRA-1001-43•	Red	350 lbs	14.25"	16"	EA	
16	CRA-1001-19	Sand	350 lbs	14.25"	16"	EA	
17	CRA-1001-01	Silvertone	350 lbs	14.25"	16"	EA	
18	CRA-1001-82	Slate	350 lbs	14.25"	16"	EA	

STEP STOOLS



COSCO

(1) Commercial Step Stool Large 14½w × 12¼d top platform step; all steps have nonskid treads. Folds for easy storage. Durable, tubular steel frame forms handrail and knee brace. WARNING: Metal ladders conduct electricity. Do not use where contact may be made with live electrical circuits. Manufacturer's limited ten-year warranty.

			Duty	Working			
ID	No.	Color	Rating	Height	Width	Unit	Price
	Two-Step—Opti-Bon	d [™] Powder-0	Coated Finish.				
1	CSC-11-829GGB ≭	Gray	300 lbs	21"	20.5"	EA	
	Three-Step-Opti-Bo	ond™ Powder	-Coated Finish	1.			
2	CSC-11-839GGO ≭	Gray	300 lbs	31.5"	20.5"	EA	

* ANSI Type IA, Extra Heavy Duty Commercial; OSHA Compliant.

B Two-Step Folding Step Stool Steel step stool features strong metal steps with ribbed, slip-resistant treads. Continuous rear-leg support provides added stability. Durable Opti-Bond[™] powder-coated finish resists scratches. Nonmarring, skid-resistant front legs and back glides. Convenient handle for easy carrying. Manufacturer's limited ten-year warranty.

				Working			
ID	No.	Color	Duty Rating	Height	Width	Unit	Price
3	CSC-11-135CLGG1 *	Cool Gray	200 lbs	28.13"	17.38"	EA	

* ANSI Type III, Light Duty Household; OSHA Compliant.

(b) Signature Aluminum Step Stool Essential for any office or household – strong, lightweight stool is the perfect height for most tasks. Extra-large, slip-resistant resin platform step and leg-cap feet ensure stability. Easy to fold flat, easy to carry. Manufacturer's limited ten-year warranty.

ID	No.	Color	Duty Rating	Working Height	Width	Unit	Price
	Two-Step						
4	CSC-11311ABL1E *	Platinum/ Black	225 lbs	18.9"	18.31"	EA	
	Three-Step						
5	CSC-11411ABL1E *	Platinum/ Black	225 lbs	28.45"	19.3"	EA	
	A						

★ ANSI Type II, Medium Duty Commercial.

D Two-Step Big Step[™] Folding Step Stool Large, heavy-duty injection molded polypropylene resin steps with ribbed, slip-resistant treads allow ample space for secure footing. Friction-lock top step and anti-slip leg caps provide stable base. Silicone hand grip helps you balance while climbing. Lightweight and easy to carry for multiple jobs; folds flat for easy storage. Durable, powder-coated steel frame. Step heights: 9.92" × 20.47" Manufacturer's limited one-year warranty.

ID	No.	Color	Duty Rating	Working Height	Width	Unit	Price
6	CSC-11308PBL1E ≭	Black/Gray	200 lbs	20.5"	22.88"	EA	

* ANSI Type III, Light Duty Household.

(E) Three-Step Big Step Folding Step Stool Steel step stool has large, heavy-duty injection molded polypropylene resin steps with ribbed, slip-resistant treads. Continuous rear leg support provides increased stability. Comfortable handgrip. Nonmarring leg tips keep floors clean. Folds flat for convenient storage and transport. Manufacturer's limited ten-year warranty.

				Working			
ID	No.	Color	Duty Rating	Height	Width	Unit	Price
7	CSC-11-408PBL1E *	Light Gray	200 lbs	45.63"	17.75"	EA	
	* ANSI Type III, Light D	uty Household	; OSHA Compliar	nt.			

>LOUISVILLE.

Aluminum Folding Step Stand Aluminum two-foot folding step stand is lightweight and portable. The slip-resistant rubber feet and heavy duty gusset bracing make it strong and sturdy. WARNING: Metal ladders conduct electricity. Do not use where contact may be made with live electrical circuits. Manufacturer's limited one-year warranty.

ID	No.	Color	Duty Rating	Working Height	Width	Unit	Price
1	DAD-AS3002• *	Aluminum/ Black	5		17"	EA	11100

* ANSI Type IA, Extra Heavy Duty Industrial; OSHA Compliant.

B Aluminum Mini Working Platform Step Stool Aluminum mini working platform provides a 11% × 37" work area for comfort and safety. This platform stands 20" giving the user height for a large range of activities. The easy to use hinge rails lock for safety. Standing area and rubber feet are slip-resistant to create a safe and stable working area. Includes an easy to use handle for transportation.

			Duty	Working			
ID	No.	Color	Rating	Height	Width	Unit	Price
2	DAD-L224203•	Aluminum	225 lbs	20"	37"	EA	

(c) Fiberglass Mini Working Platform Step Stool Fiberglass mini working platform provides a 12" × 371/4" work area for comfort and safety. Platform stands 34" giving the user height for a large range of activities. Ideal for electrical work. Easy to use hinge rails lock for safety. Standing area and rubber feet are slip-resistant to create a safe and stable working area.

ID	No.	Color	Rating	Height	Width	Unit	Price
3	DAD-L304203•	Yellow	300 lbs	34"	37.25"	EA	

D Black & Decker Steel Step Stool Folds flat for easy storage and portability. Rated for up to 200 lbs and features slip resistant rubber feet and large platform top step. WARNING: Metal ladders conduct electricity. Do not use where contact may be made with live electrical circuits.

ID	No.	Color	Duty Rating	Working Height	Width	Unit	Price
	Two-Step						
4	DAD-BXL436002 🗰	Gray	200 lbs	18"	17.38"	EA	
	Three-Step						
5	DAD-BXL436003 🗰	Gray	200 lbs	27"	18.63"	EA	
	· · · · · · · · · · · · · · · · · · ·						

* ANSI Type III, Light Duty Household.

 Aluminum Euro Platform Ladder Aluminum platform ladder features a large slip-resistant working platform. Includes slip-resistant rubber feet, heavy duty gusset bracing and top rail guard for enhanced stability. WARNING: Metal ladders conduct electricity. Do not use where contact may be made with live electrical circuits. Manufacturer's limited 90-day warranty.

						-		
			Working		Spread	Duty		
ID	No.	Color	Height	Step Size	Size	Rating	Unit	Price
	Two-Step							
6	DAD-L234602• *	Aluminum/ Red	2 ft	15" × 2.75"	23.75"	200 lbs	EA	
	Three-Step							
7	DAD-L2346-03 ≭ 🗔	Aluminum/ Red	3 ft	15" × 2.75"	31"	200 lbs	EA	
	Four-Step							
8	DAD-L2346-04• ≭ 🔤	Aluminum/ Red	4 ft	16" × 2.75"	38.25"	200 lbs	EA	

DAD-L234602—ANSI Type III, Light Duty Household; OSHA Compliant. DAD-L2346-03, DAD-L2346-04—ANSI Type III, Light Duty Household.



LADDERS



Metal ladders conduct electricity

COSCO

Signature Series[™] Aluminum Step Ladder For industrial, construction, building, roofing and general contracting use. Features an easy-to-use paper towel holder and two project trays to hold your tools or paint cans right where you need them. Lightweight aluminum design provides a safe, larger work space with a large platform top step. Manufacturer's limited ten-year warranty.

			Working		Spread	Duty		
ID	No.	Color	Height	Step Size	Size	Rating	Unit	Price
	Four-Step-Patented	boxed frar	ne for ado	litional stab	ility.			
1	CSC-2061AABLD• *	Aluminum	6 ft	18" × 2.5"	40"	300 lbs	EA	

* ANSI Type IA, Extra Heavy Duty Industrial; OSHA Compliant.

>LOUISVILLE.

Aluminum Step Ladder Commercial aluminum step ladder is lightweight and portable, ideal for painters and other tradespeople. Features molded plastic top for holding quart paint can with slots for small hand tools and an extra-large automatic pail shelf with tool slots and paint can holder. Sturdy and stable with full 3" U-channel serrated steps and pinch-resistant spreader braces. WARNING: Metal ladders conduct electricity, do not use where contact may be made with live electrical circuits. Manufacturer's limited 90-day warranty.

			Working	J	Spread	Duty		
ID	No.	Color	Height	Step Size	Size	Rating	Unit	Price
	Five-Step							
2	DAD-AS40-06 ≭	Aluminum/ Green	6 ft	3"	39.38"	225 lbs	EA	
	Seven-Step							
3	DAD-AS40-08• ≭	Aluminum/ Green	8 ft	3"	51.25"	225 lbs	EA	
	≭ ANSI Type II, Mediu	m Duty Comme	rcial; OSHA	A Compliant.				

Black & Decker Aluminum Step Stool Folding step stool with large working platform. Light-weight aluminum.

ID	No.	Color	Duty Rating	Working Height	Width	Unit	Price
	Two-Step						
4	DAD-BXL226002• 🗰	Silver	225 lbs	96"	3.5"	EA	
	Three-Step						
5	DAD-BXL226003S• *	Silver	225 lbs	47"	20"	EA	
	≭ OSHA Compliant.						

Fiberglass Heavy Duty Step Ladder Heavy-duty industrial ladder has a 300 lb. duty rating and is made from non-conductive fiberglass. Industrial grade molded plastic ProTop has a magnet, slots for power and hand tools, 2" × 4"s and pipe, a tray for paint cans and curved front for leg and body comfort. Manufacturer's limited 90-day warranty.

ID	No.	Color	Working Height	Step Size	Spread Size	Duty Rating	Unit	Price
	2-Step							
6	DAD-FS1502• ≭	Orange	26"	3" × 15.25"	18.25"	300 lbs	EA	
	3-Step							
7	DAD-FS1504• ≭	Orange	23"	3" × 15.25"	28.9"	300 lbs	EA	
	5-Step							
8	DAD-FS1506• ≭ 🛄	Orange	45"	3" × 15.25"	40.88"	300 lbs	EA	
	* DAD-FS1502, DAD-FS1	504—CSA	Certified; O	SHA; Type IA.				

DAD-FS1502, DAD-FS1504—CSA Certified, OSHA DAD-FS1506—OSHA; Type IA; SA Certified.

(B) Fiberglass Step Ladder Commerical non-conductive fiberglass step ladder. The ProTop[™] holds quarter/half/full gallon paint cans, has curved front for comfort, tool and drill slots and 2 × 4 or pipe holding slot. Slip-resistant rubber feet and pinch-resistant spreader braces provide safety and stability. Manufacturer's limited 90-day warranty. □

ID	No.	Color	Working Height	Step Size	Spread	Duty Rating	Unit	Price
ID	Five-Step	00101	Height	Step Size	5126	naung	Unit	THUE
9	DAD-FS40-06 *	Green/ Black	6 ft	3"	40.06"	225 lbs	EA	
	Seven-Step							
10	DAD-FS40-08 ≭	Green/ Black	8 ft	3"	51.88"	225 lbs	EA	

* ANSI Type II, Medium Duty Commercial; OSHA Compliant.



Max[™] Work Platform Lightweight yet durable steel work platform features three large heavy-duty polypropylene resin steps with slip-resistant treads; large 14% w × 12d top platform step. Handy molded utility tray holds tools, paint cans, wallpaper rolls, etc. Extended hand-grip handle with tool holder. Non-marring, skid-resistant feet provide stability and protect floor surfaces. Easy one-hand fold and lock release. WARNING: Metal ladders conduct electricity. Do not use where contact may be made with live electrical circuits. Manufacturer's limited ten-year warranty. □

			Working		Spread	Duty		
ID	No.	Color	Height	Step Size	Size	Rating	Unit	Price
1	CSC-11880PBLW1 *	Black	55"	14.75" × 12"	31"	225 lbs	EA	
		DIUCK	55	14.75 ~ 12	01	220 103	LA	

* ANSI Type II, Medium Duty Commercial, 225 lbs; OSHA Compliant.

B World's Greatest[™] Work Platform Lightweight aluminum frame supports three large heavy-duty injection molded polypropylene resin steps. Extra-large 16¼w × 16¼d top platform step. Large, non-marring, skidresistant feet provide stability. WARNING: Metal ladders conduct electricity. Do not use where contact may be made with live electrical circuits. Manufacturer's limited ten-year warranty. □

ID	No.	, Color	,	, Working Height	Width	Unit	Price
2	CSC-11003ABL1 ≭	Black	300 lbs	32"	16.25"	EA	

* ANSI Type IA, Extra Heavy Duty Industrial; OSHA Compliant.

ዾ cramer

() Stop-Step[®] Ladder Ideal for warehouses, storerooms and stocking areas. Rolls when pushed and stops when stepped on. Steps have nonslip treads. Scratch-resistant powder coating. WARNING: Metal ladders conduct electricity. Do not use where contact may be made with live electrical circuits. Manufacturer's limited ten-year warranty.

ID	No.	Color	Working Height	Duty Rating	Unit	Price	
	Two-Step						
3	CRA-1020-19• ≭	Beige	23"	300 lbs	EA		
	Three-Step						
4	CRA-1030-19• ≭	Beige	32.75"	300 lbs	EA		
	Four-Step—With left and right handrails.						
5	CRA-1043-19• ≭ 🛄	Beige	66.25"	300 lbs	EA		
	Four-Step-With left	handrail					
6	CRA-1041L-19• ≭ 🗔	Beige	66.25"	300 lbs	EA		
	Four-Step-With righ	t handra	il.				
7	CRA-1041R-19• ≭ 🔤	Beige	66.25"	300 lbs	EA		
	* ANSI Type IA. Extra H	eavv Dutv	Industrial: OSHA Complia	nt.			

COSCO

D Rolling Commercial Step Stool Perfect for getting to those out of reach tasks like filing, stocking shelves and overhead repairs. Four durable casters roll when pushed; retract into oversized suction cup stabilizers when weight is applied. Extra wide 16" × 8" steps with resin step tread provide secure footing. Lightweight design glides easily from location to location. Powder-coated steel frame. Manufacturer's limited ten-year warranty. 🔀

			Duty	Working			
ID	No.	Color	Rating	Height	Width	Unit	Price
	Two-Step- 9" and 18"	step heights.					
8	CSC-11824GGB1• ≭	Platinum	300 lbs	18"	22.4"	EA	
		/Black					
	Three-Step-9", 18" an	id 27" step heights					
9	CSC-11834GGB1• ≭	Platinum	300 lbs	27"	22.4"	EA	
		/Black					

≭ ANSI Type IA, Extra Heavy Duty Industrial.



SCRAPERS





uality Tools for Smart Cleaning

 ErgoTec® Safety Scraper Features rubber grip that prevents scraper from slipping in hand. Unique locking system eliminates blades from sliding out while working. Push the nonslip trigger forward and blade is ready for use; pushing the blade forward a second time makes blade easy to change. ID No. Blade Width Material Oty. Unit Price

	Uses Unger®	Standard No	o. 9 (1-½") Razor Blades (sold separately	<i>(</i>).	
1	UNG-SR040	1½"	Stainless Steel	1	EA

B Safety Scraper Unique locking blade sleeve minimizes the potential for accidents. Press-and-push thumb slider advances and retracts blade sleeve. Lanyard hole enables peg-board storage.

ID	No.	Blade Width	Handle Length/Material	Qty.	Unit	Price
2	UNG-SR50	11⁄2"	4"/ Stainless Steel	1	EA	

(c) Safety Scraper Replacement Blades Sharp, stainless steel razor blades keep your Unger® Safety Scraper or Mini Scraper working as well as it did the day you bought it. Convenient clamshell packaging for safety. Easy to replace.

ID	No.	Blade Width	For Model Number(s)	Qty. Unit	Price
3	UNG-SRB30•	11⁄2"	Unger® SR040, SR500, STMIN	100 PK	

D Heavy-Duty Scraper Replacement Blades Replacement blade for Unger® heavy-duty scraper. Dual sided. Razor-sharp edge eliminates the need for strenuous scraping on all hard surface floors; blunt edge works on delicate, uneven floors.

ID	No.	Blade Width	For Model Number(s)	Qty.	Unit	Price
4	UNG-HDSB	8"	Unger® HDSS0	10	РК	

 ErgoTec® Glass Scraper Glass scraper has reversible carbon steel blade with 2 razor edges making it ideal for cleaning large surfaces and scraping off paint, stickers, etc. Lightweight ergonomic design with protective blade cap safely stores blade. Can be used as a handheld scraper, or locked onto any Unger® poles.

- ID No. Blade Width Handle Length/Material Qty. Unit Price Uses Unger® Blades TR150 (sold separately).
- 5 UNG-EG150 6" 4¾"/ Carbon Steel 1 EA

Also Consider:

ID	No.	Description	Qty.	Unit	Price
6	UNG-TR15•	Replacement Blades, 6" Double-Edge	25	РК	

The Brute Scraper Make tough jobs easy. Reversible carbon steel blade has a blunt edge for cement or stucco work and a razor edge for scraping paint and tape.

ID	No.	Blade Width	Handle Length/Material	Qty.	Unit	Price
7	UNG-SH25C	4"	12"/ Carbon Steel	1	EA	

(f) ErgoTec® Scraper For scraping windows, walls and floors. Use the razor edge to scrape paint and tape, the blunt edge for cement and stucco. Includes one reversible carbon steel blade.

ID	No.	Blade Width	Handle Length/Material	Qty	. Unit	Price
8	UNG-SHOOC	4"	6"/ Carbon Steel	1	EA	

Also Consider:

ID	No.	Description	Qty.	Unit	Price
9	UNG-RB10C	Unger® Steel Scraper Replacement Blades	10	РК	

(1) Light-Duty Scraper 4" zinc alloy angled head. Removes gum and wax buildup along baseboards or floors with ease. Use the blade's razor edge for hard floors, the blunt edge for vinyl floors. Includes one reversible carbon steel blade.

ID No.	Blade Width	Handle Length/Material	Qty.	Unit	Price
10 UNG-LH12C	4"	48"/ Carbon Steel	1	EA	
Also Consider:					
ID No.	Description		Qty.	Unit	Price

 ID
 No.
 Description
 Qty.
 Unit
 Price

 11
 UNG-RB10C
 Unger® Steel Scraper Replacement Blades
 10
 PK

CAN'T FIND WHAT YOU NEED? CALL & LET US HELP.

39(

*WESTCOTT Since 1872

(A) Safety Cutter A double-walled, blade box plunger with a thumb rest and scale for quick measurements.

ID	No.	Handle Material	Color	Handle Length	Qty.	Unit	Price
1	ACM-17521•	Plastic	Orange	5¾"	5	РК	

🖉 Great Neck

B Putty Knife Stiff blade. Black plastic handle.

ID	No.	Width	Unit	Price
2	GNS-15PKS	11/4"	EA	

€ Sheffield Lockback Knife Ultimate folding lockback utility knife. Manufacturer's lifetime warranty. ■

		Handle		Handle			
ID	No.	Material	Color	Length	Qty.	Unit	Price
3	GNS-58113	Aluminum	Red	31⁄2"	1	EA	

Sheffield Folding Lockback Knife One-hand opening lockback utility knife in blue. This innovative and useful tool combines the best features of a lockback knife with a utility knife. The blade is changed easily using patented snap lock and sliding mechanism. Manufacturer's lifetime warranty.

ID	No.	Handle Material	Color	Handle Length	Qtv.	Unit	Price
4	GNS-12113	Aluminum	Blue	31/2"	1	EA	

STANLEY

InstantChange[™] Retractable Knife Instant blade change with the push of a button. Strong, durable construction combines a cast-metal core with bi-material soft panels for a sure grip. Curved handle design for comfort, control and balance. Swing-out blade storage for easy blade access. Integrated string cutter and retractable slide. Includes three stainless steel utility blades.

		Handle		Handle			
ID	No.	Material	Color	Length	Qty.	Unit	Price
5	BOS-10788	Metal/Soft Bi-Material	Black/Chrome	6½"	1	EA	

Self-Retracting Safe Utility Knife Spring-loaded, round-point blade retracts automatically when not in use. Set for two cutting depths. Includes one round-point blade.

		Handle		Handle		
ID	No.	Material	Color	Length	Qty. Unit	Price
6	BOS-10-189C	Metal	Red Orange	5%"	1 EA	

(b) Lightweight Retractable Utility Knife For light-duty cutting jobs. Can be used with optional Stanley[®] 11-921A Wall-Mount Blade Dispenser with 100 blades (sold separately).

		Handle		Handle		
ID	No.	Material	Color	Length	Qty. Unit	Price
7	BOS-10-065	Plastic	Yellow	6"	1 EA	

(1) Heavy Duty Utility Knife Blades with Wall Mount Dispenser Engineered for a long lasting blade life, the strong carbon steel precision-honed blade edge delivers clean, consistent cutting for tasks. Wall mountable dispenser allows for convenient, easy access.

ID	No.	For Model Number(s)	Qty. Unit	Price
8	B0S-11-921A	Stanley [®] 10-065, 10-499, 10-788, 10-099, and most standard utility knives	100 PK	



■ Klever Kutter[™] Unique cutter, designed with user safety in mind. Shielded blade helps prevent accidents. Cutting surfaces on both sides of the handle for extended life. Blades are not replaceable.

	Handle		Handle			
ID No.	Material	Color	Length	Qty. Unit	Price	
9 COS-091459	Plastic	Mixed	4"	5 PK		



Jiffi-Cutter Utility Knife Safe, fully retractable blade. Compact design. Easily slide blade back into its sheath when not in use. Includes one blade per cutter.

	Handle		Handle		
ID No.	Material	Color	Length	Qty. Unit	Price
10 COS-091460	Metal	Chrome	3"	12 BX	

(C) **Easycut[™] Self-Retracting Cutter** Safety-tipped blade retracts automatically upon release of handle. Unique adjustable dial allows different blade cutting lengths, ensuring the blade isn't too far out. Prevents cutting interior items in package. Handle features retractable edge guides for cutting box tops as well as a blade storage compartment. Includes three replacement blades.

ID	No.	Handle Material	Color	Handle Length	Qty.	Unit	Price	Ē
11	With Holster and COS-091524	Lanyard Plastic	Blue/Black	6"	1	EA		Č

Also Consider:

ID	No.	Description	Qty.	Unit	Price
12	COS-091509	COSCO Cutter Blades	10	РК	



boardwalk

Rubber-Gripped Retractable Snap Blade Knife High-quality heavy-duty box-cutter utility knife. Cuts tape, corrugate and twine with ease. Contoured lightweight metal casing stays intact even in the toughest environment. Strong body resists impacts when jostled in your toolbox or dropped on the job. Includes 7 extra segmented blades conveniently stored within the knife body. Just snap off dull blade segments for a new sharp point. Manufacturer's limited one-year warranty.

ID	No.	Handle Material	Color	Handle Length	Qty	. Unit	Price
1	BWK-UKNIFE25	Plastic/Rubber	Black/ Yellow	51⁄2"	1	EA	

(c) Snap Blade Knife Box-cutter style utility knife is perfect for light-duty usage or craft projects. Retractable blade locks in over a dozen positions. Equipped with blade locking mechanism and a pocket clip. Includes one segmented blade. Just snap off the old dull blade point using the blade cap to reveal a new fresh sharp blade. Manufacturer's limited one-year warranty.

ID	No.	Handle Material	Color	Handle Length	Qty. Unit	Price
3	BWK-UKNIFE75	Plastic	Yellow	5"	1 EA	

WESTCOTT Since 1872

D Safety Ceramic Blade Box Cutter An ultra-safe cutter with an auto-retractable ceramic blade that last 11x longer than steel blades.

ID	No.	Handle Material	Color	Handle Length	Qty.	Unit	Price
4	ACM-16475	Plastic	Green	51⁄2"	1	EA	



Box Cutters Ergo handle wraps around your hand, protecting you from staples while providing the perfect angle to expose only as much blade as you need. Slice[®] donates 1% of sales to autism research-related charities.
 D No. Handle Material Color Handle Length Qty. Unit Price

	1101	Indinato infacoritat	00101	manare Eongen	acji onic	
	Auto-retrac	table				
5	SLI-10503•	Reinforced Nylon	Gray; Green	7"	1 EA	
	Manual					

6 SLI-10400• Reinforced Nylon Gray; Orange 7" 1 EA

Mini Cutters Can work as a box cutter, handy knife, or multi-tool.
 Finger-friendly[®] ceramic blade lasts much longer than traditional cutter
 blades. Slice[®] donates 1% of sales to autism research-related charities.
 No. Handle Material Color Handle Length Qty. Unit Price

7 SLI-10514• Reinforced Nylon Gray; Green 2.5" 1 EA

(b) Utility Knives Proprietary manufacturing process creates a finger-friendly[®] blade edge housed in a durable handle. Slice[®] blades are rust-proof, non-sparking, non-magnetic and chemically inert. Slice[®] donates 1% of sales to autism research-related charities.

 ID
 No.
 Handle Material
 Color
 Handle Length
 Qty. Unit
 Price

 Manual
 8
 SLI-10550*
 Beinforced Nylon
 Grav: Orange
 6"
 1
 EA

8	SLI-10550•	Reinforced Nylon	Gray; Orange	6"	1	EA		
	Auto-retractable							
9	SLI-10554•	Reinforced Nylon	Gray; Green	6"	1	EA		

 Safety Box Cutter Blades Safety ceramic box cutter blades retain their sharpness for much longer and feature a finger-friendly® edge.

Slice® donates 1% of sales to autism research-related charities.

ID	No.	For Model Number(s)	۵ty	. Unit	Price
	Rounded Tip	p			
10	SLI-10404•	10400; 10503; 10512; 10513; 10514	4	PK	

● Safety Utility Knife Blades Safety ceramic utility knife blades retain their sharpness for much longer and feature a finger-friendly[®] edge. Slice[®] donates 1% of sales to autism research-related charities.

ID	No.	For Model Number(s)	Qty.	Unit	Price
	Pointed Tip				
11	SLI-10528•	10550; 10554; 10558; 10562; 10585; 10591; 10593	3	РК	
	Rounded Tip				
12	SLI-10526•	10550; 10554; 10558; 10562; 10585; 10591; 10593	3	PK	

Safety Cutters Micro-ceramic blades cut thin materials effectively while safeguarding fingers with our signature finger-friendly® edge. Use the cutter's lanyard hole and built-in magnet to keep this unique tool close at hand. Slice® donates 1% of sales to autism research-related charities.
 D No. Handle Material Color Handle Length Qtv. Unit Price

ID No.	Handle Material	Color	Handle Length	Qty. Unit	Price
13 SLI-00200•	Plastic	Green	2.4"	1 EA	

Great Neck

205-Piece Essentials Home & Garage Tool Kit Heat-treated tools provide strength and durability. Includes a claw hammer, six precision screwdrivers, mini-ratchet screwdriver handle and bits (Phillips, slotted, star, hex and Pozi), reversible ratchet socket wrench with metric and SAE steel sockets, extension bar, 6" long nose and slip-joint pliers, magnetic torpedo level, 12-ft. tape measure, wire strippers, utility knife with blades, cable ties and 3/" electrical PVC tape. Blow-molded case. Manufacturer's lifetime warranty.

ID	No.	Number of Pieces	Unit	Price
1	GNS-GN205	205	KT	

 B 119-Piece Tool Set Tool set includes 30 sockets (SAE and metric), %" drive ratchet, spark plug socket, 3" extension bars, wrenches, pliers, 39 bits with holder, 24 hex keys, hammer, torpedo level, tape measure and four screwdrivers. Manufacturer's lifetime warranty.

ID	No.	Number of Pieces	Unit	Price
2	GNS-TK119	119	KT	

(b) 110-Piece Home and Office Tool Kit High-quality drop-forged rust-resistant steel tools are built to last. Wide variety of tools lets you handle any job, big or small. Kit includes a hammer, screwdrivers (Phillips and standard), slip joint pliers, combination and adjustable wrenches, retractable utility knife, hex keys, hacksaw and much more. 14½^a black plastic case. Manufacturer's lifetime warranty.

ID	No.	Number of Pieces	Unit	Price
3	GNS-TK110	110	KT	

D 72-Piece Tool Set Convenient set contains 12 metric sockets, ¼" ratchet, 16 hex keys, ratcheting screwdriver with 20 bits and bit holder, spring clamps, hammer, torpedo level, four screwdrivers, tape measure and pliers. Manufacturer's lifetime warranty.

ID	No.	Number of Pieces	Unit	Price
4	GNS-TK72	72	KT	

 48-Tool Set in Blow-Molded Case Clever stand-up case keeps your tools easily accessible. Set contains 7-oz. claw hammer with hardwood handle, 12-ft. tape measure, 6" long nose and 6" slip joint pliers, 6" adjustable wrench, screwdriver with magnetic tip, 3-piece precision screwdriver, folding lock-back utility knife, ten replacement blades with plastic box, 4-piece hex key set, 9" torpedo level with three vials, and twenty 1" screwdriver bits with two-piece holder. Manufacturer's lifetime warranty. D No. Number of Pieces Unit Price 5 GNS-GN48* 48 KT

(32-Piece Expanded Tool Kit with Bag Perfect for do-it-yourself projects, general maintenance or minor repair tasks. Set includes 6" long nose pliers, 6" slip joint pliers, 6" adjustable wrench, 12-oz tubular steel hammer, 9" magnetic 3-vial torpedo level, 12 ft × ½" measuring tape, three precision screwdrivers, magnetic bit driver, 19 insert bits (in holders), ¼" adapter, fastener set and 18-pocket canvas zip-up tool bag. Ergonomic grip handles are designed to minimize hand, wrist and arm fatigue. Manufacturer's lifetime warranty.

ID	No.	Number of Pieces	Unit	Price
6	GNS-21044	32	KT	

STANLEY.

20-FA-CU-RNU

G 51-Piece Mixed Tool Set Tool set is fully loaded with a variety of tools to help you tackle a variety of jobs at home or work. The set comes in a durable molded case for easy storage and portability. The case also features a handle for easy transport around your work area. Manufacturer's limited lifetime warranty.

ID	No.	Number of Pieces	Unit	Price
7	BOS-STMT74864	51	KT	



TOOL KITS









🖉 Great Neck

16-Piece Light-Duty Office Tool Kit Great set to have on hand for minor office repairs. 16" metal tool box includes hammer, two screwdrivers (Phillips and standard), slip joint pliers, adjustable wrench, 10-ft. tape rule, retractable utility knife, razor scraper and seven-piece hex key set. Manufacturer's lifetime warranty.

ID	No.	Number of Pieces	Unit	Price
1	GNS-CTB9	16	KT	

STANLEY.

B Home and Office Tool Kit Ultra-compact general repair tool kit for portable convenience. Water-resistant zippered case holds 12-ft. tape rule, 8" torpedo level, 7-oz. wood claw hammer, picture hanging fasteners, two screwdrivers (4" standard and #2 Phillips), 4" long nose pliers, and 6" slip joint pliers.

	No.	Number of Pieces	Unit	Price
2	BOS-92-680	8	KT	

🖉 Great Neck

Claw Hammer High-quality drop forged steel, fully polished head. Nonslip handle.

ID	No.	Head Type	Qty.	Unit	Price
3	GNS-HG16C	Claw	1	EA	

0 4-in-1 Screwdriver
 Interchangeable Phillips and standard bits—two sizes of each. Removable shank can be used at either end, other end stores in handle. Assorted color handles. (1) #1 Phillips Bit; (1) ½ Phillips Bit; (1) ½ Slotted Bit; (1) ¾ Slotted Bit Manufacturer's lifetime warranty.

 ID
 No.
 Handle Material
 Tip Type
 Tip Size
 Unit
 Price

 4
 GNS-SD4BC
 Plastic
 Phillips; Slotted
 ½', ½6'', #1; #2
 EA

B-Piece Steel Plier and Wrench Tool Set Heat-treated, drop-forged steel tools feature milled jaws and fully polished heads for long-lasting dependability. Features vinyl grips. Set contains: mini long nose pliers, mini diagonal pliers, 6" long nose pliers, 6" diagonal pliers, 6" slip joint pliers, 7" linesman pliers, 8" groove joint pliers and 8" adjustable wrench. Manufacturer's limited lifetime warranty.

ID	No.	Number of Pieces	Unit	Price
5	GNS-87900	8	EA	





STANLEY.

20-FA-CU-RNU

4-in-1 Pocket Screwdriver The convenience of a set of precision screwdrivers in one small pocket tool. Ideal for toy assembly, battery compartments, eyeglasses, electronics and more. Magnetic bits have nonslip textured surface so they attract and hold small screws. Soft bi-material grip for comfort during use. (2) Double-Ended; Phillips/Slotted Bits Handle

ID	No.	Material	Тір Туре	Tip Size	Unit	Price
1	BOS-66-344	Bi-Material	Phillips; Slotted Magnetic	5⁄32"; 1⁄8"; #1; #2	EA	

3 inch Multi-Bit Ratcheting Screwdriver This magnetic ratcheting screwdriver includes 10 bits to conquer an assortment of tasks. Bits store in the handle for quick and easy access on the job. Ergonomic handle offers comfort and maximum torque at the fastener head. Multi-bit holder allows for speedy and secure bit changing with little effort. With storage rack.

ID	No.	Handle Material	Тір Туре	Tip Size	Unit	Price
2	BOS-68010	Plastic	Standard Bit; Phillips® Bit; Torx® Bit; Pozi Bit; Square Bit Magnetic	%is"; ¼"; #1 Phillips; #2 Phillips; T15 Torx®; T20 Torx®; #1 Pozi Bit; #2 Pozi Bit; #1 Square Bit; #2 Square Bit	KT	

G 6-Piece Precision Screwdriver Set The set provides six popular Phillips and slotted screwdrivers for a wide range of fastening applications. The precision tools feature swivel-head handles that turn easily. Made with soft cushion grips that fit comfortably in the hand for extended use. Each tool has a tough plastic shaft for durability. This multi-function set is ideal for working on computers, laptops, repairing eyeglasses and other micro-applications. With plastic storage case

ID	No.	Material	Тір Туре	Tip Size	Unit	Price
3	BOS-66052	Plastic	1 / /	1.4mm; 2mm; 2.4mm;	ST	
			Standard	3mm: #0: #1		

O Folding Metric and SAE Hex Keys Folding Metric and SAE Hex Keys feature durable composite construction. The rubber side inserts allow for a secure grip and the chamfered edge helps guide the wrench for a smooth, easy entry of the hex key. Size markings are printed on the hex key body for easy identification. SAE Hex Key; Metric Hex Key Manufacturer's limited lifetime warranty.

ID	No.	Handle Material	Тір Туре	Tip Size	Unit	Price
4	BOS-STHT71839	Composite	SAE Square, Metric Hex	Assorted	РК	

Stud Sensor 150 Detects studs up to 1½ inches below surface material. This ergonomically designed wood and metal stud finder with AC detection indicates what it is sensing below the surface with sequential LEDs and audible beeps.

ID	No.	Stud Finder Type	Width	Depth	Height	Unit	Price
5	BOS-STHT77404•	Internal	6"	10"	1¾"	EA	
		Capacitor-Edge					











SIOO.



STANLEY.

8 in. Wire Stripper/Cutter/Crimper A multitasking tool with the ability to cut and thread bolts, strip wire and crimp wire terminals. Features an oil-resistant, double-dipped handle for a strong, confident grip. Cuts or strips up to five sizes of bolts. Crimps 10- to 26-gauge insulated terminals and 10- to 22-gauge non-insulated terminals. Hand-ground, chrome-nickel steel edges designed for extra-tough cutting. Rust-resistant finish to protect against the elements. Jaws have a slip-resistant grip. Jaw Material: Chrome-Nickel Steel. Finish: Rust-Resistant.

ID	No.	Overall Length	Jaw Opening	Cutting Capacity	Otv.	Unit	Price
1	BOS-84199• *	81/2"	Adjustable; 8" Capacity		1	EA	
	* ANSI Compliant.						

FISKARS®

B PowerArc[™] Utility Snips Make tough cuts with heavy-duty snips featuring PowerArc[™] blades that give you over 2X more power.

 ID
 No.
 Style
 Color
 Qty. Unit
 Price

 2
 FSK-7103001002*
 Ergonomic; Strategic Texturing, Rounded
 Black; Orange
 1
 EA

OEM TOOLS

ID	No.	RPM	Torque	Unit	Price
3	GNS-24482•	0-2000	250 in-lbs	EA	

🥵 Great Neck

Two Speed Cordless Drill Get the job done quickly with this handy
 18-volt cordless drill. Features two speeds and 16 torque settings, plus
 a ¾" keyless chuck. Includes 13-piece bit accessory kit and battery charger.
 ID No. RPM Torque Unit Price

4	GNS-80167	0-1150	160 in-Ibs	EA	

 Cordless Screwdriver Cordless power screwdriver features an LED light to illuminate your work and gets the job done quickly with 200 RPM. Comes with charger and four bits. Features comfortable rubber grip handle.
 No
 RPM
 Torque
 Unit
 Price

ID No.	RPM	lorque	Unit	Price
5 GNS-80129	200	40 in-lbs	EA	

STANLEY.

() SharpShooter® Heavy-Duty Staple Gun Delivers high power and deep penetration for heavy-duty tacking jobs. Easy-squeeze handle reduces hand fatigue. Anti-jam mechanism. Easy-slide, bottom staple loading. Durable aircraft-aluminum housing is lightweight, yet rugged. High-visibility yellow case.

ID No.		Unit	Price
6 BOS-TR150		EA	
Also Consider:			
ID No.	Description	Unit	Price
7 BOS-TRA708T	Heavy-Duty Tacker Staples, ½", 1000/BX	BX	
8 BOS-TRA704T	Heavy-Duty Tacker Staples, ¼", 1000/BX	BX	
9 BOS-TRA706T	Heavy-Duty Tacker Staples, 3/1, 1000/BX	BX	



A



(1) Series 2000 Toolbox With Tray Two lid organizers provide easy access to small parts—no need to open the tool box. Built-in padlock eye for small locks keeps contents secure. Tote tray inside safely stores smaller items. Soft, wide rubber-coated handle allows for an easy and comfortable grip. High-impact plastic with nickel metal-plated latches.

ID	No.	$W \times D \times H$	Unit	Price
1	BOS-019151M	19" × 10" × 10"	EA	

Bortmaster[™] Junior Organizer Secure your tools and supplies with the Stanley[®] SortMaster Junior. Eight removable dividers let you customize the box for small parts or large hand tools. 90 degree angle in the main compartment design allows storage of hammers and angled tools or tape measurers comfortably together with the small parts in the other nearby compartments.

ID	No.	$W \times D \times H$	Unit	Price
2	BOS-STST14022•	11½" × 15" × 2¾"	EA	

9-line

Write-On Poly Bags Zip-close poly bags are waterproof and airtight. Clear with white write-on identification panel. Organizes not-so-easily-stored items.

ID	No.	W×H	Qty.	Unit	Price
3	CLI-47223	2" × 3"	1000	СТ	
4	CLI-47235	3" × 5"	1000	СТ	
5	CLI-47246	4" × 6"	1000	СТ	
6	CLI-47258•	5" × 8"	1000	СТ	
7	CLI-47269	6" × 9"	1000	СТ	

STOUT

() Seal Closure Bags Protect, organize and secure multiple items. The reusable, resealable zipper provides a secure seal. Provides an easy solution to keep items dry, organized and secure. Constructed from heavy-duty, 2 mil polyethylene.

No.	W×H	Qty.	Unit	Price
STO-ZF001C•	4" × 4"	1000	СТ	
ST0-ZF002C•	6" × 6"	1000	СТ	
ST0-ZF003C•	8" × 8"	1000	СТ	
ST0-ZF007C•	10" × 10"	500	СТ	
ST0-ZF008C•	12" × 12"	500	СТ	
	No. STO-ZF001C• STO-ZF002C• STO-ZF003C• STO-ZF007C• STO-ZF008C•	STO-ZF001C* 4" × 4" STO-ZF002C* 6" × 6" STO-ZF003C* 8" × 8" STO-ZF007C* 10" × 10"	STO-ZF001C* 4" × 4" 1000 STO-ZF002C* 6" × 6" 1000 STO-ZF003C* 8" × 8" 1000 STO-ZF007C* 10" × 10" 500	STO-ZF001C* 4" × 4" 1000 CT STO-ZF002C* 6" × 6" 1000 CT STO-ZF003C* 8" × 8" 1000 CT STO-ZF007C* 10" × 10" 500 CT

TATCO

 Nylon Cable Ties Tamper-resistant tie holds securely without losing its grip. Won't stretch or slide so it stays in place. Tightens and locks as needed to secure cables, cords and other loose items. Strong and durable for convenience and peace of mind. Black ties are UV stabilized for longer outdoor use. Made of non-conductive nylon. UL listed.

ID	No.	Finish	Size	Unit P	rice
13	TCO-22100	Natural	0.06"w × 4"l	РК	
14	TCO-22200	Natural	0.19"w × 8"l	PK	
15	TCO-22300	Natural	0.19"w × 11"l	PK	
	UV stabilized and s	uitable for outdoor use.			
16	TCO-22500	Black	0.06"w × 4"l	РК	
17	TCO-22600	Black	0.19"w × 8"l	РК	
18	TCO-22700	Black	0.19"w × 11"l	РК	





20-FA-CU-RNU



Closet Organizer/Tool Holder Kit Helps increase productivity
 and efficiency! Offers better tool storage and access. S-hooks hold
 %" to 1¼" diameter handles. Deep double hooks afford easy accessibility,
 while clip holder keeps work notes and instructions within sight.
 ID No. W × D × H Color Unit Price

	18" Width—Two S-hooks and one-double hook.					
1	RCP-199200GY	18" × 3.25" × 4.25"	Gray	EA		
	34" Width—Thre double hook.	ee S hooks, two double	hooks and clip ho	older. Carry sling fits on		
2	RCP-199300GY	$34"\times3.25"\times4.25"$	Gray	EA		
	INCER					



B Hold Up Aluminum Tool Rack Tools are inserted from the bottom and held in place by strong rubber grips. Equipped with hooks on the front to hang up smaller tools. Open top offers flexibility to hang rack at the height that is right for you.

	No.	$W \times D \times H$	Color	Unit	Price
3	UNG-HU900	36" × 3.5" × 3.5"	Aluminum/Green	EA	
4	UNG-HU45	18" × 3.5" × 3.5"	Aluminum/Green	EA	

🖉 Great Neck

(c) English Rule Tape Measure Features yellow steel blade with easyto-read black and red markings. High-impact plastic case. Convenient rewind handle.

ID No.	Blade $W \times L$	Color	Unit	Price	
5_ GNS-100E	%" × 100 ft	Yellow	EA		
D Sheffield [®] Ex	ctraMark™ Tape N	leasure Tape measure f	eatures larg	e,	
easy-to-read ma	rkings for quick a	nd accurate measureme	ent. Positive		
lock holds blade	securely. Conver	ient belt/pocket clip. Erg	onomic rubl	ber	
grip handle.					
ID No.	Blade W × L	Color	Unit	Price	
6 GNS-58652	1" × 25 ft	Black/Red	EA		

ExtraMark[™] Tape Measure Tape measure features fractional marks to make measuring easy. Rubberized cover. Positive lock holds blade. Includes belt clip.

ID	No.	Blade W × L	Color	Unit	Price
7	GNS-95007	%" × 12 ft	Black/Yellow	EA	
8	GNS-95005	1" × 25 ft	Black/Yellow	EA	

STANLEY.

 Powerlock® Tape Rule Designed with the professional in mind. Secure lock prevents blade from creeping. 16" and 19.2" stud center markings for simplified framing. High-visibility yellow steel blade remains rigid up to 7' and is coated with protective Mylar. Three-rivet, corrosion-resistant hook. Extra-tough chrome case with belt clip. Manufacturer's limited lifetime warranty.

ID No.	Blade W × L	Color	Unit	Price
9 BOS-33-425	1" × 25 ft	Chrome	EA	

boardwalk.

(Fasy Grip Tape Measure Heavy-duty casing withstands constant use and rubberized grips for comfort and control. Measures both English and Metric units. Tape marks have additional bold highlights at each foot or 10 cm increment. Metal tip at beginning of tape can secure at corners for easy drag and measuring. Equipped with locking mechanism to hold tape at desired length. Metal pocket clip to hang from belts and convenient wrist strap when on the go. Manufacturer's limited one-year warranty.

ID No.	Blade W × L	Color	Unit	Price
10 BWK-TAPEM25	1" × 25 ft	Black; Yellow	EA	

UNGER

uality Tools for Smart Clea

 People's Paper Picker Pin Pole Remove litter simply and effectively with the Picker Pole. Strong, sharp replaceable tip allows you to spear paper, aluminum cans and plastic cups. Ergonomic hand grip.

aluminum cans and plasuc cups. Ergonomic nand grip.							
ID No.	Length	Color	Unit	Price			
11 UNG-PPPP	42"	Black/Stainless Steel	EA				
Also Consider:							

ID No.	Description	Qty.	Unit	Price
12 UNG-PINP•	Replacement Pin Plugs, 4"	1	EA	

Nifty Nabber Trigger-Grip Extension Arm Indoor/outdoor claw tool enables easy item retrieval as well as hygienic waste collection and disposal. Smooth-action, ergonomic trigger grip simplifies use. Full 360° head rotation.

ID No.	Length	Color	Unit	Price
13 UNG-NT080	32"	Aluminum/Green	EA	

O Nifty Nabber Extension Arm with Claw Ideal for picking up bottles and debris including cigarette butts and other small objects. Also can be used to retrieve items from high shelves. Powerful, gear-driven claws over molded fingers provide excellent gripping power.

ID	No.	Length	Color	Unit	Price
14	UNG-NN400	18"	Black/Green	EA	
15	UNG-NN900	36"	Black/Green	EA	
16	UNG-NN140	51"	Black/Green	EA	

FISKARS

 Pro Pruner An adjustable, ergonomic design provides comfortable use when cutting stems and branches up to 1" diameter. This pro-style pruner features adjustable blade tension to fit your hand strength and the toughness of the material you're cutting. Angled cutting head helps reduce wrist fatigue and makes it easy to prune at awkward angles. The fully hardened, precision-ground steel blade stays sharp, even through heavy use. A low-friction coating helps the blade resist rust and prevents the blade from gumming up with sap and debris, making cutting even easier. Built-in sap groove provides smooth operation. Convenient hanging hole allows for easy storage.

ID	No.	Tool Type	Application	Style	Unit	Price
1	FSK-91246935J•	Pruner	Gardening; Landscaping	Bypass	EA	

Telescoping Power-Lever® Bypass Lopper Power-Lever® mechanism increases leverage to make cutting two times easier than single-pivot loppers. Telescoping handles extend to 36½". Lock securely holds handles in place. Fully hardened steel blade with non-stick coating cuts with less effort. Durable steel handles. Cushioned grips and shock-absorbing bumper for comfort. 1¼" cutting capacity.

ID	No.	Tool Type	Application	Style	Unit	Price
2	FSK-91686935J	Lopper	Gardening; Landscaping	Bypass	EA	

 Telescoping Power-Lever® Hedge Shears Power-Lever® technology increases your cutting power. Patented serrated blade design self-sharpens during use. Durable steel handles with soft grips for comfort. Telescoping handle extends from 24 ¼" to 31½"; 10" blade length. Lifetime warranty.
 ID No. Tool Type Application Style Unit Price 3 FSK-91696935J• Shears Gardening Hedge EA

Power Tooth Softgrip D-Handle Saw Strong, power tooth saw is ideal for making quick, clean cuts through large branches. Aggressive Power Tooth triple-grind blade planes away wood faster for healthy, clean cuts. Makes quick, easy undercuts without sacrificing control. Fully hardened steel blade stays sharp longer. D-Handle provides an excellent grip. Softgrip touchpoints enhance comfort and control.

		Unit	11100
2	FSK-3934401001•	EA	

Leaf Rake 24" head is sized for moving a high volume of leaves

 with minimal effort. Uniquely curved, extra-wide tines transport leaves

 without clogging; longer reach eliminates back strain from bending and

 teardrop-shaped shaft offers a more comfortable grip. Lifetime warranty.

 ID
 No.
 Tool Type

 Application
 Style
 Unit

 5
 FSK-96605935J*
 Rake
 Landscaping

 Leaf
 Leaf

Shrub Rake Reach leaves and debris in tight spaces all over the yard with a lightweight, durable rake. The slim head of this aluminum shrub rake makes it easy to clean between shrubs, fences, flowers and more. Durable resin head features unique tines designed to flex without breaking.

ID No.	Tool Type	Application	Style	Unit	Price
6 FSK-39661	01001• Rake	Gardening; Landscaping	Shrub Rake	EA	

 Long-Handle Digging Shovel All-steel construction provides heavy-duty durability. Round-pointed shovel blade is sharpened to cut through soil and grass quickly and cleanly. Hand-friendly, teardrop-shaped shafts offer a superior grip, improved ergonomics and reduce hand fatigue. Powdercoat finish prevents rust and is easy to clean. Unique "big step" design to help your customers maximize power when digging into tough soil. ID No. Tool Type Application Style Unit Price FSK-96685935J• Shovel 7 Gardening; Landscaping Digging EA

(1) Steel D-handle Digging Shovel Features a durable design that provides an excellent, two-handed grip when you are digging in the garden. Welded 14-gauge hardened steel blade and 18-gauge steel shaft provide durability that far outlasts wood-handled tools and won't flex like fiberglass.

ID	No.	Tool Type	Application	Style	Unit	Price
8	FSK-96696925J•	Shovel	Gardening; Landscaping	Digging	EA	







A Giant Foot® Doorstop Impact resistant Sanoprene TRP will not flatten.

- 4	y Giant Fool [®] Di	porstop impact resist	ant Sanoprene The v		ot natten.				
ID	No.	Color	$W \times D \times H$	Qty.	Unit Price				
1	MAS-00964	Brown	$3.5"\times6.75"\times2"$	1	EA				
2	MAS-00987•	Brown	3.5" × 6.75" × 2"	12	PK				
	Bright Fluorescent Colors—Attract attention to prevent tripping in small spaces								
	and doorways.								
3	MAS-00965	Safety Orange	3.5" × 6.75" × 2"	1	EA				
4	MAS-00966	Safety Yellow	3.5" × 6.75" × 2"	1	EA				
	Value Pack—Sto	ock up and save!							
5	MAS-00969 S	Brown	3.5" × 6.75" × 2"	2	PK				

Big Foot® Doorstop No slip rubber with extra-wide footprint. Suitable for use in homes and offices.

		01110001				
ID	No.	Color	$W\timesD\timesH$	Qty.	Unit	Price
6	MAS-00900	Beige	2.25" × 4.75" × 1.25"	1	EA	
7	MAS-00920	Brown	2.25" × 4.75" × 1.25"	1	EA	
8	MAS-00985•	Brown	2.25" × 4.75" × 1.25"	12	PK	
9	MAS-00941	Gray	2.25" × 4.75" × 1.25"	1	EA	
10	MAS-00986•	Gray	2.25" × 4.75" × 1.25"	12	PK	
	Value Pack—Sto	ock up and save!				
11	MAS-00975	Beige	2.25" × 4.75" × 1.25"	2	PK	
12	MAS-00971 🔂	Brown	2.25" × 4.75" × 1.25"	2	PK	
13	MAS-00972 🔂	Gray	2.25" imes 4.75" imes 1.25"	2	PK	

Giant Foot[®] Magnetic Doorstop Magnetic feature keeps doorstop in place and close at hand when not in use. Impact resistant Sanoprene TRP will not flatten.

ID No.	Color	$W\timesD\timesH$	Qty.	Unit	Price
14 MAS-00967	Yellow	$3.5"\times6.75"\times2"$	1	EA	

 Mighty Mighty Movers® Reusable Furniture Sliders Slides easily over carpet, linoleum, wood and tile. Will not scratch, mar or damage clean floors or carpets. Absorbs the impact of floor surface changes.

ID	No.	Size	Shape	Color	Qty.	Unit	Price
15	MAS-87007	5"	Round	Beige	4	PK	

Could Feet[™] Deluxe Noise Reducers Ideal for classroom chairs/desks, cafeteria or library tables/chairs or anywhere quiet is necessary. Durable, %₁₆[™] thick, 100% polyester/latex felt. Specially designed 1¼[™] diameter circles fit most chair/desk feet. Easy to install, extra-strength adhesive bonds permanently.

ID No.	Color	Diameter	Qty. Unit	Price
16 MAS-88847	Beige	1.25"	100 PK	

 File Cabinet Floor Savers Polymer plastic discs protect floors from scratches and scrapes. Features an extra heavy-duty adhesive that bonds permanently to most surfaces. Cushioned to absorb the impact of floor surface changes. Recommended for hard floor surfaces.
 ID No.
 Color
 Qtv. Unit
 Prior

ID	No.	Color	Qty.	Unit	Price
17	MAS-87008•	Beige	4	РК	

G Like New Solutions Floor Savers Felt bottoms protect floor surfaces, from scratches and scrapes, covers rough furniture bottoms for smooth, effortless movement. Cushioned felt tip holds stronger and lasts longer than standard felt. Slips on easily, no adhesives, nails or tools required. Recommended for hard floor surfaces.

ID	No.	Color	Qty.	Unit	Price
	Large—Fits 11/8" to	o 1¼" round legs or 1" square legs.			
18	MAS-88451	Clear	8	PK	
	Small—Fits 1/8" to	1¼16" round legs or ¾" square legs.			
19	MAS-88450•	Clear	8	PK	

40(

DURACELL

A Button Cell Battery Silver oxide button batteries provide reliable, long-lasting power for your specialty devices. They have up to a four-year guarantee in storage so you can be confident these silver oxide button batteries will be ready when you need them.

ID	Size	No.	Voltage	Qty. Unit	Price
	For Watches	and Calculators			
1	303/357	DUR-D303/357PK	1.5 V	6 BX	

B Alkaline Lantern Battery From search and rescue missions to backvard camping outings, lantern batteries provide reliable, long-lasting power.

ID	Size	No.	Voltage	Qty.	Unit	Price
2	908	DUR-MN908	6 V	1	EA	

C Rechargeable Pre-Charged NiMH Batteries Charge hundreds of times, helping you save money. Long-Life Ion Core technology delivers amazing power in every battery. Plus, they come precharged and ready to use. They are guaranteed to last for 10 years (or 400 recharges, whichever comes first) in storage and they will hold a charge for up to 1 year when not in use. Oty Unit ID Ci-Price

ID	Size	NO.	mAn	uty.	Unit	Pric
3	AA	DUR-NLAA4BCD	2000 mAh	4	РК	
4	AAA	DUR-NLAAA4BCD•	800 mAh	4	PK	

D ION SPEED[™] 1000 Value Charger Recharge your batteries in 4-8 hours (to approx. 90% of full charge when using 1300mAh up to 2500mAh 2xAA NiMH batteries, included) with 1000 mW of charging power (based on charging AA batteries). It recharges any AA and AAA NiMH batteries from any brand. You can recharge two or four batteries at a time and, with the LED Charge Status Indicator, you'll know when charging is complete. It also features an Auto Shutoff so you won't use any unnecessary electricity. Batteries are guaranteed to last 10 years, or 400 recharges, whichever comes first. ID No. Unit Price

ION SPEED[™] 4000 Premium Charger Offers amazingly fast charge times of 1-2.5 hours (to approx. 85% of full charge when using 1300mAh up to 2500mAh 2xAA NiMH batteries, included) with 4000 mW of charging power (based on charging AA batteries). It recharges any rechargeable AA and AAA NiMH batteries from any brand. You can recharge 2 or 4 batteries at a time and, with the LED Charge Status Indicator, you'll know when charging is complete. It also features an Auto Shutoff so you won't use any unnecessary electricity. It even has a bad-battery indicator along with 9 smart safety features. Batteries are guaranteed to last 10 years, or 400 recharges, whichever comes first. Unit ID N.

	No.	Unit	Price
6	DUR-CEF27•	KT	

 Lithium Coin Batteries Provide reliable, long-lasting power for your specialty devices. They have up to a 10-year guarantee in storage so you can be confident these lithium coin batteries will be ready when you need them. To help ensure the safety of your children, they come in a child-resistant package. Great for devices like glucometers, calculators and car remotes.

ID No.	Size	Voltage	Qty. L	Init Price
7 DUR-DL2032B2PK	2032	3 V	2 P	ΥK
8 DUR-DL2032B4PK	2032	3 V	4 P	ΥK
9 DUR-DL2025BPK	2025	3 V	1 E	A
10 DUR-DL2450BPK	2450	3 V	36 C	т
For Electronics				
11 DUR-DL2032BPK	2032	3 V	6 B	X

 Specialty Alkaline Batteries Batteries have a five-year guarantee in storage, so you can be confident these batteries will be ready when you need them. They offer long-lasting power for your specialty devices.

ID Size	No.	Voltage	Qty	. Unit	Price
12 N	DUR-MN9100B2PK	1.5 V	2	РК	
13 AAAA	DUR-MX2500B2PK	1.5 V	2	РК	
14 76/675	DUR-PX76A675PK09	1.5 V	1	EA	
Specialty Battery					
15 21/23	DUR-MN21B4PK	12 V	4	PK	



DURACEL

1TRUSTED BRAND

C







BATTERIES



DURACELL

O – B Specialty Batteries Duracell® makes dozens of "non-standard" batteries for flashlights, security devices, and other electronics that require smaller batteries or button batteries. Count on reliable, efficient power in different shapes and sizes.

(A) Specialty High-Power Lithium Batteries provide reliable, long-lasting power for your specialty devices. They have up to a ten-year guarantee in storage so you can be confident these lithium coin batteries will be ready when you need them.

ID	Size	No.	Voltage	Qty.	Unit	Price
1	CR2	DUR-DLCR2BPK	3 V	1	EA	
2	123	DUR-DL123ABPK	3 V	1	EA	
3	223	DUR-DL223ABPK	6 V	1	EA	
4	245	DUR-DL245BPK	6 V	1	EA	
	Value Pack—Sto	ock up and save!				
5	123	DUR-DL123AB2BPK S	3 V	2	PK	

(B) Specialty Alkaline Batteries Batteries have a five-year guarantee in storage, so you can be confident these batteries will be ready when you need them. They offer long-lasting power for your specialty devices.

ID	Size	No.	Voltage	Qty.	Unit	Price
6	N	DUR-MN9100B2PK	1.5 V	2	PK	
7	AAAA	DUR-MX2500B2PK	1.5 V	2	PK	
8	76/675	DUR-PX76A675PK09	1.5 V	1	EA	
	Specialty Batter	y				
9	21/23	DUR-MN21B4PK	12 V	4	PK	

(C) Optimum Batteries Extra life, extra power in a wide range of devices.

ID Size	No.	Voltage	Qty.	Unit	Price
10 AA	DUR-OPT1500B4PRT	1.5 V	4	PK	
11 AA	DUR-OPT1500B6PRT•	1.5 V	6	РК	
12 AA	DUR-OPT1500B8PRT	1.5 V	8	РК	
13 AA	DUR-OPT1500B12PR	1.5 V	12	PK	
14 AAA	DUR-OPT2400B4PRT	1.5 V	4	PK	
15 AAA	DUR-OPT2400B6PRT•	1.5 V	6	PK	
16 AAA	DUR-OPT2400B8PRT	1.5 V	8	PK	
17 AAA	DUR-OPT2400B12PR	1.5 V	12	РК	
16 AAA	DUR-OPT2400B8PRT	1.5 V	8	PK	

D Procell[®] Alkaline Batteries Economically packaged in bulk and are recommended for scheduled battery replacement programs. Manufactured to strict specifications to meet the highest standards of durability, longevity and efficient power.

ID Size	No.	Voltage	Qty.	Unit	Price		
18 AA	DUR-PC1500BKD	1.5 V	24	BX			
19 AAA	DUR-PC2400BKD	1.5 V	24	BX			
20 C	DUR-PC1400	1.5 V	12	BX			
21 D	DUR-PC1300	1.5 V	12	BX			
22 9V	DUR-PC1604BKD	9 V	12	BX			

CopperTop® Alkaline Batteries All-purpose alkaline batteries are not only dependable, they're also long-lasting. They're great for many of the devices you use on a daily basis.

acvices you	use on a dully busis.		
ID Size	No.	Voltage	Qty. Unit Price
23 AA	DUR-MN15RT12Z	1.5 V	12 PK
24 AA	DUR-MN1500B16Z	1.5 V	16 PK
25 AA	DUR-MN1500B24	1.5 V	24 BX
26 AA	DUR-AACTBULK36	1.5 V	36 PK
27 AA	DUR-MN1500BKD	1.5 V	144 CT
28 AAA	DUR-MN24RT12Z	1.5 V	12 PK
29 AAA	DUR-MN2400B16Z	1.5 V	16 PK
30 AAA	DUR-MN2400B24000	1.5 V	24 BX
31 AAA	DUR-MN24P36	1.5 V	36 PK
32 AAA	DUR-MN2400BKD	1.5 V	144 CT
33 C	DUR-MN14RT8Z	1.5 V	8 PK
34 C	DUR-MN1400	1.5 V	72 CT
35 D	DUR-MN1300R4Z	1.5 V	4 PK
36 D	DUR-MN13RT8Z	1.5 V	8 PK
37 D	DUR-MN1300	1.5 V	12 BX
38 9V	DUR-MN16RT4Z	9 V	4 PK
39 9V	DUR-MN1604BKD	9 V	12 BX

20-FA-CU-RNU



ID No.	Bulb Type	Appearance	Watts	Equiv. to Incandescent	Hours	Lumens	Qtv.	Unit	Price
Dimmable L	11	rippourunoo	matto	moundoooont	nouro	Lamono		0	
1 GEL-67615•	A19	Soft White	10 W	60 W	15,000 h	800 lm	4	PK	
2 GEL-67616•	A19	Daylight	10 W	60 W	15,000 h	800 lm	4	PK	
Dimmable L		Duyiigin	10 10	00 11	10,000 11	000 111		1 K	
GEL-65943•	A21	Soft White	12 W	75 W	15,000 h	1,100 lm	2	РК	
4 GEL-65941•	A21	Soft White	15 W	100 W	15,000 h	1,600 lm	2	PK	
5 GEL-66117•	A21	Daylight	12 W	75 W	15,000 h	1,100 lm	2	PK	
6 GEL-66133•	A21	Daylight	15 W	100 W	15,000 h	1,600 lm	2	PK	
G 3-Way LED -		Dufiight			10,000 11	1,000	-		
GEL-37656•	A21	Soft White	22 W	150 W	25,000 h	2,155 lm	2	РК	
D Dimmable L				100 11	20,000 11	2,100	-		
8 GEL-37114•	GU10	Warm White	3.7 W	35 W	25,000 h	300 lm	1	EA	
Dimmable L					,				
GEL-93360•	PAR20	Warm Soft White	7 W	50 W	25,000 h	500 lm	1	EA	
G Dimmable L									
10 GEL-42133•	PAR30	Warm White	12 W	75 W	25,000 h	1,000 lm	1	EA	
1 GEL-84379•	PAR30	Warm White	12 W	75 W	25,000 h	900 lm	1	EA	
Dimmable L									
2 GEL-92967•	PAR38	Warm White	18 W	150 W	25,000 h	1,550 lm	1	EA	
Dimmable L						.,			
3 GEL-40893•	BR30	Soft White	10 W	65 W	15,000 h	700 lm	1	EA	
Halogen -T3									
4 GEL-34708	T3	Clear	35 W		2,000 h	550 lm	1	EA	
Halogen -A1		oloui	0011		2,000	000 111		271	
5 GEL-66247	A19	Soft White	43 W	60 W	1,000 h	620 lm	4	PK	
6 GEL-66249•	A19	Soft White	72 W	100 W	1,000 h	1,270 lm	4	PK	
7 GEL-66248	A19	Soft White	53 W	75 W	1.000 h	890 lm	4	PK	
	ice Incandescent -A21				.,		•		
18 GEL-18274	A21	Inside Frost/Basic	75 W		1,000 h	750 lm	1	EA	
9 GEL-18275	A21	Inside Frost/Basic	100 W		1,000 h	1,220 lm	1	EA	
Halogen -PA					.,	-,			
20 GEL-66280•	PAR38	Crisp White	60 W	75 W	1,100 h	1.070 lm	2	РК	
21 GEL-62706•	PAR38	Crisp White	90 W	120 W	1,100 h	1,600 lm	1	EA	
22 GEL-66282	PAR38	Crisp White	90 W	120 W	1,100 h	1,790 lm	2	PK	
M Incandesce					,	,			
23 GEL-20331	BR30	Soft White	65 W		2,000 h	610 lm	1	EA	
24 GEL-24705	BR30	Soft White	65 W		2,000 h	610 lm	6	СТ	
LED -PAR38					-,		-		
25 GEL-65731•	PAR38	Daylight	18 W	150 W	25,000 h	1,700 lm	1	EA	
					,	.,	-		

ADJUSTABLE BARRICADES









TATCO

Crowd Control Systems Stainless steel posts and black velour ropes provide portable traffic guides. Bell-shaped, weighted base stays in place and will not stain carpet. Rich velour ropes are pre-fit with matching polished chrome snap-ends.

ID	No.	Size	Shpg. Wt.	Qty.	Unit	Price
	Crowd Control Bases					
1	TCO-11001• ≭	12" dia.	30 lbs.	2	BX	
	Crowd Control Posts					
2	TCO-11000• ≭	41" h	8 lbs.	2	BX	
	Crowd Control Ropes					
3	TCO-11116• ≭	6 ft l	2 lbs.	1	EA	
	★ Posts, bases and ropes sold and s	shipped separately.				

 Adjusta-Tape Crowd Control Posts and Bases Heavy-duty construction provides maximum strength. 2" black nylon tape is housed in post head, extends up to 10 ft and retracts slowly and safely. Ideal for frequent post location changes. May be used indoors or outdoors. Three anchor points per post. Posts and bases sold and shipped separately. Manufacturer's ten year warranty on mechanism.

			Shpg.			
ID	No.	Size	Wt.	Qty.	Unit	Price
	Base for Crowd Control—Black	, scuff-proof base cover.				
4	TCO-11711 ≭	14" dia.	38 lbs.	2	BX	
	Stanchion Base for Crowd Cont	t rol —Polished aluminum.				
5	TCO-11501• ≭	14" dia.	38 lbs.	2	BX	
	Stanchion Posts for Crowd Con portable traffic guides.	trol—Sleek polished alum	inum po	osts p	orovide	
6	TCO-11500• \star	40" h	14 lbs.	2	BX	
	Posts for Crowd Control—Black powder-coated finish resists fingerprints.					
7	TCO-11611 ≭	40" h	14 lbs.	2	BX	
	* Posts and bases sold and shipped	l separately.				

Plastic Stanchions for Crowd Control Rustproof for outdoor or indoor use. May be cut to size as needed.

ID	No.	Size	Shpg. Wt.	Qty.	Unit	Price
8	TCO-12000• *	39" h	22 lbs.	6	BX	
	* Chanabiana & abain and and abin					

★ Stanchions & chain sold and shipped separately.

D Plastic Chain for Crowd Control Stanchions Rustproof for outdoor or indoor use. May be cut to size as needed.

ID	No.	Size	Snpg. Wt.	Qty.	Unit	Price
9	TCO-12400• *	40 ft l	2 lbs.	1	EA	

★ Stanchions & chain sold and shipped separately.



SAFETY BARRIERS & ACCESSORIES



Wet Umbrella Bags Bags offer visitors a welcome place for wet umbrellas and keep floors from becoming slippery. Includes die-cut handle and pocket for easy insertion or retrieval of umbrella. Recyclable bags are packed for easy display and fit most umbrellas.

ID	No.	Color	Size	Qty. Unit	Price
1	TCO-57010	Clear	7" × 31"	1000 BX	

 ③ Wet Umbrella Bag Stand Portable umbrella bag stand helps prevent slip-and-fall accidents, reducing liability lawsuits. Offer customers or visitors a welcome service. Stand is made from powder-coated steel. Includes plastic pads on base to prevent damage to floor. Hooks on both sides of stand allow bags to be displayed in two directions.

 ID No.
 Finish
 W × D × H
 Unit
 Price

	For use with TCO57010						
2	TCO-57019	Black Steel	$10^{"}\times10^{"}\times40^{"}$	EA			

Brass Wet Umbrella Bag Stand Attractive, portable stand holds up to

 800 wet umbrella bags (sold separately), offering visitors a valuable service

 while helping to keep floors dry. Brass-plated metal will not tarnish. Padded

 base protects floor from scratching. Ideal for high-end hotels, museums,

 office buildings or retail locations. Two-sided metal sign included. Improve the second metal second metal sign included. Improve the second metal s

Iυ	INO.	FINISH	VV × U × H	Unit	PIIC
	For use with TCO5701	0			
3	TCO-57029•	Brass/Black/	16" × 12" × 54.5"	EA	
		White Metal			

D Traffic Cone Sturdy, molded cones have reflective strip for maximum visibility. Stack easily for storage. Pavement-gripping bottom.

ID	No.	$W \times D \times H$	Qty.	. Unit	Price
4	TCO-25500	10" × 10" × 18"	1	EA	
5	TCO-25900•	14" × 14" × 28"	1	EA	

 Visitor Arrival/Departure Chime Pleasant "ding-dong" sound alerts employees when visitors enter or exit. High/low/off adjustable volume control. Light-reactive sensor has sensing distance up to 15 ft. Wall mountable with angle-adjustable mounting bracket (included). Can be used with door open or closed. (4) AA Batteries (Sold Separately)

IL	No.	Color	W×D×H	Unit	Price
6	TCO-15300	Gray	$2.75"\times2"\times4.25"$	EA	

Hazard Marking Tape Help prevent accidents by calling attention to potentially harmful materials, machinery, physical objects, walkways or stairs. Highly visible yellow/black adhesive-backed tape warns visitors and employees to avoid dangerous areas or materials. Sticks tightly and lies evenly in straight or curved lines.


ID	No.	W×L	Unit	Price
7	TCO-14711	2" × 108 ft	RL	

3M

(c) Safety Stripe Tape Mark off traffic areas, physical hazards and work sites with this attention-getting adhesive-backed vinyl tape. Yellow-black color design provides a simple, yet effective, way to communicate that an area is off limits. Tape is made from durable vinyl capable of withstanding most solvents except ketones, esters and chlorinated hydrocarbons. Resists abrasion, moisture and weather.

ID No.	Color	W×L	Unit	Price
8 MMM-5702-2•	Black/Yellow	2" × 108 ft	EA	







Quality Tools for Smart Cleaning

(A) Pro Aluminum Handle for Unger Floor Squeegees Features an anodized aluminum handle with fluted finish for strength. Improved grip for a comfortable hold. Convenient hang-up hole.

ID	No.	Size (Dia. × L)	Material	Color	Unit	Price
	Standard Acme thread.					
1	UNG-AL14A	1" × 58"	Aluminum	Aluminum	EA	
	Zinc alloy tip with 3-de	gree taper and stan	dard Acme thr	ead.		
2	UNG-AL14T0	1" × 61"	Aluminum	Aluminum	EA	
	1.5 degree taper.					
3	UNG-AL140	1" × 56"	Aluminum	Aluminum	EA	

B Water Wand Heavy-Duty Squeegee Constructed of heavy-duty galvanized steel and features a splash guard. Black natural foam rubber blade. For Use With: Any tapered handle (not included)

ID	No.	Color	Blade Type	Handle Material	Unit	Price
4	UNG-HM550	Black	22" Foam Rubber	Galvanized Steel	EA	
5	UNG-HM750	Black	30" Foam Rubber	Galvanized Steel	EA	

Water Wand Heavy-Duty Neoprene Squeegee Heavy-duty water wand has a reinforced handle socket to tackle tough dirt. Its 20 gauge steel frame with socket clamp is sturdy. Removes water easily, particularly from uneven surfaces like grouted tile or non-slip and broadcast grid floors. For Use With: Any tapered handle (not included).

ID	No.	Color	Blade Type	Handle Material	Unit	Price
	Straight					
6	UNG-HW750	Red	30"Neoprene	Galvanized Steel	EA	

D – **E** Floor Squeegees Digs deep into tile crevices and uneven surfaces to remove liquids, leaving floor finger dry. Removes dirt from grout.

D Water Wand Standard Squeegee Black natural-foam-rubber blade. Disposable. For Use With: Any tapered handle (not included)

ID	No.	Color	Blade Type	Handle Material	Unit	Price
7	UNG-MW550	Black	22" Foam Rubber	Galvanized Steel	EA	
	Straight					
8	LINIG_M\\//450	Black	18" Foam Rubber	Galvanized Steel	FΔ	

 SmartFit Water Wand Unger® SmartFit water wands have an innovative universal socket that accepts a variety of standard handles, from ¹⁵/₁₆ inch to 1-½ inch. Extra strong frame outlasts other floor squeegees. Easy flush and rinse design of the squeegee reduces the buildup of harmful bacteria. For Use With: Unger® ProAluminum Knock Down Handle

ID	No.	Color	Blade Type	Handle Material	Handle Length	Unit	Price
9	UNG-HM30A	Black	30" Foam Rubber	Aluminum	4"	EA	
	Straight						
10	UNG-HM22A•	Black	22" Foam Rubber	Aluminum	4"	EA	

DON'T SEE IT HERE?

CONTACT US! We have what you need.



I - E Floor Squeegees Digs deep into tile crevices and uneven surfaces to remove liquids, leaving floor finger dry. Removes dirt from grout.

 AquaDozer® Heavy-Duty Floor Squeegee All-purpose squeegees handle the toughest jobs. Rugged painted frame and cast zinc socket. With replaceable EPDM rubber. For Use With: Unger® 61" 3-Degree-Taper Aluminum Handle

ID	No.	Color	Blade Type	Unit	Price
	Curved				
1	UNG-FP90C	Green/Black	36" Rubber	EA	
	Curved—With	black neoprene rubber.			
2	UNG-FP60C	Black	24" Rubber	EA	
	Straight				
3	UNG-FP45	Green/Black	18" Rubber	EA	
4	UNG-FP75	Green/Black	30" Rubber	EA	
5	UNG-FP90	Green/Black	36 "Rubber	EA	
	Straight-With	h black neoprene rubber.			
6	UNG-FP600	Black	24" Rubber	EA	

AquaDozer® Straight Floor Squeegee For large volumes of water, mud, debris, waste, scrap, slush, snow and flood clean-up. Galvanized steel frame with cast zinc socket. Features 2" replaceable black rubber. For Use With: Unger 61" aluminum handle with three-degree taper (UNG-AL14T, sold separately).

ID	No.	Color	Blade Type	Handle Length	Unit	Price
7	UNG-FE600	Black	24 "Rubber	3"	EA	

(b) Sanitary Standard Squeegee For use in areas where hygiene is a top priority. Ideal for hospitals, kitchens, bathrooms, dairies, around swimming pools or wherever metal components are undesirable. Acid-resistant polypropylene construction. Reinforced frame. For Use With: Aluminum handle UNG-AL14A (sold separately).

ID	No.	Color	Blade Type	Unit	Price
8	UNG-PM55A	Black	22" Natural Foam; Rubber	EA	
	Straight				
9	UNG-PM45A	Black	18" Rubber	EA	

 Aquadozer® Eco Floor Squeegees Aquadozer floor squeegees are excellent for cleaning a variety of substances, including water, mud, debris, waste, scrap, slush and snow. Sturdy galvanized steel frame. Features a replaceable black rubber blade. For Use With: Pro Aluminum Handle 3" Cord (sold separately)

ID No.	Color	Blade Type	Handle Length	Unit	Price
10 UNG-FE45	Black	18" Rubber	3"	EA	

Sanitary Brush Features stiff polypropylene bristles for scrubbing action. 4" natural black twin foam rubber blade squeegee removes dirt and solution. Splashguard. Socket accepts Acme threaded handles.

ID	No.	Brush Length	Bristle Material	Qty.	Unit	Price
11	UNG-PB45A	1/2"	Polypropylene	1	EA	











Quality Tools for Smart Cleaning

(A) Golden Clip® Window Squeegees Professional-quality solid brass squeegee. Clipped channels; coin adjustable screws to hold channel.

ID	No.	Color	Blade Type	Handle Material	Handle Length	Unit	Price
1	UNG-GS300	Black	12" Rubber	Brass	41⁄2"	EA	
2	UNG-GS450	Black	18" Rubber	Brass	41⁄2"	EA	

Bro Stainless Steel Squeegee Lighter weight yet stronger than brass. Cleans any smooth, flat surface. Fast-lock rubber grip handle, channel and rubber blade. For Use With: Opti-Loc Extension Poles (UNGEX250 or UNGED550), both sold separately.

ID	No.	Color	Blade Type	Handle Material	Unit P	rice		
3	UNG-PR300	Black	12" Rubber	Stainless Steel	EA			
4	UNG-PR350	Black	14" Rubber	Stainless Steel	EA			
5	UNG-PR400	Black	16" Rubber	Stainless Steel	EA			
6	UNG-PR45	Black	18" Rubber	Stainless Steel	EA			
	Squeegee Handle							
7	UNG-PR00	Black		Stainless Steel	EA			

 Stainless Steel "S" Channel with Soft Rubber Lighter weight yet stronger than brass. Channel, and rubber blade. For Use With: Unger® Pro Stainless Steel Handle; Unger® ErgoTec® Handle; Unger® ErgoTec® XL Handle; Unger® ErgoTec® SwivelLoc Handle 0 Degrees; Unger® ErgoTec® SwivelLoc Handle 30 Degrees.

ID	No.	Color	Blade Type	Unit	Price				
8	UNG-NE30	Black	12" Rubber	EA					
9	UNG-NE35	Black	14" Rubber	EA					
10	UNG-NE40•	Black	16" Rubber	EA					

D ErgoTec[®] Replacement Squeegee Blades High-quality rubber blades reinvigorate your ErgoTec[™] Squeegee (sold separately). Precisely sized. Easy to install. For Use With: Unger[®] Window Squeegees.

No.	Color	Blade Type	Unit	Price
Straight				
UNG-RT30	Black	12" Rubber	PK	
UNG-RT35	Black	14" Rubber	PK	
UNG-RT45	Black	18" Rubber	PK	
	Straight UNG-RT30 UNG-RT35	Straight UNG-RT30 Black UNG-RT35 Black	Straight UNG-RT30 Black 12" Rubber UNG-RT35 Black 14" Rubber	Straight UNG-RT30 Black 12" Rubber PK UNG-RT35 Black 14" Rubber PK







Pro Window Cleaning Kit For professional results! Includes: 8-ft.
 Opti-Loc Extension Pole (two-section extension pole), 18" Original Strip
Washer (synthetic deep pile scrubber), Pro Stainless Steel Squeegee
Handle, 14" and 18" Pro Stainless Steel Channels with Rubber Blades
(one blade for each channel), large sponge (8-½ × 2-¾ × 3-⅓), and one
Pro Trim 10 scraper with double edged blade.

ID	No.	Blade Type	Handle Material	Handle Length	Unit	Price
1	UNG-PWK00	Rubber;	Stainless Steel	8 ft	KT	

(3) TelePlus Modular Telescopic Extension Pole System Modular telescopic extension pole system keeps you safe on the ground with ladders. Six-foot-long sections can be added or removed to extend pole from 6 ft to 30 ft. Locking mechanisms secure pole at desired length. Provides safe and easy cleaning of hard-to-reach and high access areas. ErgoTec locking cone keeps cleaning and maintenance tools secure on pole.

ID	No.	Length	Color	Unit	Price
2	UNG-TF900	30 ft	Silver	EA	

(c) Tran-Set Cleaning Kit Everything needed to clean walls, windows and ceilings in an organized vinyl nylon carrying case. Kit includes 8-ft. extension pole; 14-in. strip washer; large sponge; PRO squeegee handle; 6-in., 12-in. and 18-in. "S" channels with rubber blades; 36-in. soft replacement squeegee rubber; ProTrim 10 Scraper; Safety Scraper with blade; FIXI-Clamp; Handi-Brush; cleaning instructions. Manufacturer's one-year warranty.

ID	No.	Number of Pieces	Unit	Price
3	UNG-TRS0•	13	KT	

Opti-Loc Extension Pole Anodized, extruded drawn aluminum pole with nylon locking collar. Snap-in threaded locking cone makes it easy to add and remove tools, even when wet. Accepts tools with tapered or threaded sockets. Ergonomically designed nylon handle grip for comfort. Sectioned for convenient carrying and storage.

ID No.	Length	Color	Unit	Price
4 UNG-EZ120	4 ft	Green/Silver	EA	
5 UNG-EZ250	8 ft	Green/Silver	EA	
6 UNG-EZ400	13 ft	Green/Silver	EA	
7 UNG-ED450•	14 ft	Green/Silver	EA	
8 UNG-ED550	18 ft	Green/Silver	EA	
9 UNG-ED600	20 ft	Green/Silver	EA	
10 UNG-ED750• 🍱	24 ft	Green/Silver	EA	
11 UNG-ED900 🗔	30 ft	Green/Silver	EA	

 Pro Bucket Heavy duty bucket holds over six gallons with 18' t-bar. Ergonomic handle and large footprint increase stability and prevent spills. Includes measuring units and rounded pour spouts for easy emptying. Manufacturer's one-year warranty.

ID No.	Size	Color	Unit Price
12 UNG-QB220	25" × 11¾" × 11"	Green	EA















SpeedClean™ Window Cleaning Kit Complete indoor cleaning system provides drip-free window cleaning. Allows for convenient cleaning in high, hard to reach spots. No spills or drips on furniture or rugs—clean windows without the mess. Kit includes 8" aluminum pad holder, 8" microfiber washing pad, 8" microfiber cleaning pad, HiFlo™ thread adapter, and 6 ft. OptiLoc™ three-section telescopic pole.

ID	No.	Length	Color	Unit	Price
1	UNG-CK053	80"	Silver/Green	KT	

(3) Visa Versa™ Squeegee A strip washer and squeegee in one. Just wash, flip over and squeegee using hand or pole. Quick-spring release accepts both Pro[®] and "S" channels (not incl). Heads can be offset to clean over ledges.

ID	No.	Color	Blade Type	Unit	Price
2	UNG-VP25	Black	10" Rubber	EA	
3	UNG-VP350	Green	14" Rubber	EA	
4	UNG-VP450	Green	18" Rubber	EA	

Original Strip Washer® Strip washer has an innovative T-shaped handle, with water wells that release water through the strip as needed. Plush, woven synthetic fabric is simultaneously gentle and strong, tackling tough everyday tasks. Excellent for cleaning windows and screens, as well as dusting.

	J				
ID	No.	Color	Blade Type	Unit	Price
	Straight				
5	UNG-WC250•	Green	10"	EA	
6	UNG-WC350	Green	14"	EA	
7	UNG-WC450	Green	18"	EA	

D Original Strip Washer® Sleeve Sturdy replacement sleeve is

machine washable.							
ID No.	Color	Blade Type	Unit	Price			
8 UNG-WS250	White	10"	EA				
9 UNG-WS350	White	14"	EA				
10 UNG-WS450	White	18"	EA				

boardwalk.

General-Duty Squeegee Ideal for windows. 8" synthetic sponge head covered in nylon mesh for durability and abrasive scrubbing.

ID	No.	Color	Blade Type	Handle Material	Handle Length	Unit	Price
	Straight Handle						
11	BWK-816	Black	8" Rubber; Synthetic Sponge	Plastic	16"	EA	
12	BWK-824	Black/Red	8" Rubber; Synthetic Sponge	Metal	21"	EA	

STORAGE CABINETS

SHELVING

LOCKERS

HAND & PLATFORM TRUCKS

> SERVICE & UTILITY CARTS

TRANSPORT TRUCKS

STORAGE & MATERIAL HANDLING

GUIDE FIND THE TRUCK YOU NEED!

Truck Type	Features and Benefits	
Cube Trucks	Use these durable and versatile trucks for a variety of bulky, load-carrying tasks including waste collection, material transport and laundry handling. Available in four capacities. Find these on page 478.	
Tilt Trucks	These trucks maximize maneuverability and make it easy to dump contents. Ideal for handling bulky materials and loads that are medium to heavyweight. Insert wheels and the overall profile helps protect surroundings. Consider your need for the lid option. Find these on page 478-479.	
Platform Trucks	Accommodate loads of varying shapes and sizes aboard a high-capacity platform truck. Depending on what you're moving, you'll want to look at support—more when you're loading multiple, hard-to-balance items—less when loads are more well-balanced. Some platform trucks offer work-height surfaces. Find these on pages 469-470.	000
Hand Trucks	Carry a surprisingly heavy load with ease and agility with a two-wheeled hand truck. Buy a model that's dedicated to this role, or combine functionality with a convertible truck that switches from a two-wheeled configuration to a four-wheeled platform. Find these on pages 468-469.	
Convertible Trucks	Change configurations to use one truck for multiple applications. Some versions combine removable shelving with a more open platform truck option. Others provide support alternatives that adjust to the loads you're transporting. Find these on page 471.	

HAND TRUCKS









468

(▲) Hide-Away[®] Aluminum Hand Truck Lightweight aluminum frame with a collapsible handle and fold-up steel toeplate fits easily in car or closet. Mobile on 6" diameter rubber tires on steel hub.

					Shpg.		
ID	No.	Capacity	Folded Size	Toe Plate Size	Wt.	Unit	Price
1	SAF-4061 *	2-Wheel Capacity: 250 lbs	15.5 × 8 × 28.75	9 × 14	19 lbs.	EA	

★ GREENGUARD Certified. Overall Dimensions: 15.5 × 16.5 × 43.5.

③ Stow-Away[®] Collapsible Hand Truck Lightweight aluminum frame. Folds flat for compact storage. Features telescoping handle, retractable wheels and fold-up toeplate. Solid rubber tires. ☑

					Shpg.		
ID	No.	Capacity	Folded Size	Toe Plate Size	Wt.	Unit	Price
	Medium Size						
2	SAF-4062 ≭	275 lbs	$19\times2.75\times28.75$	11 × 19	12 lbs.	EA	
	Heavy-Duty						
3	SAF-4055NC• ≭	500 lbs	$23 \times 3 \times 39.5$	15 × 23	26 lbs.	EA	
	* GREENGUARD	Certified.					
	SAF-4062—0ve	rall Dimensio	ns: 19 × 17.75 × 38.75	ī.			
	SAF-4055NC-0	Overall Dimen	sions: 23 × 24 × 50.				

(c) Tuff Truck[™] Economy Hand Truck P-Loop handle for easy maneuvering. Heavy-gauge tubular steel frame with welded joints for extra strength. 😢 💋

ID <u>No.</u>	Capacity	Toe Plate	Caster/Wheel Type	Shpg. Wt.	Unit	Price
4 SAF-4071 \star	400 lbs	14 × 7	(2) 8" Solid Rubber Ball Bearing Wheels	21 lbs.	EA	

★ GREENGUARD Certified. Overall Dimensions: 16 × 16.25 × 51.5.

D Two-Way Convertible Hand Truck Converts from two-wheel hand truck to four-wheel platform truck (two swivel casters). Power Grasp Handle[™] grip with Therasoft Comfort treads. Welded steel construction designed for the toughest industrial environments. Coster/Wheel Shna.

ID	No.	Capacity	Toe Plate	Caster/Wheel Type	Shpg. Wt.	Unit	Price
5	SAF-4086R *	2-Wheel Capacity: 500 lbs; 4-Wheel Capacity: 600 lbs	14 × 8	(2) 4" Casters; (2) 10" Wheels	45 lbs.	EA	

* GREENGUARD Certified. Overall Dimensions: 18 × 16 x 51.

E Two-Wheel Steel Hand Truck Steel stair glides. Continuous handle truck. S

ID	No.	Capacity	Toe Plate	Caster/Wheel Type	Shpg. Wt.	Unit	Price
6	Loop Handle SAF-4084R• ★	500 lbs	14 × 8	(2) 10" Solid Rubber Wheels	36 lbs.	EA	
		0	# D'	10 17			

★ GREENGUARD Certified. Overall Dimensions: 18 × 16 x 47.

Stow & Go[™] Cart Lightweight aluminum frame folds down to the size of a briefcase, fitting under car seats and airplane overhead compartments. Features telescoping handle, retractable wheels and fold-up toeplate. Ships fully assembled.

ID	No.	Capacity	Folded Size	Toe Plate Size	Shpg. Wt.	Unit	Price
7	SAF-4049 ≭	110 lbs	$15.25\times2.5\times25$	15.25 × 11	8 lbs.	EA	
		Cartificant Ourse		10.05			

★ GREENGUARD Certified. Overall Dimensions: 15.75 × 16.25 × 39.5.

G HideAway[®] Convertible Truck Folding collapsible hand truck and platform truck all in one. Aluminum platform extends more than 50%. Extendable steel handles. Features two 6" solid rubber wheels and two 3" solid rubber casters. ☆ 2

				Caster/Wheel	Shpg.		
ID	No.	Platform Size	Capacity	Туре	Wt.	Unit	Price
8	SAF-4050 *	15.5 × 43 × 36	2-Wheel Capacity: 250 lbs; 4-Wheel Capacity: 400 lbs	(2) 3" Casters; (2) 6" Wheels	22 lbs.	EA	
	* GREENGUARI	Certified					

20-FA-CU-RNL



(2) 2-in-1 Multi-Position Hand Truck and Cart Whether you are moving boxes or unloading the car; simply unfold and let this lightweight hand truck do all your heavy lifting. Easily converts from its flat storage position to a two-wheel upright hand truck or four-wheel cart with no pins or tools. The flat folding design makes it easy to store in a closet, the garage, or even the trunk of your car. 300 lbs weight capacity. Manufacturer's limited five-year warranty.

				Toe Plate	Shpg.		
ID	No.	Capacity	Folded Size	Size	Wt.	Unit	Price
1	CSC-12222PBG1E *	300 lbs	16 imes 4.25 imes 13.75	12.5 × 6.25	18 lbs.	EA	
2	CSC-12222BG01E *	300 lbs	16 × 4.25 × 13.75	14.5×6.25	18 lbs.	EA	

★ Overall Dimensions: 16.63 × 12.75 × 49.25.



B Utility Duty Home and Office Cart Trolley efficiently transports large bulky loads and then folds flat for easy storage. It has a sturdy structural foam deck that won't rust, dent, chip, or peel. The 3-position handle allows the user to push, pull, or fold flat for use as a dolly. Tough plastic construction is easy on walls and doors. The 3-inch casters are non-marking. Manufacturer's limited one-year warranty. ☑

ID No.	Platform Size	Capacity	Caster/ Wheel Type	Shpg. Wt.	Unit	Price
3 RCP-440000	20.5 × 32.5	250 lbs	(4) 3" Non- Marking Casters; (2) Swivel	21 lbs.	EA	

() Triple Trolley Efficiently transports large bulky loads and then folds flat for easy storage. The trolley has a sturdy structural foam deck that won't rust-, dent, chip-resistant. The 3-position handle allows the user to push, pull, or fold flat for use as a dolly. Tough plastic construction is easy on walls and doors. The 5-inch casters are non-marking. Manufacturer's limited one-year warranty.

ID	No.	Color	$W \times D \times H$	Capacity	Shpg. Wt.	Unit	Price
	Standard Duty	With User-Friendly	Handle				
4	RCP-4401 BLA	Black	$20.5"\times32.5"\times7"$	500 lbs	46 lbs.	EA	

\land A D VA N T U S

D Multi-Cart® 8-in-1 Cart Has the ability to unfold into eight different configurations! Cuts moving time and effort by 50%. Can be made into a furniture dolly, two-wheel hand truck, storage/transport caddy, platform cart or a hi-stacker.

ID No.	Expanded Size	Capacity	Caster/ Wheel Type	Shpg. Wt.	Unit	Price
5 AVT-86201	33.25 × 17.25 × 42.5	500 lbs	(2) 8" No- Flat Trac Rear Wheels (2) 4" Swivel Front Casters	26 lbs. ;	EA	



20-FA-CU-RNU

		5		Caster/	Shpa.		
ID	No.	Platform Size	Capacity	Wheel Type	1.2	Unit	Price
6	SAF-4077• ≭	18.5 × 28.5 × 32	700 lbs	(4) Rubber Casters (2 Swivel)	25 lbs.	EA	
7	SAF-4078 ≭	24 × 34 × 36	900 lbs	(4) Rubber Casters (2 Swivel)	41 lbs.	EA	

* GREENGUARD Certified.









PLATFORM TRUCKS







A Heavy-Duty Platform Truck Constructed from Duramold resin and metal composite for durability and strength. The hand truck has a 500-pound capacity. The panel truck features molded-in tie-down slots and a textured surface to keep loads secure during transport. The hand truck has 2 fixed casters and 2 swivel casters to improve maneuverability.

ID	No.	Platform Size	Capacity	Caster/ Wheel Type	Shpg. Wt.	Unit	Price
1	RCP-4403 BLA•	24 × 36	500 lbs	(4) Casters (2 Swivel)	59 lbs.	EA	
2	RCP-4436-10 BLA•	24 × 48	1,200 lbs	(4) Casters (2 Swivel)	76 lbs.	EA	
3	RCP-443600BK	24 × 48	2,000 lbs	(4) 8" Casters (2 Swivel)	73 lbs.	EA	

Blatform Truck Features durable structural foam construction that will not rust, dent, chip, peel, or splinter. Manufacturer's limited oneyear warranty.

ID No.	Platform Size	Capacity	Caster/Wheel Type	Shpg. Wt.	Unit	Price
Ergonomic Bent-	Bar Handle					
4 RCP-4441 BLA•	24 × 48 × 7	2,000 lbs	(2) 5" TPR Fixed-Position Casters; (2) 5" TPR Swivel Casters	76 lbs.	EA	
5 RCP-4471 BLA•	30 × 60 × 7	2,500 lbs	(2) 5" TPR Fixed-Position Casters; (2) 5" TPR Swive Casters	101 lbs	.EA	

SAFCO

C Stow-Away[®] 1000 lb Platform Truck Features lightweight, aluminum frame and decking. Handle unfolds to 40" working height; when folded, truck collapses to only 16" high for compact storage. Quick-release mechanism to unfold handle. 7" diameter solid rubber tires for easy transportation. Rated up to 1000 lbs. 😒 💋

ID	No.	Platform Size	Capacity	Caster/ Wheel Type	Shpg. Wt.	Unit	Price
6	SAF-4053NC *	$24\times39\times40$	1,000 lbs	(4) 7" Rubber Casters	42 lbs.	EA	

* GREENGUARD Certified.



DON'T SEE IT HERE ? We have what you need.





Rubbermaid ©

(1) Trades Cart Moves productivity right to the work site with a total tool storage and mobile workbench system. The portable tool cart has a flat surface at a user-friendly height which provides a stable work area. Four compartmentalized boxes store assorted parts and hardware. Two storage bins hold essential hand tools and supplies. Rolling tool cart moves easily over hard surfaces, through elevators and doorways. Manufacturer's limited one-year warranty.

ID	No.	Color	$W\timesD\timesH$	Capacity	Shpg. Wt.	Unit	Price
4		-	Storage Compartme			5.4	
1	RCP-6180-88 BLA•	Black	19.25" × 38" × 33.38"	330 lbs	64 lbs.	EA	

Two-Shelf Trades Cart Moves productivity right to the work site with a total tool storage and mobile workbench system. The wheel cart has a flat surface at a user-friendly height that provides a stable work area. Four compartmentalized boxes store assorted parts and hardware. Two storage bins hold essential hand tools and supplies. The rolling utility cart moves easily over hard surfaces, through elevators and doorways. Two 6" swivel casters. Manufacturer's limited one-year warranty.

ID	No.	Finish	$W \times D \times H$	Shpg. Wt.	Unit	Price
2	RCP-618000BLA•	Black	19.25" × 38" × 33.38"	52 lbs.	EA	

G Five-Drawer Mobile Workcenter Mobile work center with five drawers provides a mobile work station for up to 250 lbs. Manufacturer's limited one-year warranty.

ID	No.	$W \times D \times H$	Unit	Price
3	RCP-7734-88°	32½" × 20" × 33½"	EA	

D Convertible Utility Cart Versatile, durable cart is able to perform a wide variety of tasks. This rolling utility cart features easy-to-clean smooth surfaces, swivel castors for easy mobility, and user-friendly easy-to-grip handles. Four 5" swivel casters (2 rear locking). Manufacturer's limited one-year warranty. ⊠

				Shpg.		
ID	No.	Finish	$W \times D \times H$	Wt.	Unit	Price
4	RCP-430000BK	Black	23.88" × 45.13" × 34.38"	58 lbs.	EA	

■ Heavy Duty Adaptable Utility Cart Provides superior versatility for tackling whatever task is at hand. Crafted of structural foam, this rolling service and utility cart can support up to 250 lb per shelf while reducing the need for time-consuming user modifications Features a variety of integrated features including an ergonomic adjustable handle with four positions for maximum comfort, a flip-up shelf, a slotted rim for small tool storage, two snap-in hooks for wrapping extension cords and locking casters to keep the cart stable during use. Four casters (2 locking).

				Shpg.		
ID	No.	Finish	$W \times D \times H$	Wt.	Unit	Price
5	RCP-1997206•	Black	17.8" × 46.2" × 36"	37 lbs.	EA	
6	RCP-1997208•	Black	25.2" × 51.5" × 36"	49 lbs.	EA	

UTILITY CARTS & BINS













 Heavy-Duty Utility Cart Perfect for transporting materials, supplies, and heavy loads in almost any environment. Ergonomically-designed push handle provides optimum hand placement and push height, improving control and worker safety. Molded-in storage compartments, holsters, hooks, and notches for ideal storage. The rolling utility cart features molded-in customizable fittings. High-density structural resin construction. Easy-access bottom shelf. Best-in-class casters to meet the most demanding environments. Manufacturer's limited one-year warranty.

					Snpg.		
ID	No.	Color	$W \times D \times H$	Capacity	Wt.	Unit	Price
1	RCP-450088BK 🔀	Black	17.13" × 38.5" × 38.88"	500 lbs	30 lbs.	EA	
2	RCP-452088BK 🔀	Black	25.9" × 45.2" × 32.2"	500 lbs	38 lbs.	EA	
3	RCP-450088BG 🔀	Beige	17.13" × 38.5" × 38.88"	500 lbs	42 lbs.	EA	
4	RCP-452088BG 🔀	Beige	25.9" × 45.2" × 32.2"	500 lbs	38 lbs.	EA	
	Lipped Shelf						
5	RCP-4520-10 BLA•	Black	25.88" × 45.25" × 37.13"	500 lbs	66 lbs.	EA	
	Flat Shelf—5-inch TF	PR casters					
6	RCP-4545 BLA•	Black	25.25" × 54" × 36"	500 lbs	53 lbs.	EA	
	Lipped Shelf-5-inch	n TPR cast	ers.				
7	RCP-4546 BLA•	Black	26" × 55" × 33.25"	750 lbs	53 lbs.	EA	
	Lipped Shelf-8-inch	n pneumat	ic casters.				
8	RCP-4546-10 BLA 🗔	Black	25.25" × 54" × 39.25"	750 lbs	72 lbs.	EA	

Flat Shelf Utility Cart Perfect for transporting materials, supplies, and heavy loads in almost any environment. Ergonomically-designed push handle provides optimum hand placement and push height, improving control and worker safety. Molded-in storage compartments, holsters, hooks, and notches for ideal storage. The rolling utility cart features molded-in customizable fittings. High-density structural resin construction. Easy-access bottom shelf. Best-in-class casters to meet the most demanding environments. Two 5" swivel non-marking casters. Manufacturer's limited one-year warranty.

				Snpg.		
ID	No.	Finish	$W \times D \times H$	Wt.	Unit	Price
9	RCP-452500BK	Black	25.25" × 44" × 38.13"	42 lbs.	EA	
10	RCP-450500BK	Black	19.19" × 37.88" × 33.33"	27 lbs.	EA	
11	RCP-452500BG	Beige	25.25" × 44" × 38.13"	38 lbs.	EA	
12	RCP-450500BG•	Beige	19.2" × 37.88" × 33.33"	31 lbs.	EA	

(c) Service/Utility Carts Quiet, lightweight and easy to maneuver cart. Two large trays hold items to be transported. 300 lb. capacity. Molded-in handle with handy storage compartments. 5" non-marking swivel casters. Four 5" non-marking casters. Manufacturer's limited one-year warranty.

			Shpg.	
ID No.	Finish	$W \times D \times H$	Wt. Unit	Price
13 RCP-9T6600BLA	Black	34.13" × 17.38" × 32.38"	31 lbs. EA	
14 RCP-9T6700BLA	Black	$24" \times 40" \times 31.25"$	43 lbs. EA	

Utility Cart A versatile, durable cart able to perform a wide variety of tasks. This rolling utility cart features easy-to-clean smooth surfaces, swivel casters for easy mobility, and user-friendly easy to grip handles. Side panels conceal and contain cargo. Manufacturer's limited one-year warranty.

		Snpg.
ID No.	Color $W \times D \times H$	Capacity Wt. Unit Price
15 RCP-3355-88 PLA•	Platinum 32" × 18" × 37.5"	300 lbs 34 lbs. EA

Open Sided Utility Cart Functions in front and back of house applications. Four casters. Manufacturer's limited one-year warranty.

			Shpg.		
No.	Finish	$W \times D \times H$	Wt.	Unit	Price
RCP-409100BLA	Black	40.63" × 20" × 37.81"	40 lbs.	EA	
RCP-409600BLA•	Black	40.63" × 20" × 51"	53 lbs.	EA	
RCP-409100CM	Off-White	40.63" × 20" × 37.81"	44 lbs.	EA	
	RCP-409100BLA RCP-409600BLA•	RCP-409100BLA Black RCP-409600BLA• Black	RCP-409100BLA Black 40.63" × 20" × 37.81" RCP-409600BLA• Black 40.63" × 20" × 51"	No. Finish W × D × H Wt. RCP-409100BLA Black 40.63" × 20" × 37.81" 40 lbs. RCP-409600BLA• Black 40.63" × 20" × 51" 53 lbs.	No. Finish W × D × H Wt. Unit RCP-409100BLA Black 40.63" × 20" × 37.81" 40 lbs. EA RCP-409600BLA• Black 40.63" × 20" × 51" 53 lbs. EA

 Utility Bin Capacity-maximizing design provides plenty of storage space. Molded-in top handle and bottom grip deliver hassle-free portability. Smooth, easy-to-clean surface simplifies maintaining workstation neatness.
 <u>No.</u> Compartments Color W × D × H Qty. Unit Price

4 Gal				
19 RCP-3354-88 BLA	1	Black	17" × 121⁄%" × 101⁄2"1	EA

 Optional Utility Cart Refuse/Utility Bin Easy-to-integrate refuse/utility bin enhances your ability to multitask with your cart. Convenient top handles and bottom grip simplify emptying tasks. Smooth surfaces help streamline post-use cleaning. Manufacturer's limited one-year warranty.

 ID
 No.
 Color
 Capacity
 W × D × H
 Unit
 Price

 20
 RCP-3353-88 BLA
 Black
 8 gal
 17" × 12" × 22"
 EA





A Three-Shelf Service Cart Versatile; for audio/video, filing, food service. Shelves feature 1/4" lip on three sides and one flat side for easy loading. Brushed aluminum uprights, dual molded handles. Four 4" non-marking swivel casters. Manufacturer's limited one-year warranty.

				Shpg.		
ID	No.	Finish	$W \times D \times H$	Wt.	Unit	Price
1	RCP-3424-88 BLA	Black	18.63" × 33.63" × 37.75"	30 lbs.	EA	
2	RCP-342488PM	Platinum	18.63" × 33.63" × 37.75"	30 lbs.	EA	
	Open Ends					
3	RCP-3424-88 OWH	Off-White	18.63" × 33.63" × 37.75"	30 lbs.	EA	
4	RCP-3424-88 RED	Red	18.63" × 33.63" × 37.75"	30 lbs.	EA	

Executive Service Cart The cart brings the utmost in style, durability, and functionality to its users. This utility cart provides 20% more top-shelf capacity than previous Rubbermaid utility carts and accommodates two RCP bus boxes (sold separately). The sleek, contemporary styling is ideal for front or back of house applications. The rolling utility cart has wrap-around end panels and solid base bumper. Smooth surface is easier to clean and maintain. This plastic utility cart offers simple assembly with a soft mallet; all-plastic construction with easy snap-and-lock assembly. Manufacturer's limited one-year warranty. 🔀

				Shpg.		
ID	No.	Finish	$W \times D$	Wt.	Unit	Price
5	RCP-9T6800BK	Black	20.33" × 38.9"	38 lbs.	EA	

C Three-Shelf Service Cart with Brushed Aluminum Uprights Ideal for office use. Shelves have one flat side for easy loading; lip

on three sides. Easy to assemble. 3" swivel casters. Manufacturer's limited one-year warranty. 🔀

				Shpg.		
ID	No.	Finish	$W \times D \times H$	Wt.	Unit	Price
6	RCP-9T6571BG	Beige	16.25" × 31.5" × 36"	36 lbs.	EA	

D Xtra[™] Equipment Cart For use in hospitals, health care centers, labs and hotels/motels. Sized to carry large loads. Rounded corners won't damage walls. Manufacturer's limited one-year warranty.

			Shpg.				
ID	No.	Color	$W \times D \times H$	Capacity	Wt.	Unit	Price
7	RCP-4095 BLA•	Black	$20.75"\times 40.63"\times 37.8"$	300 lbs	52 lbs.	EA	

E Xtra[™] Utility Cart Ideal for providing table service or similar tasks. With three shelves and an enclosed design, it is easy to create nice displays for customers. Each shelf has a 100-lb. capacity, while 4-inch swivel casters make it easy to maneuver. Manufacturer's limited one-year warranty.

					Snpg.		
ID	No.	Color	$W \times D \times H$	Capacity	Wt.	Unit	Price
Enclosed On Three Sides							
8	RCP-4093 BLA	Black	20" × 40.63" × 37.8"	300 lbs	52 lbs.	EA	
9	RCP-4093 CRE•	Off-White	20" × 40.63" × 37.8"	300 lbs	52 lbs.	EA	

B Xtra[™] Instrument Cart A rolling utility cart with two shelves, a lockable cabinet and a sliding drawer. Constructed from durable plastic, the wheel cart has sturdy swivel casters for smooth movement, and raised arms on either side for added maneuverability. The sliding drawer provides added space for instruments with easy access. Manufacturer's limited one-year warranty.

ID No.	Color	$W \times D \times H$	Capacity	Shpg. Wt.	Unit	Price			
Locking Storage Compartment									
10 RCP-4094 GRA	Gray	$20'' \times 40.63'' \times 37.8''$	300 lbs	55 lbs.	EA				
Also Consider:									
ID No.		Description		Qty.	Unit	Price			

ID	No.	Description	Qty.	Unit	Price
11	SGS-FG4094L1BLA	2 Door Kit with Lock	1	EA	



G Utility Cart with Locking Doors The all-plastic construction make this wheel cart durable and easy to maintain. Like many Rubbermaid utility carts, this unit features easy to grip handles for simple maneuverability. A 200-pound weight limit makes it ideal for many applications. Lockable doors provide security when needed, while side and back panels on this rolling utility cart conceal contents. A sliding drawer easily stores smaller items. Four 4" non-marking swivel casters. Manufacturer's limited one-year warranty. 🔀

ID No.	Finish	$W \times D \times H$	Wt.	Unit	Price
12 RCP-345700BLA	Black	33.63" × 18.63" × 37.75"	45 lbs.	EA	

473

Shna

SERVICE CARTS





(A) 3-in-1 Cart and Stand Clever all-in-one design can be used as a utility cart, monitor stand, and/or printer cart. Includes 3 shelves, stacking columns, drawer and casters which can be configured any way you need such as a 2 or 3-tier cart and/or a single or double-shelf stand. Accommodates printers up to 75lbs. Four casters (2 locking); Four padded glides. Manufacturer's limited five-year warranty. 🔀

ID	No.	Finish	$W \times D \times H$	Shpg. Wt.	Unit	Price
1	ALE-U3N1BL•	Black/Gray	$21.63'' \times 13.75'' \times 24.75''$	14 lbs.	EA	

SAFCO

B conomy Mobile Computer/Projector Stand Locking cabinet for secure equipment storage. Scratch-resistant melamine finish. Ideal for projectors and laptops. Tilting, 18¼ w × 19¾ d projector shelf adjusts in 1" increments from 20" to 29" high and also features containment ridge. Removable 12" w × 17" d document shelf can be used on either side. Locking cabinet measures 18¼ w × 185% d × 14¾ th. Open compartment below adjustable shelf for storage. Four casters (two locking). Manufacturer's limited lifetime warranty. ⊠

	No.	Finish	$W \times D \times H$	Shpg. Wt.	Unit	Price
2	SAF-8927BL•	Black	$19.5"\times20.5"\times30"$	49 lbs.	EA	

© Scoot[™] Book Cart Perfect for use in libraries, schools or any work area with a large collection of books. All-steel construction with unique hole pattern design is accented by tubular steel legs. Oversized casters for easy maneuverability. Black powder coat finish for durability. Four oversized casters. Manufacturer's limited lifetime warranty. 🔀 💋

				Shpg.		
	No.	Finish	$W \times D \times H$	Wt.	Unit	Price
			ep slanted shelves on each Includes a height-adjustabl			
3	SAF-5335BL 苯	Black	41.25" × 17.75" × 41.25"	73 lbs.	EA	
	Single Sided Cart	—Three 12½" (deep slanted shelves. 12¼" :	space bet	ween sh	elves.
4	SAF-5336BL ≭	Black	$33" \times 14.25" \times 44.25"$	60 lbs.	EA	

CONTACT US!

We have what you need.

* GREENGUARD Certified

DON'T SEE

IT HERE?





Adjustable Multi-Use Storage Cart and Stand-Up Workstation

Heavy-duty, metal construction with a removable MDF top tray. Center two baskets are adjustable in height. Can be configured with four bins as a standing laptop station, three bins for deskside storage, or two bins for underdesk use. Rolls smoothly on four casters, two locking.

ID	No.	Finish	$W\timesD\timesH$	Shpg. Wt.	Unit	Price
1	VRT-VF51025•	Gray	16.25" × 11.75" × 39"	24 lbs.	EA	



Steel Book Cart Mobilize your books, magazines or research collections. Sturdy steel all welded construction with four casters (two locking) for easy mobility. No assembly required. Manufacturer's limited lifetime warranty.

				Shpg.		
	No.	Finish	$W \times D \times H$	Wt.	Unit	Price
	Double Sided Book Ca	rt—Six shelve	es.			
2	SAF-5357SA•	Sand	36" × 18.5" × 43.5"	68 lbs.	EA	
	Single Sided Book Car	t—Three she	lves.			
3	SAF-5358SA	Sand	36" × 14.5" × 43.5"	46 lbs.	EA	

C Adjustable-Height Steel AV Cart Powder coated steel cart (for durability) holds up to a 20" monitor. Three 24 × 18" shelves, plus six-outlet UL approved mini-surge protector with power switch. Adjustable in 2" increments from 28½" to 36½" high. Ideal for media equipment. Four 4" casters (2 locking). Manufacturer's limited lifetime warranty. S □

		-		Shpg.		
	No.	Finish	$W \times D \times H$	Wt.	Unit	Price
4	SAF-8932BL• ≭	Black	$27.25"\times 18.25"\times 36.5"$	58 lbs.	EA	

* GREENGUARD Certified; UL Approved.



D Three-Shelf Wire Cart with Liners Three adjustable shelves with pull handle. Includes three shelf liners, four 35" poles and four 3" casters (two locking). Shelves adjust in 1" increments. 500 lbs. total weight capacity on casters. Easy to assemble — no tools required. Manufacturer's limited five-year warranty.

ID	No.	Finish	$W \times D \times H$	Shpg. Wt.	Unit	Price
5	ALE-SW322416SR ≭	Silver	28.5" × 16" × 39"	24 lbs.	EA	
6	ALE-SW333018SR ≭	Silver	$34.5"\times18"\times40"$	27 lbs.	EA	

★ Meets or Exceeds ANSI/BIFMA Standards.

Cart with Basket Sturdy and solid wire cart for mobile shelving needs. Includes four 4" casters (two locking). Black Anthracite finish for wet and dry usages. Shelves and baskets adjust in 1" increments. 500 lbs. total weight capacity. Easy to assemble — no tools required. Manufacturer's limited five-year warranty. Statement and the statement of the stateme

				Shpg.			
	No.	Finish	$W\timesD\timesH$	Wt.	Unit	Price	
	Four 4" Casters—Two wire shelves, one wire basket, three shelf liners,						
	four 35" poles and one pull handle.						
7	ALE-SW543018BA 苯	Black	$34" \times 18" \times 40"$	41 lbs.	EA		
		Anthracite					
	Four 3" Casters—Two v	wire shelves,	one wire basket, four p	oles and o	ne		
	pull handle.						
8	ALE-SW342416BA 苯	Black	28" × 16" × 39"	26 lbs.	EA		
		Anthracite					

★ Meets or Exceeds ANSI/BIFMA Standards.



SERVICE CARTS





SAFCO

A Hospitality Service Cart Greet guests and employees with hospitality. Drop leaf design extends serving area while the locking double door cabinet contains a height-adjustable interior shelf for storage of hospitality supplies. Spacious drawer organizes silverware, napkins and smaller items. Four casters (2 locking). Manufacturer's limited lifetime warranty. 🛄 🔀 🖾 💋

	No.	Finish	$W \times D \times H$	Shpg. Wt.	Unit	Price
1	SAF-8962MH• *	Mahogany	32.5" to 56.25" × 20.5" × 38.75"	143 lbs.	EA	

Contains 80% total recycled content.

B Mobile Beverage Cart Suitable for lobbies, meeting spaces, breakrooms and conference rooms. Melamine top features 11/2" high wire rails to help prevent accidental spills. Locking cabinet features one adjustable, 29° w × $16\frac{1}{2}^{\circ}$ d steel shelf. $8\frac{3}{4}^{\circ}$ high open storage area. Mobile on four 3½" casters (two locking). 🗔 🔀

				Shpg.		
	No.	Finish	$W \times D \times H$	Wt.	Unit	Price
2	SAF-8964BL•	Black	33.5" × 21.75" × 43"	91 lbs.	EA	

 Mobile Refreshment Center Compact, yet offers ample storage for your day-to-day breakroom supplies and meeting spaces. Refreshment center features ¾" wood laminate construction and double-door design with a fixed interior shelf. Heat-resistant countertop has a 11/4" raised lip to contain spills. Four 2" casters (2 locking). Manufacturer's limited lifetime warranty. 🔀 🖼 💋

	No.	Finish	$W \times D \times H$	Shpg. Wt.	Unit	Price
3	SAF-8953MH• *	Mahogany	23" × 18" × 31"	78 lbs.	EA	

* Contains 80% total recycled content.

Vertev

Mobile Deluxe Coffee Bar Functional unit ideal for use in coffee service areas. Complete with pull-out drawer and double-door storage area for coffee making and service accessories. Top has raised lip to prevent spills. Set on four casters for easy mobility; two locking. 🔀

ID	No.	Finish	$W \times D \times H$	Shpg. Wt.	Unit	Price
4	VRT-VF96033•	Cherry	23" × 19" × 30.75"	68 lbs.	EA	

E Refreshment Stand Big enough to accommodate a microwave or coffee maker, as well as your kitchen supplies. Double silver steel doors each have three built-in shelves for frequently used items. Internal shelving can accommodate larger items. Finished in stain- and scratch-resistant laminate. Glides. Manufacturer's limited 90-day warranty. 🗔 🔀

				Shpg.		
ID	No.	Finish	$W \times D \times H$	Wt.	Unit	Price
5	VRT-35157	Black/White	29.5" × 21" × 33"	100 lbs.	EA	

 Countertop Serving Cart Perfect for the office, breakroom, or home. Three drawers provide additional storage space for tools or supplies. Two large metal shelves hold a variety of items. Durable steel frame with attractive silver powder coat finish. Rolls smoothly on four 3" industrial casters, two locking. Solid wood top and MDF drawers. Countertop surface measures 34½" W × 19¾" D. 🔀

ID	No.	Finish	$W \times D \times H$	Shpg. Wt.	Unit	Price
6	VRT-VF53039•	Silver/Brown	35.5" × 19.75" × 34.25"	66 lbs.	EA	

SERVICE CARTS & TRUCKS





Collapsible X-Cart Collapsible carts are sturdy enough to transport items where they need to go. Strong, powder-coated stainless steel frame. Compact carts reduce by 75% when collapsed, minimizing storage space. Four 3" quiet swivel casters. Manufacturer's limited one-year warranty.

ID	No.	Finish	$W \times D \times H$	Shpg. Wt.	Unit	Price
	8 Bushel Cart					
1	RCP-1881750	Black/ Silver	$24.1"\times35.7"\times34"$	27 lbs.	EA	
	4 Bushel Cart					
2	RCP-1881749	Black/ Silver	$20.33"\times24.1"\times34"$	21 lbs.	EA	
	2-4 Bushel Cart					
3	RCP-1881781•	Black/ Silver	24.1" × 35.7" × 34"	29 lbs.	EA	

ROYAL

B Wire Laundry Cart Make laundry a snap! Ideal for use in many applications, including dry cleaning and commercial laundry. Durable, vinyl dipped wire basket. Powder coated base with 5[™] non-marking polyurethane swivel casters. White, PVC top rim for durability and protection of walls and equipment. Manufacturer's limited 90-day warranty. ⊠

ID	No.	Color	$W \times D \times H$	Capacity	Shpg. Wt.	Unit	Price
	Small Wire Cart						
4	RBT-R27BKXWA5UN•	Black	$21"\times26"\times26.5"$	200 lbs	35 lbs.	EA	

(c) Poly Truck Durable truck designed with a seamless molded polyethylene body. Sturdy base with 4" non-marking polyurethane swivel casters allows for easy transportation. "Bolt-Through" body attachment. Smooth finish with rounded corners. Ships fully assembled. Carts nest together for easy shipping and storage. Manufacturer's limited 90-day warranty. □ 🔀

ID	No.	Color	$W \times D \times H$	Capacity	Shpg. Wt.	Unit	Price		
	16 Bushels with Galvanized Steel Base								
5	RBT-R16GRXPG4UN• *	Gray	$32"\times44"\times35.5"$	800 lbs	65 lbs.	EA			



20-FA-CU-RNU



MATERIAL HANDLING

CUBE & TILT TRUCKS









Cube Truck Diamond caster pattern provides superior maneuverability. Great for waste collection, material transport and laundry handling. Optional lids sold separately. Manufacturer's limited one-year warranty.

ID	No.	Color	Capacity	$W \times D \times H$	Unit	Price		
1	RCP-4608 BLA	Black	59 gal	26" × 38" × 28.13"	EA			
2	RCP-461200BLA• ≭	Black	12 cu ft	42.75" × 28" × 33"	EA			
3	RCP-4614 BLA	Black	105 gal	31" × 44.13" × 32.5"	EA			
4	RCP-FG461600BLA ≭	Black	119.7 gal	31" × 43.75" × 37"	EA			
5	RCP-4619 BLA	Black	149 gal	$34.13"\times48"\times36.5"$	EA			
	* RCP-461200BLA—USDA Approved.							

RCP-FG461600BLA—USDA Meat & Poultry Equipment Group Listed.

Also Consider:

	Price
6 RCP-461300BLA• Hinged Dome Lid for Cube Truck, Black 1 EA	
7 RCP-4615 BLA• Lid, 31" × 441/6" × 81/2", Black 1 EA	
8 RCP-4617 BLA• Lid, 34" × 48½" × 8½", Black 1 EA	

B Recycling Cube Truck Professional-grade polyethylene system helps you collect waste, move materials or truck laundry. Metal frame provides solid support. Unique bin design conceals loads without affecting capacity. Manufacturer's limited one-year warranty. □ 🕃 🐨 🛛 📓

ID	No.	Color	Capacity	$W\timesD\timesH$	Unit	Price
9	RCP-461673BE 苯	Blue	120 gal	31" × 43.75" × 37"	EA	

* Contains a minimum of 30% post-consumer recycled content.

(c) Structural Foam Tilt Truck Offers industrial strength construction that transports heavy loads with ease. These tilt trucks feature seamless one-piece molded truck bodies with a reinforced lip. The sturdy, plastic construction won't rust, dent, chip, or peel and is easy to clean. 4-inch center swivel back caster provides easy maneuvering. 10-inch blow-molded polypropylene inset wheels protect surroundings. The dump trailer has a powder-coated steel frame for corrosion resistance. This tilt truck is easy to handle and maneuver through commercial doorways and onto elevators. The constant force design allows for controlled dumping by one person. Inset wheels protect walls, fixtures and patrons. The smooth surface is easy to clean and resists pitting and corroding. Optional domed lids are available (sold separately). Manufacturer's limited one-year warranty.

ID	No.	Color	Capacity	$W \times D \times H$	Unit	Price
	Heavy Duty					
10	RCP-9T16 BLA•	Black	202 gal	33.5" × 70.75" × 42.25"	EA	
	Standard Duty					
11	RCP-9T14 BLA	Black	101 gal	26.88" × 57.38" × 33.88"	EA	
12	RCP-1013 BLA•	Black	151 gal	$30.25" \times 64.5" \times 38"$	EA	
13	RCP-9T15 BLA•	Black	202 gal	33.5" × 70.75" × 42.25"	EA	
	Utility Duty					
14	RCP-9T13 BLA	Black	101 gal	$26.88"\times 57.38"\times 33.88"$	EA	

TILT TRUCKS



A Rotomolded Tilt Truck Transports loads up to 2,100 lbs. with ease. Manufacturer's limited one-year warranty.

ID	No.	Color	Capacity	$W \times D \times H$	Unit	Price		
1	RCP-1314 BLA	Black	202 gal	33.5" × 72.25" × 43.75"	EA			
	Utility Duty							
2	RCP-1304 BLA	Black	202 gal	28" × 56.75" × 38.63"	EA			
	Standard Duty							
3	RCP-1305 BLA• ≭	Black	0.5 cu yd	28" imes 60.5" imes 38.63"	EA			
	* RCP-1305 BLA—FDA Compliant; USDA Compliant.							

B Tilt Truck Offers industrial strength construction to transport heavy loads with ease. These tilt trucks feature seamless one-piece molded truck bodies with a reinforced lip. The sturdy, plastic construction won't rust, dent, chip, or peel. 4-inch center swivel back caster provides easy maneuvering. 10-inch blow-molded polypropylene inset wheels protect surroundings. The dump trailer is constructed of a powder-coated steel frame for corrosion resistance. Easy to handle and maneuver through commercial doorways and onto elevators. The constant force design allows for controlled dumping by one person. Inset wheels protect walls, fixtures and patrons. The smooth surface is easy-to-clean and resists pitting and corroding. Optional domed lids are available (sold separately). Manufacturer's limited one-year warranty.

ID	No.	Color	Capacity	$W \times D \times H$	Unit	Price
4	RCP-9T1700BLA ≭	Black	1.5 cu yd	28" × 56.75" × 38.63"	EA	
5	RCP-9T1800BLA ≭	Black	1 cu yd	$33.5'' \times 72.25'' \times 43.25''$	EA	

* USDA and FDA Compliant Materials.

20-FA-CU-RNU

Content of the second secon

ID	No.	Color	For Model	Unit	Price
6	RCP-1307 BLA•	Black	Rubbermaid [®] Commercial 1304, 1305,	EA	
			1305-06, 1305-42, 1306, 1306-41, 9T17		

Truck Lid Keeps materials secure inside Rubbermaid Commercial tilt trucks. The domed lid safely conceals the load without reducing capacity. Works on most Rubbermaid tilt trucks. Manufacturer's limited one-year warranty.

ID	No.	Color	For Model	Unit	Price		
7	RCP-1317 BLA•	Black	Rubbermaid [®] Commercial 1314, 1315, 1315-42, 1316, 1316-41, 9T18	EA			
8	RCP-461300BLA•	Black	RCP-461200	EA			
	For 16-Cubic Feet Tr						
9	RCP-4615 BLA•	Black	Rubbermaid® Commercial 4614, 4616, 4716	EA			
	For 20-Cubic Feet Truck						
10	RCP-4617 BLA• 🗔	Black	Rubbermaid [®] Commercial 4619, 4720	EA			

Big Wheel® Agriculture Cart A professional-grade wheelbarrow that can support up to 300 lbs. Manufacturer's limited one-year warranty.

					Snpg.		
ID	No.	Color	$W \times D \times H$	Capacity	Wt.	Unit	Price
	7½ Cu. Ft. Capacity						
11	RCP-5642 BLA	Black	32.75" × 58" × 28.25"	300 lbs	50 lbs.	EA	









LINEAR LOW-DENSITY



JAGUAR PLASTICS

 Industrial Strength Low-Density Commercial Can Liners Linear low-density polyethylene provides industrial-strength puncture and tear resistance. Star-seal bottom helps prevent leaks. Individually folded for quick and easy dispensing.

ID	No.	Capacity	$W \times H$	Gauge	Color	Qty.	Unit	Pric
1	JAG-L2423L	8 gal to 10 gal	24" × 23"	0.35 mil	Black	500	СТ	
2	JAG-W2423X	8 gal to 10 gal	24" × 23"	0.5 mil	White	500	СТ	
3	JAG-L2432L	12 gal to 16 gal	24" × 32"	0.35 mil	Black	500	СТ	
4	JAG-W2432X	12 gal to 16 gal	24" × 32"	0.5 mil	White	500	СТ	
5	JAG-L3036H	20 gal to 30 gal	30" × 36"	0.65 mil	Black	200	СТ	
6	JAG-VW3036X	20 gal to 30 gal	30" × 36"	0.7 mil	White	200	СТ	
7	JAG-W3036X	20 gal to 30 gal	30" × 36"	0.9 mil	White	100	СТ	
8	JAG-L3339H	33 gal	33" × 39"	0.6 mil	Black	200	СТ	
9	JAG-W3339X	33 gal	33" × 39"	0.9 mil	White	100	СТ	
10	JAG-G3339G	33 gal	33" × 39"	1.3 mil	Gray	100	СТ	
11	JAG-G3339HBL	33 gal	33" × 39"	1.7 mil	Black	150	СТ	
12	JAG-L4046H	40 gal to 45 gal	40" × 46"	0.7 mil	Black	100	СТ	
13	JAG-W4046X	40 gal to 45 gal	40" × 46"	0.9 mil	White	100	СТ	
14	JAG-4046 GREY	40 gal to 45 gal	40" × 46"	1.1 mil	Gray	100	СТ	
15	JAG-G4046G	40 gal to 45 gal	40" × 46"	1.3 mil	Gray	100	СТ	
16	JAG-G4046HBL	40 gal to 45 gal	40" × 46"	1.7 mil	Black	100	СТ	
17	JAG-W4347X	56 gal	43" × 47"	0.9 mil	White	100	СТ	
18	JAG-G4347G	56 gal	43" × 47"	1.3 mil	Gray	100	СТ	
19	JAG-G4347HBL	56 gal	43" × 47"	1.7 mil	Black	100	СТ	
20	JAG-L3858H	60 gal	38" × 58"	0.7 mil	Black	100	СТ	
21	JAG-VW3858X	60 gal	38" × 58"	0.7 mil	White	100	СТ	
22	JAG-W3858X	60 gal	38" × 58"	0.9 mil	White	100	СТ	
23	JAG-3858 GREY	60 gal	38" × 58"	1.1 mil	Gray	100	СТ	
24	JAG-G3858G	60 gal	38" × 58"	1.3 mil	Gray	100	СТ	
25	JAG-G3858HBL	60 gal	38" × 58"	1.7 mil	Black	100	СТ	

Bealth Care Trash Can Liners High-visibility, bright-red medical waste can liners are designed specifically for biohazard materials. High-quality, blended resin provides excellent puncture and tear resistance. Individually folded for quick and easy dispensing. Biohazard warnings printed in English and Spanish. Meets DOT requirements.

ID No.	Capacity	$W \times H$	Gauge	Color	Qty. Unit	Price
26 JAG-IW2432R ≭	12 gal to 16 gal	24" × 32"	1.3 mil	Red	250 CT	
27 JAG-IW3339R ≭	33 gal	33" × 39"	1.3 mil	Red	150 CT	
28 JAG-IW4046R ≭	40 gal to 45 gal	40" × 46"	1.3 mil	Red	100 CT	

* Conforms to ASTM D1709 Standards; Conforms to ASTM D1922 Standards.

 Industrial Drum Liners, Rolls Industrial strength drum liners feature a star-seal bottom that helps prevent leakage. Low-density polyethylene provides excellent resistance to punctures and tearing. Cored rolls.

ID	No.	Capacity	W×H	Gauge	Color	Qty.	Unit	Price
	1 Roll of 50 Bags							
29	JAG-D38634BN	60 gal	38" × 63"	2.7 mil	Black	50	СТ	
30	JAG-D38634CL	60 gal	38" × 63"	2.7 mil	Clear	50	СТ	
31	JAG-D3865	60 gal	38" × 65"	2.5 mil	Clear	50	СТ	
	1 Roll of 75 Bags							
32	JAG-D38633CL	60 gal	38" × 63"	1.8 mil	Clear	75	СТ	



GET THE RIGHT FIT

Using the correct can liner size is key to being cost-effective. Take a look at how bags fit each bin or can at your facility. If they hang over the edge of the receptacle by more than four inches, you are using too much bag for the job!

3

CAN LINERS

Use the sizing guide below to locate your waste receptacle. The right liner size is listed next to it.



The right size is important!

Ideally, you should have about three to four inches of liner overhang on your receptacle. Anything more or less is wasteful of both time and money.



Description	Receptacle Size	Liner Size
11. Fire-Safe Step-On Receptacle		
RCP-614500BG	18 gal.	33 × 39
Fire-Safe Step-On Receptacle with Sta	ainless Steel Whee	Assembly
RCP-614600BG	23 gal.	33 × 39
12. Defenders® Heavy-Duty Steel St	ep Can	
RCP-ST7 (ERDPL, EWHPL, SSPL)	7 gal.	24 × 23
RCP-ST12 (EPLRD, ERBWHI, EPLWH, SSPL)	12 gal.	24 × 31
RCP-ST24 (EPLRD, ERBWHI, EPLWH, SSPL)	24 gal.	33 × 39
13. Economical Steel Step Can		
RCP-MST15 (EPL)	1½gal.	24×33
RCP-MST35 (SSPL)	3½ gal.	24 × 33



14. Fire-Resistant Fiberglass Was	tebasket	
RCP-254300 (BG, BK)	7 gal.	24 × 23
RCP-254400BG	10 gal.	24 × 31
15. Designer 2™ Wastebasket		
RCP-25051	6½ gal.	24×23
16. Soft Molded Plastic Wastebas	sket	
RCP-295500 (BG, BK)	3½ gal	24×23
RCP-295600 (BG, BK, GY)	7 gal.	24×23
RCP-295700 (BG, BK, GY)	10¼ gal.	24 × 31
17. Fire-Safe Steel Rectangular W	/astebasket	
RCP-WB3OR- (AL, BK, GY)	7½ gal.	24×23



Juico		
18. Wood Waste Receptacle		
SAF-9728 (GR, MO)	36 gal.	43×46
SAF-9729 (GR, MO)	36 gal.	43×46
Push Top Square Receptacle		
SAF-9893	21 gal.	33 × 39
SAF-9895	36 gal.	40×46
19. Reflections®		
Open Top Dome Receptacle		
RCP-9W27 (GY, BLU, YEL)	50 gal.	43×47
Speckled Open Top Receptacle		
SAF-9677NC	35 gal.	40×46
20. Dome Top Receptacle with O	pen Top	
SAF-9639BL	15 gal.	33 × 39
SAF-9875	15 gal.	33 × 39



Description	Receptacle Size	Liner Size
21. At-Your-Disposal Recycling Cen	iter	
SAF-9798BL	28 gal.	30 × 36
SAF-9794BL	28 gal.	17 × 17
22. Vertex Receptacle	Constant of the	la tri
SAF-9799BL	38 gal.	40 × 46
23. Receptacle		
SAF-9790BL	38 gal.	40 × 46
24. Trifecta™ Waste Receptacle		
SAF-9550BL	15 gal.	40 × 46
SAF-9551BL	17 gal.	40 × 46
SAF-9552BL	19 gal.	40 × 46
SAF-9553BL	21 gal.	40 × 46
25. Public Square® Recycling Conta	iners	
CAE 2001 (DL CNI)	25 aal	2220

SAF-2981 (BL, GN) 25 gal. 33 × 39 SAF-2982 (BL, BR) 31 gal. 33 × 39



SAF-9931SS	15 gal.	30 × 36
RCP-254400BG	10 gal.	24 × 31
Right-Size Recycling Station		
SAF-9634SS	7½ gal.	30 × 32
Tall Round Recycling Receptacle for	or Cans	
SAF-9632BU	20 gal.	33×39
Corrugated Waste Receptacle		
SAF-9745	40 gal.	40 × 46
27. Desk-Side Recycling Receptac	le	
SAF-9927BB	3 gal.	17 × 17
SAF-9928BB	7 gal.	24 × 23
28. Canmeleon™		
Aggregate Panel Ash Urn with Sid	le Openings	
SAF-9470NC	15 gal.	33 × 39
SAF-9473NC	38 gal.	40 × 46
Aggregate Panel Top Opening Sty		
SAF-9471 (NC, TN)	38 gal.	40 × 46
Aggregate Panel Side Opening St		
SAF-9472NC	38 gal.	40×46
Recessed Panel Ash Urn with Side		00 00
SAF-9474BL Recessed Panel Top-Opening Style	15 gal.	33 × 39
SAF-9475BL	38 gal.	40×46
Recessed Panel Side-Opening Styl	0	40 × 40
SAF-9476BL	38 gal.	40×46
SAF-9477BI	38 gal.	40×40 40×46
Pentagon Receptacle	oo gui.	10 × 10
SAF-9485BL	30 gal.	40×46
SAF-9486BL	45 gal.	37 × 50
29. Square Ash 'N' Trash Sandles	s Urn	
SAF-9696BL	3 gal.	24 × 31

Description	Receptacle Size	Liner Size
30. Large Capacity Plastic Step-On I	Receptacle	
SAF-9922 (BL, TN)	17 gal.	17 × 17
SAF-9923 (BL, TN)	23 gal.	24 × 23
31. Plastic Step-On Receptacle		
SAF-9710 (BL, WH)	4 gal.	24 × 23
32. Step-On Medical Receptacle		
SAF-9901 (RD, WH, SS)	3 gal.	17 × 17
SAF-9902 (RD, WH, SS)	7½ gal.	17 × 17
33. Step-On Receptacle		
SAF-9685SS	4 gal.	24×23
SAF-9686SS	7 gal.	24 × 23
SAF-9687SS	10 gal.	30 × 32



34. Fire-Safe Round Wastebasket		
SAF-9604 (CH, BL)	23½ qt.	30×36
SAF-9610 (CH, SA)	20 gal.	33×39
35. Square and Rectangular Fire-Sa	fe Wastebaske	ts
SAF-9616 (BL, SA)	27½ qt.	30×36
SAF-9615WL	27½ qt.	30×36
SAF-9618 (BL, CH, SA)	22 gal.	33×39
36. Onyx® Round Mesh Wastebask	ets	
SAF-9716BL	3 qt.	17 × 17
SAF-9717BL	5 gal.	24 × 23
SAF-9718BL	9 gal.	30×32
Aggregate Panel Ash Urn with Side	Openings	
SAF-9740 (BL, GR, NC)	6 gal.	24 × 23
37. At-Your-Disposal™ Wastesbaske	et	
SAF-9796BL	5 gal.	24 × 33



So. Metro Collection Recycling R	eceptacie	
EXC-RC-MTR-3HCP	54 gal.	33 × 39
Push Top Square Receptacle		
EXC-RC33RBL	33 gal.	40 × 46
39. Venue Collection™ Perforated	Trash and Recycl	ing Receptacles
EXC-VCR-33PERFS	33 gal.	40×46
EXC-VCT-33PERFS	33 gal.	40 × 46
40. Round Three-Compartment Re	cycling Containe	r
RCP-9W27 (GY, BLU, YEL)	50 gal.	43 × 47
Unisan		
41. Soft-Sided Wastebasket		
UNS-28QTWBBLA	7 gal.	24×23

SIZING GUIDE FIND THE CAN LINER THAT FITS!





Description	Receptacle Size	Liner Size
Rubbermaid		
1. Brute®		
Recycling Container		
RCP-263273BE	32 gal.	33 × 39
Vented Round Container		
RCP-263200GY	32 gal.	33 × 39
RCP-264360 (BK, GY, REDEA, BE, YEL, REDCT)	44 gal.	40 × 46
Roll-Out Heavy-Duty Container		
RCP-9W21GY	65 gal.	43 × 47
Square Big Wheel Container		
RCP-9W27 (GY, BLU, YEL)	50 gal.	43 × 47
Square Container		
RCP-352600GY	28 gal.	40 × 46
RCP-353600GY	40 gal.	43×47
2. Glutton [®] Recycling Center	in the second	
RCP-263273BE	32 gal.	33 × 39
Deskside Recycling Container		
RCP-295573BE	13% qt.	24 × 23
RCP-295673BE	281/8 qt.	24 × 23



3. Two-Piece Indoor Open Top Rece	eptacle	
RCP-AOT35SANL	35 gal.	40×46
Ranger [®] Fire-Safe Container	a contra	
RCP-8430-88 (BG, BRO, BLA)	35 gal.	38 × 58
RCP-9171-88 (BG, BLA)	45 gal.	43 × 47
Plaza [™] Indoor/Outdoor Waste Con	tainer	
RCP-396400BG	50 gal.	43×47
Step-On Container		
RCP-614687 (BK)	23 gal.	33 × 39
RCP-614700 (RD)	30 gal.	43×46
4. Untouchable®	and the second	0.0
Square Container		
RCP-356988 (BG, BK, GY, BRO)	23 gal.	30 × 36
Large Plastic Round Waste Receptor	icle	
RCP-354600 (BG, GY)	22 gal.	30×36
Half-Round Plastic Receptacle		
RCP-352000 (BG, GY)	21 gal.	33 × 39
Square Recycling Container		
RCP-356973BE	23 gal.	33 × 39
5. Fire-Safe Steel Swing Top Recep	tacle	
RCP-T1424ERBWH	24 gal.	33 × 39
RCP-T1940ERBWH	40 gal.	40 × 46



Description **Receptacle Size Liner Size** 6. Silhouette Square Recycling Collection (Trash, Paper, Cans and Bottles) RCP-DCR24 (CSM, TSM, PSM) 29 gal. 40×46 Round Recycling Collection (Trash, Paper, Cans and Bottles) RCP-DRR24 (TSM) 40×46 26 gal. **Designer Line**¹ Silhouettes Waste Receptacle RCP-SC14EPLSM 33 × 39 16 gal. RCP-SC18EPLSM 29 gal. 40×46 Eclipse[™] Waste Receptacle RCP-R2030EBK 30 gal. 40×46 7. Slim Jim® With Venting Channels RCP-354060 (BG, BK, GY) 23 gal. 33 × 39 Waste Container RCP-1971258 15% gal. 33 × 39 **Plastic Recycling Container with Venting Channels** RCP-354007 (GN, BE) 23 gal. 30×36 **Recycling Container** RCP-354074BLU 23 gal. 33 × 39 Ash/Trash Classic Container without Doors RCP-818288BEI 25 gal. 40×46



8. Fire-Resistant Steel Dome Was	te Receptacle	
RCP-R1536MCGL	15 gal.	33×39
Fire-Resistant Steel Open Top Was	ste Receptacle	
RCP-R32EGLW (BK)	15 gal.	33 × 39
9. Marshal® Classic Container		
RCP-816088 (BG, BK, BRO)	15 gal.	33 × 39
RCP-817088 (BG, BK, BRO)	25 gal.	40 × 46
Fire-Safe Pedal Rolltop Receptacle	•	
RCP-617700BG	14½ gal.	33 × 39
10. European & Metallic Series		
Receptacle with Drop-In Top		
RCP-CC16SSSGL	15 gal.	33 × 39
Open Top Half-Round Receptacle		
RCP-SO12 (20B, SSS)	12 gal.	24 × 31
Waste Receptacle with Large Side	Opening	
RCP-SO16 (SSSGL)	12 gal.	30 × 36
Half-Round Waste Receptacle		
RCP-SO8 (10BPL, 20BPL, SSSPL)	9 gal.	30 × 36
Receptacle with Drop-In Dome Top)	
RCP-R32SSSGL	15 gal.	33 × 39
Hands-Free Open Top Receptacle		
RCP-R1536EOTGLBK	15 gal.	33 × 39
Wastebasket		
RCP-UB1900SSS	5 gal.	24 × 23

BUYING **LINERS FOR EVERY NEED!**

Linear Low Density (LLD) — Tougher transport conditions require the superior tear resistance of LLD liners. This plastic is designed to perform in environments with higher risk of tears or punctures, either from the can liner contents, surrounding environment or through transportation to disposal units, as LLD does not tear easily, even after puncture. Find these on pages 511-517.

High Density (HD) – When greater puncture resistance and load capacity are the priority, select HD liners. Even with thinner construction, HD liner material delivers puncture and load benefits-performing well with waste that is heavy, such as unbroken glass, or other materials that do not have sharp edges. Find these on pages 518-520.

Strength grades are based on static load, also known as lifting strength. LLD and HD plastic materials achieve the same static load with different gauges; order your bags accordingly. Use this chart for easy reference to determine approximate gauge equivalents.

Strength Grade	LLD Mil Gauge	HD Micron Gauge
Light	.35 – .44	5 – 9
Medium	.45 – .57	10 – 12
Неаvy	.58 – .69	13 – 14
Extra-Heavy	.70 – .89	15 – 17
XX-Heavy	.90 – 1.14	_
Super	1.15 – 1.39	_
Super-Heavy	1.40 – up	18 – 24

Light–Use for crumpled paper, cups and light waste.

Medium-Appropriate for packaging waste, wet paper and similar mixed trash. **Heavy**-Choose for light wood, metal scraps and wet cardboard.

Extra-Heavy—Select for use when trash is consistently heavy, wet or sharp.

Super/Extra-Heavy-Use on the heaviest cleanup jobs, in warehouses, cafeterias, or facility grounds.

Know the capacity of your receptacles and select the bag or liner to suit. Capacity Bags and liners are available in a multitude of sizes; gallon capacity is listed with each item throughout this section.

> Star-Seals – The most common type. Conform easily to any shape waste container, distribute weight evenly inside the bag and have the maximum carrying capacity.

Bottom Flat-Seals — Hold more volume than like-sized star seals. Appropriate for somewhat lighter weight loads.

> **Gusset-Seals** – Another seal found in flat-style bags. Offer a good fit in certain receptacles and appropriate for somewhat lighter loads.

Choose From Two Types of **Plastics**

Strength Grade and Gauge

Seals

LINEAR LOW-DENSITY

LOW-DENSITY REPRO

HIGH-DENSITY DRAWSTRING

BAGS & CAN LINER

DRAWSTRING





B









(2) Ultra Strong Scented Tall White Kitchen Bags Patented Arm & Hammer[™] Odor Neutralizer eliminates garbage odors without adding any unwanted scents or fragrances; leaves your kitchen smelling the way you want. Convenient drawstring closure makes handling trash quick and easy.

ID	No.	Scent	Capacity	W×H	Gauge	Qty. Unit	Price
1	PCT-E84558	Clean Burst [™]	13 gal	23.75" × 24.88"	0.9 mil	80 BX	
2	PCT-E84546	Citrus Twist [™]	13 gal	23.75" × 24.88"	0.9 mil	80 BX	
3	PCT-E84561	Lavender & Sweet Vanilla™	13 gal	23.75" × 24.88"	0.9 mil	110 BX	

B Strong Tall Kitchen Drawstring Bags Strong and durable; easy to lift and carry. Convenient drawstring closure.

ID	No.	Capacity	$W \times H$	Gauge	Color	Qty. Unit	Price
4	RFP-E84574	13 gal	34" × 48"	0.9 mil	White	90 BX	
5	PCT-E84562	13 gal	24" × 27.75"	0.9 mil	White	120 BX	

(b) Easy Flaps[®] Trash Bags Wrap it up with handy Easy Flaps[®]. Economical and effective, bags with built-in flaps close up just as simply as drawstring bags. Easy-open, easy-dispense roll box.

ID	No.	Capacity	$W \times H$	Gauge	Color	Qty. Unit	Price
6	PCT-E84563	13 gal	23.75" × 28"	0.8 mil	White	80 BX	

Ultra Flex™ Waste Bags Thick plastic for ultra strength features interlocking texture design and puncture protection. Unscented Odor Block® technology neutralizes garbage odors without adding any unwanted scents or fragrances and leaves your kitchen smelling the way you want.
 ID No. Capacity W × H Gauge Color Qty. Unit Price

7	RFP-E80627•	30 gal	6" × 2.1"	1.05 mil	Black	6	СТ
_							

 Ultra Strong BlackOut® Tall-Kitchen Drawstring Bags Keep your kitchen looking lovely with BlackOut® liners; they're made to coordinate with modern black and silver waste containers. Odor Block® technology minimizes garbage smells. Drawstring closure. Easy-open, easy-pull dispenser box.

ID	No.	Capacity	W×H	Gauge	Color	Qty. Unit	Price
8	PCT-E84545	13 gal	$23.75"\times24.88"$	0.9 mil	Black	80 BX	

Ultra Strong Tall Kitchen & Trash Bags Strong and durable; easy to lift and carry. Convenient drawstring closure. Patented Arm & Hammer[™] Odor Neutralizer eliminates garbage odors without adding any unwanted scents or fragrances; leaves your kitchen smelling the way you want.

ID No.	Capacity	W×H	Gauge	Color	Qty. Unit	Price
9 PCT-E84570	13 gal	23.75" × 24.88"	0.9 mil	White	110 BX	
10 PCT-E85274	30 gal	30" × 33"	1.1 mil	Black	74 BX	



o noves of	JU Days							
4 WBI-HAB6	DK50CT	13 gal	24" × 27.4"	0.6 Mil	White	300	СТ	

Draw In The

DON'T SEE

HFRF


D Heavy-Duty Trash Bags Convenient drawstring closure keeps hands clean and free from contact with trash. Super hexene low density resins provide superior puncture resistance.

ID	No.	Capacity	W×H	Gauge	Color	Qty. l	Jnit P
	4 Rolls of 50 Bags						
5	WBI-1DK200	13 gal	24.5" × 27.38"	0.9 mil	White	200 E	3X
	6 Rolls of 25 Bags						
6	WBI-1DTL150	33 gal	33.5" × 38"	1.2 mil	Black	150 E	3X
	8 Rolls of 25 Bags						
7	WBI-1DT200	30 gal	30.5" × 33"	1.2 mil	Black	200 E	3X





boardwalk





B Drawstring Trash Bags Labor-saving can liners do the job faster and better every time, while using fewer liners. Stronger and more convenient to improve your bottom line.

ID	No.	Capacity	W×H	Gauge	Color	Qty. Unit	Pric
	6 Boxes of 80 Bags						
2	HER-N4828EWRC1CT	13 gal	24" × 28"	0.8 mil	White	480 CT	
	6 Boxes of 40 Bags						
3	HER-N6034YKRC1CT	20 gal to 30 gal	30" × 34"	1 mil	Black	240 CT	

HANDI·BAG

C Drawstring Kitchen Bags Drawstring closure on bags keeps everything clean and free from trash. Linear low density resin for greater stretch and puncture resistance. Comes in a low count convenience pack. ID No Canacity W v H Gauge Color Oty Unit

īυ	INU.	Capacity	VV × 11	Gauye	60101	uly. Ulli	L E
	6 boxes of 50 Bags						
4	WBI-HAB6DK50CT	13 gal	24" × 27.4"	0.6 Mil	White	300 CT	

CAN LINERS





INTEPLAST GROUP

 High-Density Commercial Can Liners Made from high-quality virgin resins for reliability and consistency. Star-sealed bottom distributes weight evenly and creates a seal up to eight times stronger than the film itself. Innovative "clamshell" box with E-Z identification eliminates confusion.

111											
ID	No.	Capacity	$W \times H$	Gauge	Color	Qty. Unit	Price				
1	IBS-EC202206N	7 gal	20" × 22"	6 microns	Clear	2000 CT					
2	IBS-EC242406K	7 gal to 10 gal	24" × 24"	6 microns	Black	1000 CT					
3	IBS-EC242406N	7 gal to 10 gal	24" × 24"	6 microns	Natural	1000 CT					
4	IBS-EC243306K	12 gal to 16 gal	24" × 33"	6 microns	Black	1000 CT					
5	IBS-S434814N•	55 gal to 60 gal	43" × 48"	14 microns	Natural	200 CT					
6	IBS-S434816N	55 gal to 60 gal	43" × 48"	16 microns	Natural	200 CT					
7	IBS-S434822K	55 gal to 60 gal	43" × 48"	22 microns	Black	150 CT					
8	IBS-S386022K	60 gal	38" × 60"	22 microns	Black	150 CT					
	20 Rolls of 50 Bag	gs									
9	IBS-EC2424N	7 gal to 10 gal	24" × 24"	5 microns	Natural	1000 CT					
10	IBS-S242406N	7 gal to 10 gal	24" × 24"	6 microns	Natural	1000 CT					
11	IBS-S242408N	7 gal to 10 gal	24" × 24"	8 microns	Natural	1000 CT					
12	IBS-EC2433N	12 gal to 16 gal	24" × 33"	5 microns	Natural	1000 CT					
13	IBS-EC243306N	12 gal to 16 gal	24" × 33"	6 microns	Natural	1000 CT					
14	IBS-S243306N	12 gal to 16 gal	24" × 33"	6 microns	Natural	1000 CT					
15	IBS-S243308K	12 gal to 16 gal	24" × 33"	8 microns	Black	1000 CT					
16	IBS-S243308N	12 gal to 16 gal	24" × 33"	8 microns	Natural	1000 CT					
	40 Rolls of 50 Bag	gs									
17	IBS-EC171806N	4 gal	17" × 18"	6 microns	Clear	2000 CT					

B High-Density Interleaved Commercial Can Liners Interleaved for easy dispensing. Made from high quality virgin resins for reliability and consistency. Star-sealed bottom distributes weight evenly and creates a seal up to eight times stronger than the film itself.

se	eal up to eight time	es stronger tha	an the fill	n itself.				
ID	No.	Capacity	W×H	Gauge	Color	Qty.	Unit	Price
18	IBS-S334011K	33 gal	33" × 40"	11 microns	Black	500	СТ	
19	IBS-S404817K•	40 gal to 45 gal	40" × 48"	17 microns	Black	250		
20	IBS-S366017K•	55 gal	$36" \times 60"$	17 microns	Black	200	СТ	
21	IBS-S366017N•	55 gal	36" × 60"	17 microns	Clear	200		
22	IBS-S434812N•	55 gal to 60 gal	43" × 48"	12 microns	Clear	200		
23	IBS-S386012K•	60 gal	38" × 60"	12 microns	Black	200	СТ	
	10 Rolls of 25 Bags							
24	IBS-S334016K	33 gal	33" × 40"	16 microns	Black	250		
	IBS-S334016N	33 gal	33" × 40"	16 microns	Clear	250		
26	IBS-S334017N	33 gal	33" × 40"	17 microns	Clear	250		
27	IBS-S404812K	40 gal to 45 gal	40" × 48"	12 microns	Black	250	СТ	
28	IBS-S404812N	40 gal to 45 gal	40" × 48"	12 microns	Clear	250		
29	IBS-S404814N	40 gal to 45 gal	40" × 48"	14 microns	Clear	250	СТ	
30	IBS-S404816K	40 gal to 45 gal	40" × 48"	16 microns	Black	250		
	IBS-S404816N	40 gal to 45 gal	40" × 48"	16 microns	Clear	250		
32	IBS-S404817N	40 gal to 45 gal	40" × 48"	17 microns	Clear	250	СТ	
	20 Rolls of 25 Bags							
33	IBS-S303708N	20 gal to 30 gal	30" × 37"	8 microns	Clear	500	СТ	
34	IBS-S303710N	20 gal to 30 gal	30" × 37"	10 microns	Clear	500	СТ	
35	IBS-S303716N	20 gal to 30 gal	30" × 37"	16 microns	Clear	500	СТ	
	IBS-S303713N	20 gal to 30 gal	30" × 37"	13 microns	Clear	500		
37	IBS-S334011N	33 gal	33" × 40"	11 microns	Clear	500	СТ	
38	IBS-S334013N	33 gal	33" × 40"	13 microns	Clear	500	СТ	
	6 Rolls of 25 Bags							
39	IBS-S404822K	40 gal to 45 gal	40" × 48"	22 microns	Black	150	СТ	
40	IBS-S386022N	60 gal	38" × 60"	22 microns	Clear	150	СТ	
	8 Rolls of 25 Bags							
41	IBS-S366014N•	55 gal	36" × 60"	14 microns	Clear	200		
42	IBS-S434816K	55 gal to 60 gal	43" × 48"	16 microns	Black	200		
43	IBS-S434817N	55 gal to 60 gal	43" × 48"	17 microns	Clear	200		
	IBS-S386012N	60 gal	38" × 60"	12 microns	Clear	200		
45	IBS-S386014N	60 gal	38" × 60"	14 microns	Clear	200		
	IBS-S386017K	60 gal	38" × 60"	17 microns	Black	200		
47	IBS-S386017N	60 gal	38" × 60"	17 microns	Clear	200	СТ	

() High-Density Commercial Can Liners Value Pack Compact, coreless interleaved rolls designed for effortless one at a time bag dispensing. Made from high-quality resins for reliability and consistency. Star-sealed bottom distributes weight evenly and creates a seal up to eight times stronger than the film itself. Innovative "clamshell" box with E-Z identification eliminates confusion.

Capacity	W×H	Gauge	Color	Qty. Unit	Price
• 55 gal	36" × 58"	12 microns	Clear	200 CT	
55 gal to 60 gal	43" × 46"	12 microns	Clear	200 CT	
60 gal	36" × 58"	14 microns	Clear	200 CT	
;					
33 gal	33" × 39"	14 microns	Clear	250 CT	
40 gal to 45 gal	$40" \times 46"$	11 microns	Clear	250 CT	
40 gal to 45 gal	$40" \times 46"$	12 microns	Clear	250 CT	
40 gal to 45 gal	$40" \times 46"$	14 microns	Natural	250 CT	
;					
20 gal to 30 gal	30" × 36"	9 microns	Natural	500 CT	
20 gal to 30 gal	30" × 36"	11 microns	Clear	500 CT	
33 gal	33" × 39"	10 microns	Clear	500 CT	
33 gal	33" × 39"	11 microns	Clear	500 CT	
;					
12 gal to 16 gal	24" × 31"	7 microns	Clear	1000 CT	
40 gal to 45 gal	$40" \times 46"$	19 microns	Black	150 CT	
55 gal to 60 gal	43" × 46"	19 microns	Black	150 CT	
60 gal	38" × 58"	19 microns	Clear	150 CT	
60 gal	38" × 58"	19 microns	Black	150 CT	
55 gal to 60 gal	43" × 46"	14 microns	Clear	200 CT	
60 gal	38" × 58"	12 microns	Clear	200 CT	
60 gal	38" × 58"	14 microns	Clear	200 CT	
	Capacity 55 gal 55 gal to 60 gal 60 gal 33 gal 40 gal to 45 gal 40 gal to 45 gal 40 gal to 45 gal 20 gal to 30 gal 20 gal to 30 gal 23 gal 33 gal 12 gal to 16 gal 40 gal to 45 gal 55 gal to 60 gal 60 gal 55 gal to 60 gal 60 gal	Capacity W × H 25 5gal 36" × 58" 55 gal to 60 gal 36" × 58" 55 gal to 60 gal 36" × 58" 33 gal 33" × 39" 40 gal to 45 gal 40" × 46" 40 gal to 45 gal 40" × 46" 40 gal to 45 gal 30" × 36" 20 gal to 30 gal 33" × 39" 33 gal 33" × 39" 32 gal to 16 gal 24" × 31" 40 gal to 45 gal 40" × 46" 50 gal 38" × 58" 60 gal 38" × 58" 55 gal to 60 gal 38" × 58" 55 gal to 60 gal 38" × 58" 55 gal to 60 gal 38" × 58"	$\begin{array}{c cccc} Capacity & W \times H & Gauge \\ \hline Capacity & W \times H & Gauge \\ \hline S5 gal & 60 gal & 36" \times 58" & 12 microns \\ \hline 12 microns & 12 microns \\ \hline 33 gal & 33" \times 39" & 14 microns \\ \hline 40 gal to 45 gal & 40" \times 46" & 11 microns \\ \hline 40 gal to 45 gal & 40" \times 46" & 12 microns \\ \hline 40 gal to 45 gal & 40" \times 46" & 12 microns \\ \hline 20 gal to 30 gal & 30" \times 36" & 9 microns \\ \hline 20 gal to 30 gal & 30" \times 36" & 11 microns \\ \hline 33 gal & 33" \times 39" & 10 microns \\ \hline 33 gal & 33" \times 39" & 11 microns \\ \hline 33 gal & 33" \times 39" & 11 microns \\ \hline 40 gal to 45 gal & 40" \times 46" & 19 microns \\ \hline 33 gal & 33" \times 39" & 11 microns \\ \hline 40 gal to 45 gal & 40" \times 46" & 19 microns \\ \hline 55 gal to 60 gal & 38" \times 58" & 19 microns \\ \hline 55 gal to 60 gal & 38" \times 58" & 12 microns \\ \hline 55 gal to 60 gal & 38"$	$\begin{array}{c cccc} Capacity & W \times H & Gauge & Color \\ \hline Capacity & W \times H & Gauge & Color \\ \hline S5 gal & 36" \times 58" & 12 microns & Clear \\ 55 gal to 60 gal & 36" \times 58" & 12 microns & Clear \\ \hline G0 gal & 36" \times 58" & 14 microns & Clear \\ \hline 33 gal & 33" \times 39" & 14 microns & Clear \\ \hline 40 gal to 45 gal & 40" \times 46" & 11 microns & Clear \\ \hline 40 gal to 45 gal & 40" \times 46" & 12 microns & Clear \\ \hline 40 gal to 45 gal & 30" \times 36" & 9 microns & Natural \\ \hline 20 gal to 30 gal & 30" \times 36" & 11 microns & Clear \\ \hline 33 gal & 33" \times 39" & 11 microns & Clear \\ \hline 20 gal to 30 gal & 30" \times 36" & 9 microns & Natural \\ \hline 20 gal to 30 gal & 30" \times 36" & 11 microns & Clear \\ \hline 33 gal & 33" \times 39" & 10 microns & Clear \\ \hline 33 gal & 33" \times 39" & 10 microns & Clear \\ \hline 12 gal to 16 gal & 24" \times 31" & 7 microns & Clear \\ \hline 40 gal to 45 gal & 40" \times 46" & 19 microns & Black \\ \hline 55 gal to 60 gal & 38" \times 58" & 19 microns & Black \\ \hline 55 gal to 60 gal & 33" \times 46" & 14 microns & Clear \\ \hline 55 gal to 60 gal & 33" \times 46" & 14 microns & Clear \\ \hline 55 gal to 60 gal & 33" \times 58" & 12 microns & Clear \\ \hline 55 gal to 60 gal & 33" \times 58" & 12 microns & Clear \\ \hline 55 gal to 60 gal & 33" \times 58" & 12 microns & Clear \\ \hline 55 gal to 60 gal & 33" \times 58" & 12 microns & Clear \\ \hline 55 gal to 60 gal & 33" \times 58" & 12 microns & Clear \\ \hline 55 gal to 60 gal & 33" \times 58" & 12 microns & Clear \\ \hline 55 gal to 60 gal & 33" \times 58" & 12 microns & Clear \\ \hline 55 gal to 60 gal & 33" \times 58" & 12 microns & Clear \\ \hline 55 gal to 60 gal & 33" \times 58" & 12 microns & Clear \\ \hline 55 gal to 60 gal & 33" \times 58" & 12 microns & Clear \\ \hline 55 gal to 60 gal & 33" \times 58" & 12 microns & Clear \\ \hline 55 gal to 60 gal & 33" \times 58" & 12 microns & Clear \\ \hline 55 gal to 60 gal & 33" \times 58" & 12 microns & Clear \\ \hline 55 gal to 60 gal & 33" \times 58" & 12 microns & Clear \\ \hline 55 gal to 60 gal & 33" \times 58" & 12 microns & Clear \\ \hline 55 gal to 60 gal & 33" \times 58" & 12 microns & Clear \\ \hline 55 gal to 60 gal & 33" \times 58" & 12 microns & Clear \\ \hline 55 gal to 60 gal & 33" \times 58" & 12 microns & Clear \\ \hline 55 gal to 60 gal & 33" \times 58" & 12 microns & Clear \\ \hline 55 gal to 60 gal & 33" $	$\begin{array}{c cccc} Capacity & W \times H & Gauge & Color & Oty. Unit \\ \hline Capacity & W \times H & Gauge & Color & Oty. Unit \\ \hline S5 gal & 36" \times 58" & 12 microns & Clear & 200 CT \\ \hline 60 gal & 36" \times 58" & 14 microns & Clear & 200 CT \\ \hline 60 gal & 36" \times 58" & 14 microns & Clear & 200 CT \\ \hline 33 gal & 33" \times 39" & 14 microns & Clear & 250 CT \\ \hline 40 gal to 45 gal & 40" \times 46" & 11 microns & Clear & 250 CT \\ \hline 40 gal to 45 gal & 40" \times 46" & 12 microns & Natural & 250 CT \\ \hline 20 gal to 30 gal & 30" \times 36" & 9 microns & Natural & 500 CT \\ \hline 20 gal to 30 gal & 33" \times 39" & 10 microns & Clear & 500 CT \\ \hline 33 gal & 33" \times 39" & 10 microns & Clear & 500 CT \\ \hline 33 gal & 33" \times 39" & 10 microns & Clear & 500 CT \\ \hline 12 gal to 16 gal & 24" \times 31" & 7 microns & Clear & 500 CT \\ \hline 55 gal to 60 gal & 38" \times 58" & 19 microns & Black & 150 CT \\ \hline 60 gal & 38" \times 58" & 19 microns & Black & 150 CT \\ \hline 55 gal to 60 gal & 38" \times 58" & 19 microns & Black & 150 CT \\ \hline 55 gal to 60 gal & 38" \times 58" & 12 microns & Clear & 200 CT \\ \hline 55 gal to 60 gal & 38" \times 58" & 12 microns & Clear & 200 CT \\ \hline 55 gal to 60 gal & 38" \times 58" & 12 microns & Clear & 200 CT \\ \hline 55 gal to 60 gal & 38" \times 58" & 12 microns & Clear & 200 CT \\ \hline 55 gal to 60 gal & 38" \times 58" & 12 microns & Clear & 200 CT \\ \hline 55 gal to 60 gal & 38" \times 58" & 12 microns & Clear & 200 CT \\ \hline 55 gal to 60 gal & 38" \times 58" & 12 microns & Clear & 200 CT \\ \hline 55 gal to 60 gal & 38" \times 58" & 12 microns & Clear & 200 CT \\ \hline 55 gal to 60 gal & 38" \times 58" & 12 microns & Clear & 200 CT \\ \hline 55 gal to 60 gal & 38" \times 58" & 12 microns & Clear & 200 CT \\ \hline 55 gal to 60 gal & 38" \times 58" & 12 microns & Clear & 200 CT \\ \hline 55 gal to 60 gal & 38" \times 58" & 12 microns & Clear & 200 CT \\ \hline 55 gal to 60 gal & 38" \times 58" & 12 microns & Clear & 200 CT \\ \hline 55 gal to 60 gal & 38" \times 58" & 12 microns & Clear & 200 CT \\ \hline 55 gal to 60 gal & 38" \times 58" & 12 microns & Clear & 200 CT \\ \hline 55 gal to 60 gal & 38" \times 58" & 12 microns & Clear & 200 CT \\ \hline 55 gal to 60 gal & 38" \times 58" & 12 microns & Clear & 200 CT \\ \hline 55 gal to 60 gal & 38" \times 58" & 12 microns & Clear &$

HIGH-DENSITY



(1) High-Density Waste Can Liners Sturdy and high-quality waste can liner. Performance-sealed bottom prevents leakage. Mineral-reinforced bags are durable. Can liners are always within reach with the easy-to-use, top-side dual dispenser box.

ID	No.	Capacity	$W \times H$	Gauge	Color	Qty. Unit	Price
	6 Rolls of 25 Bags						
1	HER-Z8648WKR01	56 gal	$43'' \times 48''$	22 microns	Black	150 CT	
2	HER-Z8648UNR01•	56 gal	$43''\times48''$	22 microns	Natural	150 CT	
3	HER-Z7660WKR01•	60 gal	$38" \times 60"$	22 microns	Black	150 CT	
4	HER-Z7660WNR01•	60 gal	$38" \times 60"$	22 microns	Natural	150 CT	
	10 Rolls of 25 Bags						
5	HER-Z6640VNR01	33 gal	$33" \times 40"$	16 microns	Natural	250 CT	
6	HER-Z6640WKR01	33 gal	$33" \times 40"$	22 microns	Black	250 CT	
7	HER-Z8048MNR03	40 gal to 45 gal	40" × 48"	12 microns	Natural	250 CT	
8	HER-Z8048HNR02•	40 gal to 45 gal	40" × 48"	14 microns	Natural	250 CT	
9	HER-Z8048VNR01	40 gal to 45 gal	40" × 48"	16 microns	Natural	250 CT	
	20 Rolls of 25 Bags						
10	HER-Z6037LNR01	20 gal to 30 gal	30" × 37"	8 microns	Natural	500 CT	
11	HER-Z6037MKR02	20 gal to 30 gal	30" × 37"	10 microns	Black	500 CT	
	20 Rolls of 50 Bags						
12	HER-Z4824LNR01	8 gal to 10 gal	24" × 24"	8 microns	Natural	1000 CT	
13	HER-Z4833RNR01	12 gal to 16 gal	24" × 33"	6 microns	Natural	1000 CT	
14	HER-Z4833LNR01	12 gal to 16 gal	24" × 33"	8 microns	Natural	1000 CT	

GOOD'nTUFF

Waste Can Liners Durable "Econo Liners" are ideal for light-duty applications where frequent collection is the norm. Star-seal bottom helps distribute loads evenly while minimizing the potential for messy leaks. Translucent.

ID No.	Capacity	$W \times H$	Gauge	Color	Qty. Unit	Price
10 Rolls of 20 Bags						
15 WBI-GNT4348	56 gal	$43''\times46''$	14 microns	Natural	200 CT	
16 WBI-GNT3860	55 gal to 60 gal	$38''\times58''$	12 microns	Natural	200 CT	
10 Rolls of 25 Bags						
17 WBI-GNT4048	40 gal to 45 gal	$40" \times 46"$	10 microns	Natural	250 CT	
20 Rolls of 25 Bags						
18 WBI-GNT3037	30 gal	$30''\times 36''$	8 microns	Natural	500 CT	
19 WBI-GNT3340	31 gal to 33 gal	$33" \times 39"$	9 microns	Natural	500 CT	
20 Rolls of 50 Bags						
20 WBI-GNT2424	7 gal to 10 gal	24" × 24"	6 microns	Natural	1000 CT	
21 WBI-GNT2433	16 gal	24" × 31"	6 microns	Natural	1000 CT	

⊡ultra® **PLUS**

20-FA-CU-RNU

Can Liners High-density can liners keep office waste contained. Star-seal bottom ensures even weight distribution and provides added leak resistance. Low-count coreless rolls deliver easy, one-at-a-time dispensing while making storage simple.

ID <u>No.</u>	Capacity	$W \times H$	Gauge	Color	Qty. Unit	Price
4 Rolls of 50 Bags						
22 WBI-WHD2431	16 gal	24" × 33"	8 microns	Natural	200 CT	
10 Rolls of 10 Bags						
23 WBI-WHD3339	31 gal to 33 gal	$33" \times 40"$	11 microns	Natural	100 CT	
10 Rolls of 20 Bags						
24 WBI-HD434816N	56 gal	$43'' \times 48''$	16 microns	Natural	200 CT	
25 WBI-HD386014N	55 gal to 60 gal	$38" \times 60"$	14 microns	Natural	200 CT	
10 Rolls of 25 Bags						
26 WBI-HD404812N	40 gal to 45 gal	$40" \times 48"$	12 microns	Natural	250 CT	
20 Rolls of 25 Bags						
27 WBI-HD303710N	30 gal	$30" \times 37"$	10 microns	Natural	500 CT	
28 WBI-HD334011N	31 gal to 33 gal	$33" \times 40"$	11 microns	Natural	500 CT	
20 Rolls of 50 Bags						
29 WBI-HD24248N	7 gal to 10 gal	$24" \times 24"$	8 microns	Natural	1000 CT	
30 WBI-HD24338N	16 gal	$24" \times 33"$	8 microns	Natural	1000 CT	



D High Density Coreless Can Liners Durable, high density trash can liners mean fewer rips and tears.

ID	No.	Capacity	$W \times H$	Gauge	Color	Qty. Unit	Price
	6 Rolls of 25 Bags						
31	ESX-BRSX48B•	40 gal to 45 gal	$40'' \times 48''$	22 microns	Black	150 CT	
32	ESX-BRSX62B•	60 gal	$38"\times60"$	22 microns	Black	150 CT	
33	ESX-BR3860SX•	60 gal	$38'' \times 60''$	22 microns	Clear	150 CT	
	8 Rolls of 25 Bags						
34	ESX-BR4348X•	56 gal	$43'' \times 48''$	17 microns	Clear	200 CT	
35	ESX-BR3860X•	60 gal	$38'' \times 60''$	17 microns	Clear	200 CT	
	10 Rolls of 25 Bags						
36	ESX-BR3340X	33 gal	$33'' \times 40''$	17 microns	Clear	250 CT	
37	ESX-BR4048M•	40 gal to 45 gal	$40^{"} \times 48^{"}$	12 microns	Clear	250 CT	
38	ESX-BRX48BK•	40 gal to 45 gal	$40^{"} \times 48^{"}$	17 microns	Black	250 CT	
	20 Rolls of 25 Bags						
39	ESX-BR3037MP•	20 gal to 30 gal	$30''\times37''$	10 microns	Clear	500 CT	
	20 Rolls of 50 Bags						
40	ESX-BR2424L	10 gal	$24" \times 24"$	6 microns	Clear	1000 CT	
41	ESX-BR2433L•	15 gal	$24''\times 33''$	6 microns	Clear	1000 CT	
42	ESX-BR2433M	15 gal	24" × 33"	8 microns	Clear	1000 CT	





JAGUAR PLASTICS.

(1) Industrial Strength Commercial Coreless Roll Can Liners Perforated for easy tear-off and dispensing convenience.

ID	No.	Capacity	$W \times H$	Gauge	Color	Qty.	Unit	Price
	8 Rolls of 25 Bags							
1	JAG-RH3660H	55 gal	$36" \times 60"$	13 microns	Natural	200	СТ	
2	JAG-RH4348S	56 gal	$43'' \times 48''$	16 microns	Natural	200	СТ	
3	JAG-RH3860H	60 gal	$38" \times 60"$	13 microns	Natural	200	СТ	
4	JAG-RH3860S	60 gal	$38" \times 60"$	16 microns	Natural	200	СТ	
	10 Rolls of 15 Bag	s						
5	JAG-RH386022BLH	K 60 gal	$38" \times 60"$	22 microns	Black	150	СТ	
	10 Rolls of 25 Bag	s						
6	JAG-RH3340S	33 gal	$33" \times 40"$	16 microns	Natural	250	СТ	
7	JAG-RH4048H	40 gal to 45 gal	$40^{"} \times 48^{"}$	13 microns	Natural	250	СТ	
8	JAG-RH4048S	40 gal to 45 gal	$40^{"} \times 48^{"}$	16 microns	Natural	250	СТ	
	20 Rolls of 25 Bag	s						
9	JAG-RH3037S	20 gal to 30 gal	30" × 37"	16 microns	Natural	500	СТ	

Industrial Strength Commercial Can Liners Flat Pack High-density polyethylene offers superior film strength; ideal for paper and non-sharp objects. Star seal bottom helps prevent leakage. Individually folded and dispensed.

ID No.	Capacity	$W \times H$	Gauge	Color	Qty. Unit	Price
10 JAG-H3340S	33 gal	33" × 40"	16 microns	Natural	200 CT	
11 JAG-H4048H	40 gal to 45 gal	$40" \times 48"$	13 microns	Natural	200 CT	
12 JAG-H4048S	40 gal to 45 gal	$40^{"} \times 48^{"}$	16 microns	Natural	200 CT	
13 JAG-H4348S	56 gal	$43" \times 48"$	16 microns	Natural	200 CT	
14 JAG-H3860H	60 gal	$38" \times 60"$	13 microns	Natural	200 CT	
15 JAG-H3860S	60 gal	38" × 60"	16 microns	Natural	100 CT	

boardwalk.

() High-Density Can Liners Made from 100% prime resin for strength and durability. Star seal bottom design provides even weight distribution and easy removal from a receptacle. Coreless perforated rolls are easy to use and easy to carry.

an	u easy to carry.						
ID	No.	Capacity	$W \times H$	Gauge	Color	Qty. Unit	Price
	6 Rolls of 25 Bags						
16	BWK-404622BLK	40 gal to 45 gal	$40^{"} \times 46^{"}$	19 microns	Black	150 CT	
17	BWK-404622	40 gal to 45 gal	$40^{"} \times 46^{"}$	19 microns	Natural	150 CT	
18	BWK-434722BLK	56 gal	$43''\times47''$	19 microns	Black	150 CT	
19	BWK-434722	56 gal	43" × 47"	19 microns	Natural	150 CT	
20	BWK-385822	60 gal	38" × 58"	19 microns	Natural	150 CT	
	8 Rolls of 25 Bags						
21	BWK-434717	56 gal	43" × 47"	14 microns	Natural	200 CT	
22	BWK-385814	60 gal	$38''\times58''$	11 microns	Natural	200 CT	
23	BWK-385817BLK	60 gal	38" × 58"	14 microns	Black	200 CT	
24	BWK-386016	60 gal	38" × 58"	14 microns	Natural	200 CT	
	10 Rolls of 25 Bag	S					
25	BWK-334016	33 gal	33" × 38"	14 microns	Natural	250 CT	
26	BWK-404612	40 gal to 45 gal	40" × 46"	10 microns	Natural	250 CT	
27	BWK-404614	40 gal to 45 gal	40" × 46"	11 microns	Natural	250 CT	
28	BWK-404616	40 gal to 45 gal	40" × 46"	13 microns	Natural	250 CT	
	20 Rolls of 50 Bag	S					
29	BWK-242306	8 gal to 10 gal	24" × 24"	6 microns	Natural	1000 CT	
30	BWK-243306	12 gal to 16 gal	24" × 33"	6 microns	Natural	1000 CT	
	40 Rolls of 50 Bag	S					
31	BWK-202206	7 gal	20" × 22"	6 microns	Natural	2000 CT	









Keep bugs away – non-toxic and non-DEET

STOUT

▲ Total Recycled Content Plastic Trash Bags Recycled trash bags are multi-use and strong—puncture and tear resistant. Made from recycled materials. Stands up to heavy workloads while minimizing plastics in waste systems.

ID	No.	Capacity	$W \times H$	Gauge	Color	Qty.	Unit	Price
1	STO-T2424B10 *	7 gal to 10 gal	24" × 24"	1 mil	Brown/ Black	250	CT	
2	STO-T3039B13 *	20 gal to 30 gal	30" × 39"	1.3 mil	Brown/ Black	100	CT	
3	STO-T3340B13 ≭	33 gal	33" × 40"	1.3 mil	Brown/ Black	100	CT	
4	STO-T3340K13R• *	33 gal	33" × 40"	1.3 mil	Brown/ Black	180	CT	
5	STO-T3340B15 ≭	33 gal	33" × 40"	1.5 mil	Brown/ Black	100	СТ	
6	STO-T4048B15 ≭	40 gal to 45 gal	40" × 48"	1.5 mil	Brown/ Black	100	СТ	
7	STO-T3860B15 ≭	55 gal to 60 gal	38" × 60"	1.5 mil	Brown/ Black	100	CT	
8	STO-T4349B15 ≭	56 gal	43" × 49"	1.5 mil	Brown/ Black	100	CT	
9	STO-T3658B15 ≭	60 gal	36" × 58"	1.5 mil	Brown/ Black	100	CT	
10	STO-T5051B15 ≭	65 gal	50" × 51"	1.5 mil	Brown/ Black	100	СТ	

* contains 70% pre-consumer recycled content, 30% post-consumer recycled content.

B EcoSafe-6400[™] Bags Compostable bags are engineered for composting and the collection of organic waste. Will typically degrade in 10 to 45 days and biodegrade in less than six months in a commercial compost facility. Store away from light, heat and moisture.

ID No.	Capacity	$W \times H$	Gauge	Color	Qty.	Unit	Price
11 STO-E2430E85 ≭	13 gal	24" × 30"	0.85 mil	Green	45	ВΧ	
12 STO-E3039E11 ≭	30 gal	30" × 39"	1.1 mil	Green	48	BX	
13 STO-E3348E85 ≭	32 gal	33" × 48"	0.85 mil	Green	50	BX	
14 STO-E4248E85 ≭	48 gal	42" × 48"	0.85 mil	Green	40	BX	
15 STO-E4860E85 ≭	64 gal	48" × 60"	0.85 mil	Green	30	BX	

★ BPI Certified.

Controlled Life-Cycle Plastic Trash Bags Controlled life-cycle plastics have similar performance properties of ordinary plastic bags except they are modified to accelerate aging in a process that safely returns the organic carbon, from which plastic is made, to the natural bio-cycle as a food source for microorganisms.

ID No.	Capacity	$W \times H$	Gauge	Color	Qty. Unit	Price
16 STO-G2430W70	13 gal	24" × 30"	0.7 mil	White	120 BX	
17 STO-G3036B80	20 gal to 30 gal	30" × 36"	0.8 mil	Brown	60 BX	
18 STO-G3340E11	33 gal	33" × 40"	1.1 mil	Green	40 BX	
19 STO-G3344B11	39 gal	33" × 44"	1.1 mil	Brown	40 BX	

D Insect-Repellent Trash Bags Keep unwelcome pests away from trash receptacles. Contains non-toxic and non-DEET natural fragrance oils. There are no insecticides contained in these innovative trash bags, making them safe for food handling areas. 🔄 🗾

ID No.	Capacity	$W \times H$	Gauge	Color	Qty.	Unit	Price
20 STO-P3340K20 ≭	30 gal	33" × 40"	2 mil	Black	90	ВΧ	
21 STO-STOP3340K13R• 🗱	33 gal	33" × 40"	1.3 mil	Black	10	ВΧ	
22 STO-P3345K20 ≭	35 gal	33" × 45"	2 mil	Black	80	ВΧ	
23 STO-P4045K20 ≭	45 gal	$40" \times 45"$	2 mil	Black	65	ВΧ	
24 STO-P3752K20 *	55 gal	37" × 52"	2 mil	Black	65	ВΧ	

Contains 30% post-consumer recycled content.

CAN LINERS

LOW-DENSITY REPRO



D





ID	No.	Capacity	W×H	Gauge	Color	Qty.	Unit	Price
13	WBI-RNW4015C ≭	31 gal to 33 gal	33" × 39"	1.25 mil	Clear	100	СТ	
14	WBI-RNW4615C ≭	40 gal to 45 gal	40" × 46"	1.5 mil	Clear	100	СТ	
	10 Rolls of 10 Bags							
15	WBI-RNW5815C ≭	55 gal to 60 gal	38" × 58"	1.5 mil	Clear	100	СТ	

LEED Applicable; SCS Indoor Advantage Certified. Contains a minimum of 30% post-consumer recycled content, 50% total recycled content.

C Linear-Low-Density Recycled Tall Kitchen Bags Take care of business with these extra-heavy, linear-low-density plastic liners. So tough, they're nearly puncture-proof. Contains recycled content. C □ ■

ID	No.	Capacity	W×H	Gauge	Color	Qty. Unit	Price
	10 Rolls of 15 Bags						

	0.411 0.011	0.05 1	14/1 1	450	DV/	
16 WBI-RNW1K150V ≭ 13 gal	24" × 33"	0.85 mil	White	150	ВХ	

LEED Applicable. Contains 65% pre-consumer content, 10% post-consumer recycled content, 75% total recycled content.

D Linear Low Density Large Trash and Yard Bags Heavy duty recycled content liner is suitable for all trash applications. Convenience pack is ideal for small to mid size businesses. Star bottom seal construction distributes weight more evenly and resists leaks. Coreless rolls for convenient dispensing. (*) 🛛

ID No.	Capacity	$W \times H$	Gauge	Color	Qty. Unit	Price
17 WBI-RNW1TL80 ≭	33 gal	32.5" × 40'	" 0.9 mil	Black	80 CT	

LEED Applicable; SCS Indoor Advantage Certified. Contains a minimum of 10% post-consumer recycled content, 75% total recycled content.



with oupoillor tour u										
ID No.	Capacity	$W \times H$	Gauge	Color	Qty. l	Unit	Price			
18 ESX-ECO40XH ≭	33 gal	33" × 39"	1.5 mil	Black	150 (CT				
19 ESX-ECO47XH• ≭	56 gal	43" × 48"	1.16 mil	Black	100 (CT				
20 ESX-EC060H• ≭	55 gal to	$38" \times 60"$	0.82 mil	Black	100 (СТ				
	60 gal									
21 ESX-ECO60SXH 🗰	55 gal to	38" × 60"	1.16 mil	Black	50 (СТ				
	60 gal									
22 ESX-ECO60XH• 🗱	55 gal to	38" × 60"	1.54 mil	Black	100 (CT				
	60 gal									
Flat Packs - 1 Carto	n of 100 Bags									
23 ESX-EC048H• 苯	40 gal to	40" × 48"	1 mil	Black	100 (СТ				
	45 gal									
24 ESX-EC048XH ≭	40 gal to	40" × 48"	1.5 mil	Black	100 (СТ				
	45 gal									

★ Contains 70% total recycled content.

B

ID	No.	Capacity	$W \times H$	Gauge	Color	Qty. U	nit Price
	10 Rolls of 10 Bags						
1	WBI-RNW4050 🗰	31 gal to 33 gal	33" imes 39"	1.25 mil	Black	100 C	Т
2	WBI-RNW4060 🗰	31 gal to 33 gal	33" imes 39"	1.65 mil	Black	100 C	Т
3	WBI-RNW4850 🗰	40 gal to 45 gal	$40''\times46''$	1.25 mil	Black	100 C	Т
4	WBI-RNW4860 🗰	40 gal to 45 gal	$40''\times46''$	1.65 mil	Black	100 C	Т
5	WBI-RNW4620 🗰	40 gal to 45 gal	$40''\times46''$	2 mil	Black	100 C	Т
6	WBI-RNW4320 🗰	56 gal	$43" \times 47"$	2 mil	Black	100 C	Т
7	WBI-RNW4750 🗰	56 gal	43" imes 48"	1.25 mil	Black	100 C	Т
8	WBI-RNW6050 🗰	55 gal to 60 gal	$38"\times58"$	1.25 mil	Black	100 C	Т
9	WBI-RNW6060 🗰	55 gal to 60 gal	$38"\times58"$	1.65 mil	Black	100 C	Т
10	WBI-RNW5820 🗰	55 gal to 60 gal	$38"\times58"$	2 mil	Black	100 C	Т
	20 Rolls of 25 Bags						
11	WBI-RNW2410 🗰	7 gal to 10 gal	24" × 23"	0.85 mil	Black	500 C	Т
12	WBI-RNW3310 ≭	16 gal	24" × 33"	0.85 mil	Black	500 C	Т

LEED Applicable; SCS Indoor Advantage Certified. Contains a minimum of 10% post-consumer recycled content, 75% total recycled content.

JAGUAR PLASTICS

(▲) **Repro Low-Density Can Liners** Thick, low-density polyethylene provides excellent puncture and tear resistance. Star-sealed bottom helps maximize total capacity while reducing the potential for leakage. (*) [2] [2]

ID No. Capacity W × H Gauge Color Qty. Unit	
1 JAG-R3339HH ≭ 33 gal 33" × 39" 2 mil Black 150 CT	
2 JAG-R4046HH ≭ 45 gal 40" × 46" 2 mil Black 100 CT	
3 JAG-R4347H ≭ 56 gal 43" × 47" 1.5 mil Black 100 CT	
4 JAG-R4347HH ≭ 56 gal 43" × 47" 2 mil Black 100 CT	
10 Rolls of 10 Bags	
5 JAG-R4046H ≭ 45 gal 40" × 46" 1.5 mil Black 100 CT	
6 JAG-R3858H ≭ 60 gal 38" × 58" 1.5 mil Black 100 CT	
7 JAG-R3858HH ≭ 60 gal 38" × 58" 2 mil Black 100 CT	

* LEED Applicable. Contains a minimum of 70% total recycled content.

boardwalk.

③ Low Density Repro Can Liners Can liner with equivalent strength of 2.0 mil liner. Perforated roll for easy dispensing. Coreless rolls save space and material. 😂 💋

ID	No.	Capacity	$W \times H$	Gauge	Color	Qty.	Unit	Price
	4 Rolls of 25 Bags							
8	BWK-534 ≭	31 gal to	33" × 39"	1.4 mil	Clear	100	СТ	
		33 gal						
9	BWK-516 ≭	33 gal	33" × 39"	1.2 mil	Black	100	СТ	
10	BWK-520 ≭	33 gal	33" × 39"	1.6 mil	Black	100	СТ	
11	BWK-531 ≭	40 gal to	40" × 46"	1.1 mil	Clear	100	СТ	
		45 gal						
12	BWK-517 ≭	40 gal to	40" × 46"	1.2 mil	Black	100	СТ	
		45 gal						
13	BWK-535 ≭	40 gal to	40" × 46"	1.4 mil	Clear	100	CI	
1.4		45 gal	40" 46"	1.6 mil	Disal	100	ст	
14	BWK-521 ≭	40 gal to	40" × 46"	1.6 mil	Black	100	U	
15	BWK-533 ≭	45 gal 55 gal to	38" × 58"	1.1 mil	Clear	100	ст	
IJ	DWK-333 +	60 gal	30 × 30	1.1 1111	Glear	100	01	
16	BWK-537 ≭	55 gal to	38" × 58"	1.4 mil	Clear	100	ст	
		60 gal						
17	BWK-532 ≭	56 gal	43" × 47"	1.1 mil	Clear	100	СТ	
18	BWK-518 ≭	56 gal	43" × 47"	1.2 mil	Black	100	СТ	
19	BWK-536 ≭	56 gal	43" × 47"	1.4 mil	Clear	100	СТ	
20	BWK-522 ≭	56 gal	43" × 47"	1.6 mil	Black	100	СТ	
21	BWK-519 ≭	60 gal	38" × 58"	1.2 mil	Black	100	СТ	
22	BWK-523 ≭	60 gal	38" × 58"	1.6 mil	Black	100	СТ	
	10 Rolls of 10 Bag	s						
23	BWK-530 *	31 gal to	33" × 39"	1.1 mil	Clear	100	СТ	
		33 gal						
24	BWK-538 ≭	55 gal to	38" × 58"	1.75 mil	Clear	100	СТ	
		60 gal						
25	BWK-526 ≭	60 gal	38" × 58"	2 mil	Black	100	СТ	

BWK-534, BWK-531, BWK-535, BWK-533, BWK-537, BWK-532, BWK-536, BWK-530, BWK-538—Contains 75% pre-consumer recycled content; 75% total recycled content. BWK-516, BWK-520, BWK-517, BWK-521, BWK-518, BWK-522, BWK-519, BWK-523, BWK-526—Contains 50% total recycled content.

20-FA-CU-RNU

ID No.	Capacity	$W \times H$	Gauge	Color	Qty. Unit	Price
26 HER-X6639AK >	🗱 33 gal	33" × 39"	1.5 mil	Black	100 CT	
27 HER-X6639QK >	🗱 33 gal	33" × 39"	2 mil	Black	100 CT	
28 HER-X8046AK >	🗱 40 gal to	$40" \times 46"$	1.5 mil	Black	100 CT	
	45 gal					
29 HER-X8046QK >	J	40" × 46"	2 mil	Black	100 CT	
	45 gal					
30 HER-X8647AK	* 56 gal	43" × 47"	1.5 mil	Black	100 CT	
31 HER-X8647QK >	🗱 56 gal	43" × 47"	2 mil	Black	100 CT	
32 HER-X7658AK	🔹 60 gal	38" × 58"	1.5 mil	Black	100 CT	
33 HER-X7658QK 3	🔹 60 gal	38" × 58"	2 mil	Black	100 CT	

* Contains 50% total recycled content.







LINEAR LOW-DENSITY



classi

 Linear Low-Density Can Liners Metallocene and LLDPE/LD resin blends improve bag strength and elasticity to resist punctures. Contents show to deter pilferage. Star-sealed bottom construction distributes weight more evenly and resists leaks. Coreless rolls for convenient dispensing.

ID	No.	Capacity	W×H	Gauge	Color	Qty.	Unit	Price
	10 Rolls of 10 Bags							
1	WBI-434722C	56 gal	43" × 47"	0.9 mil	Clear	100	СТ	
2	WBI-385822C	55 gal to 60 gal	38" × 58"	0.9 mil	Clear	100	СТ	
	10 Rolls of 25 Bags	•						
3	WBI-303618C	30 gal	30" × 36"	0.71 mil	Clear	250	СТ	
4	WBI-333916C	31 gal to 33 gal	33" × 39"	0.63 mil	Clear	250	СТ	
5	WBI-404616C•	40 gal to 45 gal	40" × 46"	0.63 mil	Clear	250	СТ	
	20 Rolls of 25 Bags	0						
6	WBI-242315C	7 gal to 10 gal	24" × 23"	0.6 mil	Clear	500	СТ	
7	WBI-243115C	16 gal	24" × 33"	0.6 mil	Clear	500	СТ	

B Low Density Can Liners Star seal bottom prevents vacuum at bottom of container that can restrict easy lifting. Inks and colorants are heavy-metal free.

ID	No.	Capacity	$W \times H$	Gauge	Color	Qty. Unit	Price
8	ESX-ST39•	33 gal	33" × 39"	0.8 mil	White	150 CT	
9	ESX-ST60•	60 gal	38" × 58"	0.8 mil	White	100 CT	

HANDI·BAG

© Super Value Pack Convenient quantity for users with lower requirements. The ideal bag for home office use. Flap-tie closure.

i oqui onionitor nio nuoti bug for nomo onioo ucor nup do onoouror								
ID No.	Capacity	$W \times H$	Gauge	Color	Qty.	Unit	Price	
6 Boxes of 130 Bags								
10 WBI-HAB6FW130CT	8 gal	22" × 24"	0.6 mil	White	780	СТ		
6 Boxes of 100 Bags								
11 WBI-HAB6FK100CT	13 gal	23.75" × 28"	0.6 mil	White	600	СТ		
1 Box of 60 Bags								
12 WBI-HAB6FT60	30 gal	30" × 33"	0.65 mil	Black	60	ВΧ		
1 Box of 40 Bags								
13 WBI-HAB6FTL40	33 gal	$32.5''\times40''$	0.65 mil	Black	40	BX		

D Super Value Pack Contractor Bags Convenient quantity for users with lower requirements. Extra heavy duty contractor bag.

ID No	0.	Capacity	$W \times H$	Gauge	Color	Qty.	Unit	Price
14 W	BI-WEB1CTR50	42 gal	33" × 48"	2.5 mil	Black	50	СТ	



Beavy-Duty Contractor Clean-Up Bags Extra heavy-duty liners for all types of jobs. Puncture resistant; great for sharp, bulky items. Easy to store box size.

ID No.	Capacity	$W \times H$	Gauge	Color	Qty. Unit	Price
15 WBI-186470	55 gal to 60 gal	$32" \times 50"$	3 mil	Black	20 CT	

Accu Fit

 Linear Low Density Can Liners with AccuFit[®] Sizing Stronger can liners are constructed of prime-quality resin. AccuFit[®] sizing ensures that bags won't fall into can. Designed for most common sizes and applications.
 D No. Capacity W × H Gauge Color Qty. Unit Price

	0 110.	Capacity	VV ^ II	Uduye	00101	uty. Onit	
	3 Boxes of 50 Bags						
1	HER-H8053TCRC1CT	55 gal	40" × 53"	0.9 mil	Clear	150 CT	
2	HER-H8053PKRC1CT	55 gal	40" × 53"	1.3 mil	Black	150 CT	
	4 Boxes of 50 Bags						
3	HER-H7450TKRC1CT	44 gal	37" × 50"	0.9 mil	Black	200 CT	
4	HER-H7450TCRC1CT	44 gal	37" × 50"	0.9 mil	Clear	200 CT	
	6 Boxes of 50 Bags						
Ę	HER-H5645TKRC1CT	23 gal	28" × 45"	0.9 mil	Black	300 CT	
6	HER-H5645TCRC1CT	23 gal	28" × 45"	0.9 mil	Clear	300 CT	
7	HER-H6644TKRC1CT	32 gal	33" × 44"	0.9 mil	Black	300 CT	
8	HER-H6644TCRC1CT	32 gal	33" × 44"	0.9 mil	Clear	300 CT	
	5 Rolls of 20 Bags						
ę	HER-H6644PKR01	32 gal	33" × 44"	1.3 mil	Black	100 CT	
1	0 HER-H8053PKR01•	55 gal	40" × 53"	1.3 mil	Black	100 CT	

classic

(B) Linear Low-Density Can Liners Metallocene and LLDPE/LD resin blends improve bag strength and elasticity to resist punctures. Star bottom seal construction distributes weight more evenly and resists leaks. Coreless rolls for convenient dispensing.

ID No.	Capacity	$W \times H$	Gauge	Color	Qty. Unit	Price
10 Rolls of 10 Bags						
11 WBI-434722G	56 gal	43" × 47"	0.9 mil	Black	100 CT	
12 WBI-385822G	55 gal to 60 gal	38" × 58"	0.9 mil	Black	100 CT	
10 Rolls of 25 Bags						
13 WBI-303618B	30 gal	30" × 36"	0.71 mil	Black	250 CT	
14 WBI-333916B	31 gal to 33 gal	33" × 39"	0.63 mil	Black	250 CT	
15 WBI-404616B	40 gal to 45 gal	40" × 46"	0.63 mil	Black	250 CT	
20 Rolls of 25 Bags	U					
16 WBI-242315B	7 gal to 10 gal	24" × 23"	0.6 mil	Black	500 CT	
17 WBI-243115B	16 gal	24" × 33"	0.6 mil	Black	500 CT	



20-FA-CU-RNU

CONTACT US! We have what you need.









boardwalk.

Low-Density Waste Can Liners Performance bottom star seal to prevent leakage. Made from high-quality raw materials, mineral reinforced to enhance strength and puncture-resistance. Use with heavy loads and/or sharp/abrasive materials. Coreless rolls.

311	101 p/ 0 b1 0 31 v C 11		533 10113.				
ID	No.	Capacity	$W \times H$	Gauge	Color	Qty. Unit	Price
	4 Rolls of 25 Bag	js					
1	BWK-3036SH	20 gal to 30 gal	30" × 36"	0.95 mil	Gray	100 CT	
2	BWK-3339SEH	33 gal	33" × 39"	1.1 mil	Gray	100 CT	
3	BWK-4046H	40 gal to 45 gal	40" × 46"	0.6 mil	Black	100 CT	
4	BWK-4046EXH	40 gal to 45 gal	40" × 46"	0.6 mil	White	100 CT	
5	BWK-4046SH	40 gal to 45 gal	40" × 46"	0.95 mil	Gray	100 CT	
6	BWK-4347H	56 gal	43" × 47"	0.6 mil	Black	100 CT	
7	BWK-4347EXH	56 gal	43" × 47"	0.6 mil	White	100 CT	
8	BWK-3858EXH	60 gal	38" × 58"	0.6 mil	White	100 CT	
9	BWK-3858H	60 gal	38" × 58"	0.65 mil	Black	100 CT	
	5 Rolls of 20 Bag	js					
10	BWK-4347SEH	56 gal	43" × 47"	1.1 mil	Gray	100 CT	
11	BWK-3858SEH	60 gal	38" × 58"	1.1 mil	Gray	100 CT	
	8 Rolls of 25 Bag	js					
12	BWK-3036EXH	20 gal to 30 gal	30" × 36"	0.6 mil	White	200 CT	
13	BWK-3339H	33 gal	33" × 39"	0.5 mil	Black	200 CT	
	10 Rolls of 50 Ba	igs					
14	BWK-2423L	8 gal to 10 gal	24" × 23"	0.35 mil	Black	500 CT	
15	BWK-2432L	12 gal to 16 gal	24" × 32"	0.35 mil	Black	500 CT	
	20 Rolls of 25 Ba	igs					
16	BWK-2423EXH	8 gal to 10 gal	24" × 23"	0.4 mil	White	500 CT	
17	BWK-2432EXH	12 gal to 16 gal	24" × 32"	0.4 mil	White	500 CT	
	20 Rolls of 50 Ba	igs					
18	BWK-1717L	4 gal	17" × 17"	0.35 mil	Black	1000 CT	
_		0					

PLATINUMUS

B Can Liners Strong resin blend is designed for toughest use. Superior puncture-resistant sidewall strength. Star-bottom seal construction distributes weight more evenly and resists leaks. Coreless rolls for convenient dispensing. New dispenser carton.

ID	No.	Capacity	$W \times H$	Gauge	Color	Qty. Unit	Price
	5 Rolls of 5 Bags	:					
19	WBI-PLA5525	55 gal to 60 gal	39" × 56"	1.55 mil	Gray	25 CT	
	5 Rolls of 10 Bag	S					
20	WBI-PLA3350	31 gal to 33 gal	33" × 40"	1.35 mil	Gray	50 CT	
21	WBI-PLA4870	40 gal to 45 gal	39" × 46"	1.55 mil	Gray	50 CT	
22	WBI-PLA4770	56 gal	43" × 48"	1.55 mil	Gray	50 CT	
23	WBI-PLA6070	55 gal to 60 gal	39" × 56"	1.55 mil	Gray	50 CT	
	10 Rolls of 10 Ba	gs					
24	WBI-PLA3770	30 gal	30" × 36"	1.35 mil	Gray	100 CT	
25	WBI-PLA4070	31 gal to 33 gal	33" × 40"	1.35 mil	Gray	100 CT	





▲ Tall Kitchen Drawstring Trash Bags Drawstring bags are made strong and durable to help prevent trash disaster in the home and workplace. These kitchen garbage bags are have reinforcing strength bands that make the trash bags stronger while using less plastic. They are reinforced at the top, middle and bottom. These drawstring bags are made with a unique diamond pattern that stretches around objects to prevent rips, reinforcing bands to add strength plus a thicker plastic for leak protection. The strong three-layer drawstring closure makes trash removal easy to lift, carry and toss away.

ID	No.	Capacity	$W \times H$	Gauge	Color	Qty. Unit	Price
	4 Boxes of 100 B	ags					
1	CLO-78526CT ≭	13 gal	24" × 27.38"	0.95 mil	Gray	400 CT	

🔺 California Air Resources Board (CARB) Compliant.

OdorShield® Tall Kitchen Drawstring Bags Provide strength plus odor control, to keep spaces smelling fresh and clean. Made with OdorShield technology and Febreze freshness for guaranteed 5 day odor control, based on lab test compared to unscented bags. The unique diamond pattern in these drawstring bags, stretches around objects to prevent rips and the reinforcing bands help add strength while reducing plastic waste, when compared to a leading branded bag. These trash can liners are reinforced at the top, middle and bottom and are made with thicker plastic for leak protection.

ID	No.	Scent	Capacity	W×H	Gauge	Qty. Unit	Price
	3 Boxes of 80 Ba	gs					
2	CLO-78899 ≭ 🛐	Fresh Clean Scent	13 gal	24" × 27.38"	0.95 mil	240 CT	
3	CLO-78901 ≭ 🛐	Hawaiian Aloha Scent	13 gal	24" × 27.38"	0.95 mil	240 CT	
	6 Boxes of 40 Ba	gs					
4	CLO-78361 ≭	Fresh Clean Scent	13 gal	24" × 27.38"	0.78 mil	240 CT	

All Clorox products, including its subsidiaries are formulated to be in compliance with all local, state and federal regulations governing VOC emissions. This includes the categorical VOC limits of the California Air Resources Board (CARB), Ozone Transport Commission (OTC) and the United States Environmental Protection Agency (USEPA).

() ForceFlexPlus[™] Tall Kitchen Drawstring Trash Bags The unique diamond texture delivers real strength to make bags strong and prevent rips and tears. These drawstring bags stretch around objects to protect against punctures, leaks and trash messes.

ĪD	No.	Capacity	$W \times H$	Gauge	Color	Qty. Unit	Price
5	CLO-70427	13 gal	23.75" × 24.88"	0.72 mil	White	100 CT	

Drawstring Large Trash Bags Guaranteed Strong for heavy-duty jobs, indoors or out with 50% better tear resistance, 20% more puncture resistance and a stronger drawstring versus the leading brand. The drawstring makes closing and carrying easy. You can count on Glad[®] bags to contain your messiest trash.

ID	No.	Capacity	W×H	Gauge	Color	Qty. Unit	Price
6	CLO-78952	30 gal	30" × 33"	1.05 mil	Black	90 CT	

ForceFlexPlus[™] OdorShield[®] Tall Kitchen Drawstring Trash Bags Provides all-day odor control, leaving behind clean scent. Strong three-ply drawstring closure makes garbage bags easy to lift, carry and toss away. D No. Scent Capacity W × H Gauge Qty. Unit Price

Iυ	INO.	Scent	Capacity	VV × H	Gauge	uty. Unit	Pr
	6 Boxes of 34 B	ags					
7	CLO-70320	Fresh Clean Scent	13 gal	24" × 28"	0.9 mil	204 CT	











() ForceFlexPlus[™] Drawstring Large Trash Bags Designed with Durable Strength[™] with a reinforced side seam carries the heavy loads without tearing the bag. Large capacity bags fit a 30 gallon can and stretch around trash with the ForceFlexPlus[™] technology to prevent rips and tears. Built with advanced rip and tear protection, the LeakGuard[™] Protection and RipGuard[™] Protection can withstand even the toughest and messiest trash, so that what goes in, stays in. Strong reinforcing drawstring closure grips the can and ensures easy closing and lifting with one quick pull.

ID	No.	Capacity	$W \times H$	Gauge	Color	Qty. Unit	Price
8	CLO-70358	30 gal	30" × 32"	1.05 mil	Black	70 CT	

CAN LINERS