

PPE Supplies

2021 Catalog



SYMBOL LEGEND

Look for these helpful icons throughout the catalog.



Identifies value pack.



Assembly required.



Products that must be shipped freight.



Identifies items that cannot be returned.



Meets or exceeds ANSI/BIFMA standards for safety and durability.



Products made with at least 10% total recycled content.



Requires additional delivery time; limited availability.



Indicates vacuums that have received the Carpet and Rug Institute Seal of Approval/Green Label Certification. The CRI's seal identifies only those vacuums that meet strict performance standards for soil removal, dust containment and wear to the carpet, as verified by independent laboratory testing.



Products that meet the recovered materials content ranges specified by the EPA through the Comprehensive Procurement Guideline (CPG).



Identifies products third-party tested for environmental responsibility.



Because there is no universally accepted standard to designate products as environmentally preferable, we have adopted the green leaf symbol to highlight products that have one or more of the following attributes: reduced VOCs, compostable, biodegradable, contains recycled content, or other environmental attributes that make this product¹ less harmful to the environment or humans, when compared to its traditional counterparts. Many of the products marked with the green leaf symbol have been endorsed by third-party certifying organizations, and where applicable, the certifying body's logo appears next to the product's name. Please note that we have not independently verified the environmental attributes. ¹These environmental attributes refer to the products themselves and not the processes for manufacturing and transporting the products.



A business that is not less than 51% owned by minority group members who are African-American, Hispanic American, Native American or Asian American and whose management and daily operations are controlled by one or more minority group members; in a publicly owned business, not less than 51% of the stock must be owned by one or more minority group members.



A business that is not less than 51% owned by one or more women—in a publicly owned business not less than 51% of the stock must be owned by one or more women—and whose management and daily operations are controlled by one or more women.



A business that is not less than 51% owned by one or more persons with disability; or in the case of any publicly owned business, not less than 51% of the stock must be owned by one or more individuals with disability, and whose management and daily operations are controlled by one or more individuals with disability.

BUYING
GUIDES



A SMARTER WAY TO SHOP

HAND PROTECTION

EYE PROTECTION

**HEARING
PROTECTION**

**RESPIRATORY
PROTECTION**

HEAD PROTECTION

**PROTECTIVE
CLOTHING**

FALL PROTECTION

FIRST AID

HYDRATION


**FIRE & GAS
PROTECTION**



GLOVE PROTECTION GUIDELINES

Facts and Tips about Gloves:

- Gloves protect your hands from the following workplace hand injuries: sharp objects, abrasive surfaces, moving components, wet environments, chemicals, blood-borne pathogens and viruses.
- You must follow a safe procedure for removing gloves so soil, chemicals or viruses do not come into contact with your hands. Remove one glove from top to bottom with the other gloved hand. Then, tuck the first glove into the other gloved hand and peel off the second glove from the inside.
- The glove cuff style is an important consideration based on the protection needed. Some cuffs will allow the glove to be removed quickly or allow ventilation.
- There are several standards and ratings for cut-resistant and coated gloves (i.e. EN, ANSI, ASTM, etc.). Compare similar standards when choosing gloves because ratings can be determined based on different testing methods.
- If you have an allergy to latex or rubber, look for gloves that contain no latex such as vinyl or nitrile.



Size and Fit Matter:

Size and fit are very important to properly protect your hands. Poorly fitted gloves will not be worn and increase the chance for hand injuries.
 Too small: make hands fatigue while providing less dexterity and decrease productivity
 Too big: more likely to get caught in moving components and not have proper dexterity
 Measure your dominant hand with a tape measure around the palm and knuckles.
 Here are some general guidelines for men's sizes.

7.5 – 8" – Small 10.5 – 11" – X-Large
 8.5 – 9" – Medium 11.5 – 12" – XX-Large
 9.5 – 10" – Large

General guidelines for women's sizes.
 6" – X-Small 7.5" – Large
 6.5" – Small 8" – X-Large
 7" – Medium

Questions to Consider When Buying Gloves:

- In which task or application will you be wearing gloves for protection?
- What types of gloves do you use? Why?
- What types of hand injuries happen in your work area?
- What do you like or dislike about your gloves?
- If you can change one thing about your gloves, what would it be?
- What are the costs of the gloves you have purchased recently?

Gloves by Application:

- **There is no one glove that will fit each job or situation. Assess the job and protection needed to purchase the right glove.**
 Below is a chart that shows the types of gloves commonly found in various applications.

| | Cleaning | Construction | Maintenance | Health Care | Foodservice | Office | Lab | Sheet Metal | Industrial | Warehouse |
|------------------|----------|--------------|-------------|-------------|-------------|--------|-----|-------------|------------|-----------|
| Unsupported | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ |
| Supported | ✓ | ✓ | ✓ | | | | ✓ | ✓ | ✓ | |
| Leather | | ✓ | ✓ | | | | | | | ✓ |
| Cotton | ✓ | | ✓ | | | ✓ | | | ✓ | ✓ |
| Strings | | ✓ | ✓ | | | | | | ✓ | ✓ |
| Coated or Dipped | ✓ | ✓ | ✓ | | | | | ✓ | ✓ | ✓ |
| Cut Protection | | ✓ | ✓ | | | | | ✓ | ✓ | ✓ |
| Multi-Task | | ✓ | ✓ | | | | | ✓ | ✓ | ✓ |

GLOVE TYPES AND ATTRIBUTES



Unsupported: (Chemical Protection)

(Disposable and Multi-Use)

Reliable and economical protection.

Materials: Butyl, Latex, Neoprene, Nitrile, Vinyl.

Uses: Small part handling, food handling, medical and lab use, manufacturing.

Attributes: All latex, vinyl and polyethylene disposable glove component materials comply with relevant federal regulations for food contact. Many are Medical Grade, Class 1 Medical Device approved. Nitrile and vinyl are great alternatives for those with latex allergies. Ideal for tasks when greater dexterity is needed.

Supported: (Chemical Protection)

(Cut/Sewn, Dipped and Cut Protection)

Materials: Butyl, Neoprene, Nitrile, PVC.

Uses: General cleaning, chemical processing.

Attributes: Delivers a varying degree of cut protection and enhanced grip.



Leather: (Leather Palms, Drivers and Welders)

Provides durability, dexterity and comfort.

Uses: General and medium-duty tasks.

Attributes: Leather palms (shown left) are a popular type of leather glove.

Lined leather gloves provide added warmth in cold environments.



Cotton: (Canvas, Jersey and Terrycloth)

Cotton material is cut and sewn together in glove pattern.

Uses: These can keep hands clean and protect against abrasions, but may not be strong enough to handle work with rough or sharp materials.

Attributes: Good abrasion, some with enhanced thermal protection.



Strings: (String Knit, Dipped and Cut Protection)

Fibers are knitted together in glove pattern.

Uses: Light-duty tasks.

Attributes: Allows hands to breathe and reduces perspiration. Provides protection and dexterity. Can be used as a liner for extra protection. Coated/Dotted knits also provide extra grip.

Coated or Dipped Seamless Knit:

(Ninja, Flex, Tuff, UltraTech and Memphis)

Glove is dipped in a polymer coating for added protection.

Uses: Some chemical handling, cleaning, oil refining, food processing.

Attributes: Coatings protect against solvents and chemicals, abrasions, punctures and cuts.



Cut Protection: (Supported, Strings and Synthetic)

Protects hands from sharp edges such as blades, glass, metal, ceramics, etc.

Uses: Medium to heavy-duty tasks.

Attributes: Materials can vary, such as Kevlar®, Dyneema® or composite yarns (HPPE). Not effective in protecting against punctures or power equipment.



Multi-Task: (Leather, Synthetic and Cotton)

Extra material offers more protection.

Uses: Tasks that require superior or specific area protection but with dexterity, grip and working with small parts.

Attributes: Offers specific protection areas and materials depending on the particular task.



A PURPLE NITRILE* Exam Gloves Get a good grip and an excellent fit. Textured fingertips allow you to work with ease and confidence. Easy-to-don beaded cuffs provide greater strength and durability. Nitrile, synthetic rubber construction eliminates the possibility of latex-oriented allergic reactions. Long, 9½-inch ambidextrous design.

| ID No. | Color | Size | Thickness | Qty. | Unit | Price |
|---------------|--------|---------|-----------|------|------|-------|
| 1 KCC-55081 | Purple | Small | 6 mil | 100 | BX | |
| 2 KCC-55082CT | Purple | Medium | 6 mil | 1000 | CT | |
| 3 KCC-55083CT | Purple | Large | 6 mil | 1000 | CT | |
| 4 KCC-55084 | Purple | X-Large | 6 mil | 90 | BX | |

B STERLING* Nitrile Exam Gloves A low cost nitrile glove combining the sensitivity of latex with the protection and strength of nitrile. The thin mil gray gloves are 9.5" long, ambidextrous, powder-free, with beaded cuffs and textured fingertips. They are not made with natural rubber latex.

| ID No. | Color | Size | Thickness | Qty. | Unit | Price |
|-------------|---------------|---------|-----------|------|------|-------|
| 5 KCC-50706 | Sterling Gray | Small | 3.5 mil | 200 | BX | |
| 6 KCC-50707 | Sterling Gray | Medium | 3.5 mil | 200 | BX | |
| 7 KCC-50708 | Sterling Gray | Large | 3.5 mil | 200 | BX | |
| 8 KCC-50709 | Sterling Gray | X-Large | 3.5 mil | 170 | BX | |

KLEENGUARD™

C G10 Nitrile Gloves An economical choice offering protection, performance and comfort. 9.5" ambidextrous with beaded cuff for easy donning and textured fingertips for dexterity. Powder free gloves, not made with natural rubber latex, reducing the risk of Type-1 latex allergy reactions. Ideal for food handling, painting, manufacturing and other industrial workspaces.

| ID No. | Description | Color | Size | Thickness | Qty. | Unit | Price |
|----------------|--------------------------------|-------------|---------|-----------|------|------|-------|
| 9 KCC-90096 * | KleenGuard* G10 Nitrile Gloves | Arctic Blue | Small | 2 mil | 200 | BX | |
| 10 KCC-90097 * | KleenGuard* G10 Nitrile Gloves | Arctic Blue | Medium | 2 mil | 200 | BX | |
| 11 KCC-90098 * | KleenGuard* G10 Nitrile Gloves | Arctic Blue | Large | 2 mil | 200 | BX | |
| 12 KCC-90099 * | KleenGuard* G10 Nitrile Gloves | Arctic Blue | X-Large | 2 mil | 180 | BX | |

* Approved by Canadian Food Inspection Agency (CFIA); FDA Approved.

D G10 Blue Nitrile Gloves Designed for tasks requiring maximum dexterity without sacrificing protection. Powder-free and ambidextrous. Textured fingertips. No natural rubber latex, reduces concern for people with a Type 1 Latex allergy. Approved for food handling.

| ID No. | Description | Color | Size | Thickness | Qty. | Unit | Price |
|------------------|---------------------------------|-------|-----------------|-----------|------|------|-------|
| 13 KCC-57372CT * | Blue Disposable Gloves, Nitrile | Blue | Medium (Size 8) | 6 mil | 1000 | CT | |
| 14 KCC-57373CT | Blue Disposable Gloves Nitrile | Blue | Large | 6 mil | 1000 | CT | |
| 15 KCC-57374 | Blue Disposable Gloves Nitrile | Blue | X-Large | 6 mil | 90 | BX | |

* KCC-57372CT—Meets Canadian Requirements and U.S. FDA Regulations for Food Handling Applications.





boardwalk.

A Disposable General-Purpose Nitrile Gloves For superior protection against chemicals and sterile handling of food, these latex-free disposable gloves combine strength and convenience. Chemical-resistant for safe handling of dangerous liquids and puncture-resistant for added protection against sharp objects and abrasions. Ideal for lab work, chemical handling and food service applications.

| ID | No. | Color | Size | Thickness | Qty. | Unit | Price |
|-------------------|---------------|-------|---------|-----------|------|------|-------|
| 380 Series | | | | | | | |
| 1 | BWK-380SCT | Blue | Small | 4 mil | 1000 | CT | |
| 2 | BWK-380MCT | Blue | Medium | 4 mil | 1000 | CT | |
| 3 | BWK-380LCT | Blue | Large | 4 mil | 1000 | CT | |
| 4 | BWK-380LBX * | Blue | Large | 4 mil | 100 | BX | |
| 5 | BWK-380XLCT | Blue | X-Large | 4 mil | 1000 | CT | |
| 395 Series | | | | | | | |
| 6 | BWK-395MCT * | Blue | Medium | 5 mil | 1000 | CT | |
| 7 | BWK-395LCT * | Blue | Large | 5 mil | 1000 | CT | |
| 8 | BWK-395XLCT * | Blue | X-Large | 5 mil | 1000 | CT | |
| 396 Series | | | | | | | |
| 9 | BWK-396MCT | Black | Medium | 4.4 mil | 1000 | CT | |
| 10 | BWK-396LCT | Black | Large | 4.4 mil | 1000 | CT | |
| 11 | BWK-396LBX | Black | Large | 4.4 mil | 100 | BX | |
| 12 | BWK-396XLCT | Black | X-Large | 4.4 mil | 1000 | CT | |

* BWK-380LBX—21 CFR, 170-199 Compliant.

BWK-395MCT, BWK-395LCT, BWK-395XLCT—Approved for use with Food; ASTM; ESD Compliant.

B Disposable Examination Nitrile Gloves These latex-free disposable gloves combine strength and dexterity for superior protection against chemicals and sterile handling of food. Chemical-resistant for safe handling of dangerous liquids. Puncture-resistant for added protection against sharp objects and abrasions.

| ID | No. | Color | Size | Thickness | Qty. | Unit | Price |
|----|-------------|-------|---------|-----------|------|------|-------|
| 13 | BWK-382SCT | Blue | Small | 5 mil | 1000 | CT | |
| 14 | BWK-382MCT | Blue | Medium | 5 mil | 1000 | CT | |
| 15 | BWK-382LCT | Blue | Large | 5 mil | 1000 | CT | |
| 16 | BWK-382XLCT | Blue | X-Large | 5 mil | 1000 | CT | |



C Venom® Steel™ Industrial Nitrile Gloves Heavy duty gloves are fully textured to provide a better grip and are 70% thicker than regular Venom® gloves. Premium gloves are perfect for all your tough jobs including auto care, painting and household cleaning.

| ID | No. | Color | Size | Thickness | Qty. | Unit | Price |
|----|--------------|-------|---------|-----------|------|------|-------|
| 17 | MII-VEN6143 | Black | Large | 6 mil | 100 | BX | |
| 18 | MII-VEN6543N | Black | Large | 6 mil | 500 | BX | |
| 19 | MII-VEN6045N | Black | Large | 6 mil | 50 | BX | |
| 20 | MII-VEN6544 | Black | X-Large | 6 mil | 500 | BX | |

D Venom® Nitrile Exam Gloves Great quality and protection. Non-sterile, powder- and latex-free gloves offer lightweight strength, excellent donning characteristics and textured fingertips for enhanced grip and control. Features beaded cuff.

| ID | No. | Color | Size | Thickness | Qty. | Unit | Price |
|----|------------|-------|---------|-----------|------|------|-------|
| 21 | MII-MG6112 | Black | Medium | 3 mil | 100 | BX | |
| 22 | MII-MG6113 | Black | Large | 3 mil | 100 | BX | |
| 23 | MII-MG6114 | Black | X-Large | 3 mil | 90 | BX | |

Ansell

A Dura-Touch® PVC Gloves When you need economical hand and product protection, Dura-Touch® PVC gloves are a great choice. Near “bare hand” dexterity and sensitivity ensures hassle-free use. Use for light manufacturing, maintenance and cleanup.

| ID No. | Color | Size | Thickness | Qty. | Unit | Price |
|-----------------|-------|---------|-----------|------|------|-------|
| 1 ANS-34725M * | Clear | Medium | 5 mil | 100 | BX | |
| 2 ANS-34725L * | Clear | Large | 5 mil | 100 | BX | |
| 3 ANS-34725XL * | Clear | X-Large | 5 mil | 100 | BX | |

* FDA Compliant.

boardwalk.

B General Purpose Powdered Latex Gloves Enhanced comfort and fit for everyday functionality. Strong and elastic latex gloves provide maximum protection and comfort. These sturdy gloves are designed to reduce the possibility of tears and holes while providing tactile sensitivity. Safe for food contact applications.

| ID No. | Color | Size | Thickness | Qty. | Unit | Price |
|---------------|---------|---------|-----------|------|------|-------|
| 4 BWK-355SBX | Natural | Small | | 100 | BX | |
| 5 BWK-355SCT | Natural | Small | | 1000 | CT | |
| 6 BWK-355MCT | Natural | Medium | | 1000 | CT | |
| 7 BWK-355LCT | Natural | Large | | 1000 | CT | |
| 8 BWK-355XLCT | Natural | X-Large | | 1000 | CT | |

C General-Purpose Latex Gloves Ideal for food handling and preparation, assembly and manufacturing work and other nonmedical applications requiring dexterity. Ambidextrous. Nonsterile. Powder-free.

| ID No. | Color | Size | Thickness | Qty. | Unit | Price |
|------------------|---------|---------|-----------|------|------|-------|
| 9 BWK-345MCT * | Natural | Medium | 4.4 mil | 1000 | CT | |
| 10 BWK-345LCT * | Natural | Large | 4.4 mil | 1000 | CT | |
| 11 BWK-345XLCT * | Natural | X-Large | 4.4 mil | 1000 | CT | |

* FDA Compliant; USDA Compliant.

D Powder-Free Latex Exam Gloves Powder-free exam gloves eliminate the problems of potential aerosolization of glove powder and powder associated transfer of chemical allergens. Designed to provide the right combination of protection and sensitivity. Latex gloves are strong and elastic, ensuring enhanced strength and durability. Quick and easy to don.

| ID No. | Color | Size | Thickness | Qty. | Unit | Price |
|----------------|---------|---------|-----------|------|------|-------|
| 12 BWK-351SCT | Natural | Small | 4.8 mil | 1000 | CT | |
| 13 BWK-351MCT | Natural | Medium | 4.8 mil | 1000 | CT | |
| 14 BWK-351LCT | Natural | Large | 4.8 mil | 1000 | CT | |
| 15 BWK-351XLCT | Natural | X-Large | 4.8 mil | 1000 | CT | |

E Powder-Free Synthetic Examination Vinyl Gloves Sturdy synthetic examination vinyl gloves give the look and feel of latex without the latex allergens. They offer exceptional strength and protection, while maintaining maximum tactile sensitivity. This glove is the ultimate solution for those who are sensitive to natural rubber latex. Eliminates glove powder aerosolization. Safe for food and medical applications.

| ID No. | Color | Size | Thickness | Qty. | Unit | Price |
|------------------|-------|---------|-----------|------|------|-------|
| 16 BWK-310SCT* * | Cream | Small | 5 mil | 1000 | CT | |
| 17 BWK-310MCT * | Cream | Medium | 5 mil | 1000 | CT | |
| 18 BWK-310LCT * | Cream | Large | 5 mil | 1000 | CT | |
| 19 BWK-310XLCT * | Cream | X-Large | 5 mil | 1000 | CT | |

* FDA Approved Examination Grade for Medical Use.





boardwalk.

A Exam Vinyl Gloves Powder-free. Can be used in doctors' and dentists' offices and for EMS personnel when a sterile glove is not required. Ideal for food preparation, general light duty cleaning, painting, precision parts handling and manufacturing and parts assembly. 100% latex-free. Ambidextrous. Nonsterile.

| ID No. | Color | Size | Thickness | Qty. | Unit | Price |
|---------------|-------|---------|-----------|------|------|-------|
| 1 BWK-361SCT | Clear | Small | 3.6 mil | 1000 | CT | |
| 2 BWK-361MCT | Clear | Medium | 3.6 mil | 1000 | CT | |
| 3 BWK-361LCT | Clear | Large | 3.6 mil | 1000 | CT | |
| 4 BWK-361XLCT | Clear | X-Large | 3.6 mil | 1000 | CT | |

B General Purpose Vinyl Gloves Convenient vinyl general purpose powder free gloves provide excellent tactile sensitivity and protection. These gloves are ideal for users who are at risk of becoming sensitive to latex protein allergens. Quick and easy to don. Safe for food contact applications.

| ID No. | Color | Size | Thickness | Qty. | Unit | Price |
|-----------------|-------|---------|-----------|------|------|-------|
| 5 BWK-365SCT * | Clear | Small | 2.6 mil | 1000 | CT | |
| 6 BWK-365MCT * | Clear | Medium | 2.6 mil | 1000 | CT | |
| 7 BWK-365LCT * | Clear | Large | 2.6 mil | 1000 | CT | |
| 8 BWK-365LXB * | Clear | X-Large | 2.6 mil | 100 | BX | |
| 9 BWK-365XLCT * | Clear | X-Large | 2.6 mil | 1000 | CT | |

* FDA Compliant; USDA Compliant.

C Powder-Free Synthetic Vinyl Gloves Sturdy synthetic vinyl gloves give the look and feel of latex without the latex allergens. They offer exceptional strength and protection, yet maintain maximum tactile sensitivity. This glove is designed as the ultimate solution for those who are at risk of becoming sensitive to natural rubber latex. Eliminates glove powder aerosolization. Safe for food contact applications.

| ID No. | Color | Size | Thickness | Qty. | Unit | Price |
|----------------|-------|---------|-----------|------|------|-------|
| 10 BWK-315SCT | Cream | Small | 4 mil | 1000 | CT | |
| 11 BWK-315MCT | Cream | Medium | 4 mil | 1000 | CT | |
| 12 BWK-315LCT | Cream | Large | 4 mil | 1000 | CT | |
| 13 BWK-315XLCT | Cream | X-Large | 4 mil | 1000 | CT | |



D Wire Wall-Mount Glove Box Holder Durable glove box holders are made of strong, stainless steel with a baked-on white finish. Open design allows view of sizes and glove types. Multiple glove box holders allow for easy dispensing of assorted sizes and glove types for all staff needs.

| ID No. | Size | Color | Gauge/Material | Unit | Price |
|---|-----------------|-------|----------------------|------|-------|
| Single-Box Holder | | | | | |
| 14 UMI-BXWW004029+ | 11" × 3½" × 3½" | White | Stainless Steel Wire | EA | |
| Holds Two Boxes of Gloves —Horizontal dispenser holds two boxes of gloves faced out for easy access. | | | | | |
| 15 CTT-BHDH004040+ | 11" × 4" × 10½" | White | Stainless Steel Wire | EA | |
| Holds Three Boxes of Gloves —Horizontal dispenser holds three boxes of gloves faced out for easy access. | | | | | |
| 16 CTT-BVTH004055+ | 16" × 4" × 8" | White | Stainless Steel Wire | EA | |
| Holds Four Boxes of Gloves —Horizontal dispenser holds four boxes of gloves faced out for easy access. | | | | | |
| 17 CTT-BVQH004065+ | 22" × 4" × 8" | White | Stainless Steel Wire | EA | |
| Holds Two Boxes of Gloves —Vertical dispenser holds two boxes of gloves faced out for easy access. | | | | | |
| 18 CTT-BVDH004045+ | 11½" × 4" × 8" | White | Stainless Steel Wire | EA | |
| Holds Three Boxes of Gloves —Vertical dispenser holds three boxes of gloves faced out for easy access. | | | | | |
| 19 CTT-BHTH004050+ | 11" × 4" × 14" | White | Stainless Steel Wire | EA | |
| Holds Four Boxes of Gloves —Vertical dispenser holds four boxes of gloves faced out for easy access. | | | | | |
| 20 CTT-BHQH004060 | 11" × 4" × 22" | White | Stainless Steel Wire | EA | |



A Clear Acrylic Wall-Mount Glove Box Holder Convenient, economical organizer keeps gloves clean, accessible and ready to use. Clear acrylic allows easy identification of glove type and size. Accommodates most brands and sizes of glove boxes. Multiple glove box holders allow for easy dispensing of assorted sizes and glove types.

| ID No. | Size | Color | Gauge/Material | Unit | Price |
|------------------------------------|-----------------|------------------|----------------|---------|-------|
| Single-Box Holder | | | | | |
| 1 | UMI-CCG1061004* | 11" × 3½" × 4¾" | Clear | Acrylic | EA |
| Holds Two Boxes of Gloves | | | | | |
| 2 | UMI-CCG2061281* | 11" × 3½" × 9½" | Clear | Acrylic | EA |
| Holds Three Boxes of Gloves | | | | | |
| 3 | UMI-CCG3061282* | 11" × 3½" × 14½" | Clear | Acrylic | EA |
| Holds Four Boxes of Gloves | | | | | |
| 4 | UMI-CCG4061284* | 11" × 3½" × 19¼" | Clear | Acrylic | EA |

Ansell

B Chemi-Pro® Neoprene Gloves Unique dipping process lays neoprene over natural rubber to provide increased protection against a wide range of chemicals. Recessed diamond pattern adds gripping power on both wet and dry surfaces. Sturdy gloves stand up to acids, alkalies, salts and ketones.

| ID No. | Color | Size | Thickness | Qty. | Unit | Price |
|---|------------|-------------|-----------|--------|------|-------|
| ANSI Abrasion: 3; ANSI Cut Resistance: 0 | | | | | | |
| 5 | ANS-22410* | Blue/Yellow | Size 10 | 27 mil | 12 | PK |

C Snorkel® Chemical-Resistant Gloves Cover all the bases with comfortable, flexible, full-immersion chemical-resistant gloves. Heavy-duty PVC/nitrile-blend shell protects you from contact with acids, caustics and solvents. Rough, nylon-particle-infused finish enhances cut/abrasion protection while helping you get a better grip on wet and dry objects.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|----------------|-------|---------|------|-------|
| 6 | ANS-4412-10* * | Green | Size 10 | 1 | DZ |

* EN374; EN374AKL. Products that provide "chemical resistance" and/or "resistance" to oil or grease or do not completely prevent or eliminate the potential for injury due to chemical exposure and do not completely prevent or eliminate the potential for oil or liquid penetration or absorption.

D Sol-Vex® Sandpatch-Grip Nitrile Gloves Gauntlet-style gloves are perfect for heavy-duty cleaning applications. High-quality nitrile provides excellent chemical resistance and tensile strength. Flexible and comfortable.

| ID No. | Color | Size | Qty. | Unit | Price |
|---|--------------|-------|---------|------|-------|
| ANSI Abrasion: 4; ANSI Cut Resistance: 0 | | | | | |
| 7 | ANS-3717510* | Green | Size 10 | 12 | PK |

E Sol-Vex® Unsupported Nitrile Gloves High-performance gloves deliver an outstanding combination of strength and chemical resistance. When exposed to aromatic and petroleum solvents as well as caustics and animal fats, Sol-Vex® gloves have proven to be a superior choice over rubber or neoprene. Skin-safe nitrile helps minimize the potential for contact dermatitis.

| ID No. | Color | Size | Thickness | Qty. | Unit | Price |
|--------|------------|-------|-----------|--------|------|-------|
| 8 | ANS-371859 | Green | Size 9 | 22 mil | 12 | CT |

F XT Premium Latex Gloves Powder-free latex disposable gloves with textured grip are ambidextrous. They provide the highest degree of dexterity available with the strength and comfort of 100% natural rubber latex. For laboratory analysis/technical work, intricate parts handling, food processing and handling, quality control, electronics assembly, light-duty maintenance and cleanup.

| ID No. | Color | Size | Thickness | Qty. | Unit | Price |
|--------|-------------|-------|-----------|-------|------|-------|
| 9 | ANS-69318S | White | Small | 5 mil | 100 | BX |
| 10 | ANS-69318M | White | Medium | 5 mil | 100 | BX |
| 11 | ANS-69318L | White | Large | 5 mil | 100 | BX |
| 12 | ANS-69318XL | White | X-Large | 5 mil | 100 | BX |





boardwalk.

A Nitrile Flock-Lined Gloves Protect your hands with gloves that are chemical- and abrasion-resistant. Perfect for car repair or working with harsh cleaners and solvents or pesticides. Gloves have an embossed grip.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------------|-------|---------|------|------|-------|
| 1 BWK-183S* | Green | Small | 1 | DZ | |
| 2 BWK-183M * | Green | Medium | 1 | DZ | |
| 3 BWK-183L | Green | Large | 1 | DZ | |
| 4 BWK-183XL | Green | X-Large | 1 | DZ | |

* BWK-183M—FDA Compliant.

B Flock-Lined Latex Cleaning Gloves Lined gloves are good for working with harsh detergents, acids, solvents, alcohols and alkalis. Gloves protect your hands and help you maintain a steady grip. Perfect for cleaning up those big messes. Embossed nonslip grip.

| ID No. | Color | Size | Qty. | Unit | Price |
|-------------|--------|---------|------|------|-------|
| 5 BWK-242M | Yellow | Medium | 1 | DZ | |
| 6 BWK-242L | Yellow | Large | 1 | DZ | |
| 7 BWK-242XL | Yellow | X-Large | 1 | DZ | |

C Neoprene Flock-Lined Gloves Heavy-duty flock lined neoprene gloves offer superior protection, greater thickness and looser fit for extreme chemical handling applications. Resistant to chlorinated solvents, inorganic acids, petroleum products, paint and varnish remover. Long-sleeve ensures forearm protection. Embossed grip.

| ID No. | Color | Size | Qty. | Unit | Price |
|---------------|-------|---------|------|------|-------|
| 8 BWK-543M* | Black | Medium | 1 | DZ | |
| 9 BWK-543L | Black | Large | 1 | DZ | |
| 10 BWK-543XL* | Black | X-Large | 1 | DZ | |



D Flock-Lined Nitrile Gloves Nitr-Chem heavy-duty nitrile gloves maintain strength in both wet and dry conditions with diamond embossed grip. Added length and straight cuffs protect hands and wrist area while working with food and dangerous chemicals. Component materials comply with FDA regulations for food contact. Ideal for food processing, chemicals, machine operations, maintenance and more.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------------|-------|----------|------|------|-------|
| 11 CRW-5319E | Green | One Size | 1 | DZ | |

E Ninja® HPT Gloves When working in both wet and dry environments, professional-grade nylon gloves maintain a solid, durable performance. Hydropellent technology coating process creates encapsulated air molecules which repel liquids for a firm wet or dry grip. Gloves remain fresh and free of bacteria with Actifresh® coating. Great for assembly, plumbing, shipping and general maintenance.

| ID No. | Color | Size | Qty. | Unit | Price |
|------------------|-------|---------|------|------|-------|
| 12 CRW-N9699S | Black | Small | 1 | PR | |
| 13 CRW-N9699MBX | Black | Medium | 12 | BX | |
| 14 CRW-N9699LPK | Black | Large | 12 | PK | |
| 15 CRW-N9699XLDZ | Black | X-Large | 1 | DZ | |



boardwalk.

A Rubber Palm Gloves Sturdy blue latex palm coated work gloves are ideal for jobs requiring cut and abrasion resistance, while rough grip style maintains the best grip in wet and dry conditions. Form fitting, super flexible and silicone free, they have a grey machine knit polyester shell with a blue rubber coated palm and fingers.

| ID No. | Color | Size | Qty. | Unit | Price |
|------------------|-----------|---------|------|------|-------|
| 1 BWK-00027L * | Gray/Blue | Large | 1 | DZ | |
| 2 BWK-00027XL* * | Gray/Blue | X-Large | 1 | DZ | |

* Made of FDA Accepted Materials.

Honeywell



B NorthFlex Red™ Foamed PVC Gloves Gloves are made with a soft and flexible foamed PVC coating for shock and vibration absorption. Stretchy and form-fitting seamless nylon liners create a snug fit for exceptional comfort. PVC coating also has high abrasion resistance for extra protection.

| ID No. | Color | Size | Qty. | Unit | Price |
|-----------------|-----------|-------------------|------|------|-------|
| 3 NSP-NF119L | Red/Black | Large (Size 9) | 1 | DZ | |
| 4 NSP-NF1110XL* | Red/Black | X-Large (Size 10) | 1 | DZ | |

boardwalk.

C Black PU Palm Coated Gloves Fitted gloves feature a black polyurethane coated palm on a 100% black polyester seamless machine knit shell. They provide outstanding grip and superior abrasion resistance. These general purpose black gloves adapt to the contours of the hand for a completely custom fit. They feature color overcasts to help designate size and a rubber band edge finish to enhance fit.

| ID No. | Color | Size | Qty. | Unit | Price |
|------------------|-------|--------------------|------|------|-------|
| 5 BWK-000288* * | Black | Medium (Size 8) | 1 | DZ | |
| 6 BWK-000289* * | Black | Large (Size 9) | 1 | DZ | |
| 7 BWK-0002810* * | Black | X-Large (Size 10) | 1 | DZ | |
| 8 BWK-0002811* * | Black | 2X-Large (Size 11) | 1 | DZ | |

* ANSI Level 1 Cut Resistance; Made of FDA Accepted Materials.

D Palm Coated HPPE Gloves Sturdy gloves are constructed of a high performance polyethylene (HPPE), nylon, with a polyester fiber blended machine knit shell. They deliver cool comfort, superb dexterity and dependable cut resistance. Polyurethane palm coating channels away oils, provides a secure grip and delivers ultra-high abrasion resistance. Dark coloring hides dirt.

| ID No. | Color | Size | Qty. | Unit | Price |
|-------------------|---------------------|--------------------|------|------|-------|
| 9 BWK-000298* * | Salt & Pepper/Black | Medium (Size 8) | 1 | DZ | |
| 10 BWK-000299* * | Salt & Pepper/Black | Large (Size 9) | 1 | DZ | |
| 11 BWK-0002910* * | Salt & Pepper/Black | X-Large (Size 10) | 1 | DZ | |
| 12 BWK-0002911* * | Salt & Pepper/Black | 2X-Large (Size 11) | 1 | DZ | |

* ANSI Level 2 Cut Resistance; ANSI Level 6 Abrasion Resistance; Made of FDA Accepted Materials.





A Ultra Tech® Foam Nitrile Gloves Strength and comfort are a durable combination with these nitrile-dipped work gloves. Ultra Tech® foam provides additional protection against heavier tasks and cushions impacts. Nitrile-dipped palm and fingers maintain a solid grip during both wet and dry applications. Seamless nylon knit design offers flexibility. Ideal for small parts handling where tactile sensitivity and dexterity are important.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|------------|------------|--------|------|-------|
| 1 | CRW-9674M* | Gray/White | Medium | 1 | DZ |
| 2 | CRW-9674L* | Gray/White | Large | 1 | DZ |

B Dyneema® Gloves The economical choice for solid protection against cuts and abrasions. Polyurethane palm and finger coating provides a sturdy, durable grip in both wet and dry applications. Flexible Dyneema® material remains breathable and lint-free. Laundry-safe and easy to clean, with no loss in cut resistance.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|---------------|------------|---------|------|-------|
| 3 | CRW-9672M* * | Gray/White | Medium | 1 | PR |
| 4 | CRW-9672L* * | Gray/White | Large | 1 | PR |
| 5 | CRW-9672XL* * | Gray/White | X-Large | 1 | PR |

* ANSI Level 2 Cut Resistant.

C Ultra Tech® Tactile Dexterity Work Gloves Protection, comfortable fit and sure grip. Resistant to cuts and abrasions. Provides tactile sensitivity and hand dexterity.

| ID No. | Description | Color | Size | Thickness | Qty. | Unit | Price |
|--------|-------------|---|-------------|-----------|----------|------|-------|
| 6 | CRW-N9696S* | Polyurethane coated palm and fingertips on 18 gauge shell | Blue/ Black | Small | 18 gauge | 1 | DZ |
| 7 | CRW-N9696M* | Polyurethane coated palm and fingertips on 18 gauge shell | Blue/ Black | Medium | 18 gauge | 1 | DZ |
| 8 | CRW-N9696L | Polyurethane coated palm and fingertips on 18 gauge shell | Blue/ Black | Large | 18 gauge | 1 | DZ |

D Flex Latex Gloves Multipurpose work gloves provide durable strength and grip, without compromising breathability. Gray nylon shell offers added comfort and flexibility. Blue foam latex-dipped palm and fingertips maintain a solid grip in both wet and dry environments. Ideal for small parts handling where tactile sensitivity and dexterity are important.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|---------------|-----------|---------|------|-------|
| 9 | CRW-96731SDZ | Blue/Gray | Small | 1 | DZ |
| 10 | CRW-96731MDZ | Blue/Gray | Medium | 1 | DZ |
| 11 | CRW-96731LDZ | Blue/Gray | Large | 1 | DZ |
| 12 | CRW-96731XLDZ | Blue/Gray | X-Large | 1 | DZ |



A Ninja® Force Gloves Don't sacrifice comfort for protection with these polyurethane coated gloves. Dyneema/synthetic/fiberglass shell provides flexibility and style. Solid protection from abrasions, cuts and tears while synthetic glove back keeps hands cool and comfortable. Durable choice for automotive, metal fabrication and transportation industries.

| ID No. | Color | Size | Thickness | Qty. | Unit | Price |
|--------|--------------|------|-----------|----------|------|-------|
| 1 | CRW-N9677S* | Gray | Small | 13 gauge | 1 | PR |
| 2 | CRW-N9677M* | Gray | Medium | 13 gauge | 1 | PR |
| 3 | CRW-N9677L* | Gray | Large | 13 gauge | 1 | PR |
| 4 | CRW-N9677XL* | Gray | X-Large | 13 gauge | 1 | PR |

B Ninja® X Gloves Premium durability and softness complement a bi-polymer coating on palm and fingertips for solid protection. These high-performance nylon/lycra gloves are treated with Actifresh® to kill bacteria and promote longlasting freshness. Industry applications include manufacturing, fabrication, inspections and packaging when maximizing dexterity and sense of touch is required.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|--------------|-------|---------|------|-------|
| 5 | CRW-N9674S | Black | Small | 1 | PR |
| 6 | CRW-N9674M | Black | Medium | 1 | PR |
| 7 | CRW-N9674L | Black | Large | 1 | PR |
| 8 | CRW-N9674XL* | Black | X-Large | 1 | PR |

C Economy Foam Nitrile Gloves Solid, 13 gauge nylon knit design provides a durable, economical glove choice for the workplace. Nitrile-dipped palm and fingers for handling larger spills and heavier cleanup without losing grip. Ideal for small parts handling where tactile sensitivity and dexterity are important.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|------------|------------|---------|------|-------|
| 9 | CRW-9673S | Black/Gray | Small | 1 | DZ |
| 10 | CRW-9673M | Black/Gray | Medium | 1 | DZ |
| 11 | CRW-9673L | Black/Gray | Large | 1 | DZ |
| 12 | CRW-9673XL | Black/Gray | X-Large | 1 | DZ |

D Ninja® Flex Latex Coated Palm Gloves N9680 Crinkle latex coating providing superb flexibility, elasticity, and durability. Excellent dexterity and protection. Component materials comply with all relevant federal regulations for food contact.

| ID No. | Description | Color | Size | Thickness | Qty. | Unit | Price |
|--------|--------------|---|-----------|-----------|----------|------|-------|
| 13 | CRW-N9680S* | Ninja Flex, 15 Gauge, Red, Nylon Shell, Gray Latex Palm & Fingers | Red/ Gray | Small | 15 gauge | 1 | DZ |
| 14 | CRW-N9680M* | Ninja Flex, 15 Gauge, Red, Nylon Shell, Gray Latex Palm & Fingers | Red/ Gray | Medium | 15 gauge | 1 | DZ |
| 15 | CRW-N9680L* | Ninja Flex 15 gauge, Red, Nylon Shell/Gray Latex Palm & Fingers | Red/ Gray | Large | 15 gauge | 1 | DZ |
| 16 | CRW-N9680XL* | Ninja Flex, 15 Gauge, Red, Nylon Shell, Gray Latex Palm & Fingers | Red/ Gray | X-Large | 15 gauge | 1 | DZ |



GLOVES

European Directives for Personal Protective Equipment

European Standard EN388 established the criteria necessary for rating all PPE items. Many of our hand protection offerings meet these standards – reflected with the CE logo – and have a 4-digit performance rating that measures abrasion, cut, tear and puncture resistance (ACTP).

A glove's overall performance score is indicated by four numbers that represent the four test criteria. The higher the number, the better the performance. Manufacturers may use an X to indicate not tested.

| Criteria | Rating |
|-------------------------------|------------|
| A Abrasion Resistance | 0-4 |
| C Blade Cut Resistance | 0-5 |
| T Tear Resistance | 0-4 |
| P Puncture Resistance | 0-4 |



A ProFlex® 710 Heavy-Duty Utility Gloves Heavy-duty utility gloves offer superior protection for the skilled professional. Padded palm with Tena-Grip™ reinforcement for extra protection. Tena-Grip™ reinforced fingertips and thumb saddle. Technical hex-stretch material construction for long-lasting durability.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------------|-------|---------|------|------|-------|
| 1 EGO-17043* | Gray | Medium | 1 | PR | |
| 2 EGO-17044* | Gray | Large | 1 | PR | |
| 3 EGO-17045* | Gray | X-Large | 1 | PR | |

B ProFlex® 812 Standard Utility Gloves High quality utility gloves provide all-purpose protection, dexterity and comfort. Durable synthetic leather palm. Reinforced thumb saddle wear area for added strength. Breathable poly mesh construction designed for user comfort. Low-profile molded hook and loop closure with ID space. Pull-on tab for easy on/off.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------------|-------|---------|------|------|-------|
| 4 EGO-17172* | Black | Small | 1 | PR | |
| 5 EGO-17173* | Black | Medium | 1 | PR | |
| 6 EGO-17174* | Black | Large | 1 | PR | |
| 7 EGO-17175* | Black | X-Large | 1 | PR | |

C ProFlex® 720 Heavy-Duty Framing Gloves Heavy-duty framing gloves feature three open fingers for superb dexterity and functionality. Convenient configuration for grasping fasteners. Padded palm with Tena-Grip™ reinforcement for extra protection. Technical hex-stretch material construction for long-lasting durability.

| ID No. | Color | Size | Qty. | Unit | Price |
|---------------|-------|---------|------|------|-------|
| 8 EGO-17112* | Gray | Small | 1 | PR | |
| 9 EGO-17113* | Gray | Medium | 1 | PR | |
| 10 EGO-17114* | Gray | Large | 1 | PR | |
| 11 EGO-17115* | Gray | X-Large | 1 | PR | |

D ProFlex® 710CR Heavy-Duty + Cut Resistance Gloves Heavy-duty, cut resistant gloves are a durable choice for everyday challenges. Armortex®-backed palm for cut protection. Padded palm with Tena-Grip™ reinforcement for superior protection overall. Technical hex-stretch material construction for long-lasting durability.

| ID No. | Color | Size | Qty. | Unit | Price |
|---------------|-------|---------|------|------|-------|
| 12 EGO-17123* | Gray | Medium | 1 | PR | |
| 13 EGO-17124* | Gray | Large | 1 | PR | |
| 14 EGO-17125* | Gray | X-Large | 1 | PR | |

E ProFlex® 820 High Abrasion Handling Gloves High abrasion handling gloves feature an abrasion resistant Tena-Grip™ palm and fingers, for moving the rough stuff around. Tena-Grip™ reinforced thumb saddle. Technical hex-stretch poly knit construction for additional strength. Neoprene knuckle pad provides additional protection where you need it most.

| ID No. | Color | Size | Qty. | Unit | Price |
|---------------|-------|--------|------|------|-------|
| 15 EGO-17242* | Gray | Small | 1 | PR | |
| 16 EGO-17243* | Gray | Medium | 1 | PR | |
| 17 EGO-17244* | Gray | Large | 1 | PR | |



A Cold Condition Gloves Wind-resistant, water-repellant membrane, Duraclad® reinforcements which are 8X more abrasion-resistant than normal synthetic leather, TPR knuckle protection, micro fleece liner, TPR cuff puller, reflective stripes. The first work glove to deliver warmth, comfort and full dexterity, this glove is windproof and water-repellant to keep hands warm and dry. Ideal for any task where precision is desired in cold conditions. For temperatures down to 40 degrees F.

| ID No. | Color | Size | Qty. | Unit | Price |
|----------------|-------|---------|------|------|-------|
| 1 IRN-CCG203M* | Black | Medium | 1 | PR | |
| 2 IRN-CCG204L* | Black | Large | 1 | PR | |
| 3 IRN-CCG205XL | Black | X-Large | 1 | PR | |

B Box Handler Gloves Duraclad® reinforcements are 8X more abrasion-resistant than normal synthetic leather. Patented Diamondclad® silicone fused palm, Airprene knuckle protection, hybrid cuff system, TPR cuff puller, terry cloth sweat wipe. A favorite among package delivery professionals around the world, this industrial grip glove features our patented Diamondclad® silicone fused palm for maximum grip.

| ID No. | Color | Size | Qty. | Unit | Price |
|-----------------|-------|---------|------|------|-------|
| 4 IRN-BHG03M | Black | Medium | 1 | PR | |
| 5 IRN-BHG04L * | Black | Large | 1 | PR | |
| 6 IRN-BHG05XL * | Black | X-Large | 1 | PR | |

* CE Rating 3131 Abrasion 3, Cut 1, Tear 3, Puncture 1.

C Ranchworx® Leather Gloves Machine washable genuine Bullwhip® leather, patented Rolltop® fingertips, Exo-Guard™ protection, Kevlar® reinforcements, TPR cuff puller, terry cloth sweat wipe. Ironclad's top of the line leather glove is exceptionally durable, comfortable and versatile. Our Bullwhip® leather won't dry out or shrink when washed while our advanced protection features make this glove tough enough for just about any task.

| ID No. | Color | Size | Qty. | Unit | Price |
|-------------------|-----------|---------|------|------|-------|
| 7 IRN-RWG203M* * | Black/Tan | Medium | 1 | PR | |
| 8 IRN-RWG204L* * | Black/Tan | Large | 1 | PR | |
| 9 IRN-RWG205XL* * | Black/Tan | X-Large | 1 | PR | |

* CE Rating 2123 Abrasion 2, Cut 1, Tear 2, Puncture 3.

D General Utility Gloves™ Synthetic leather reinforcements, patented palm design, hybrid cuff system, TPR cuff puller, terry cloth sweat wipe. Reinforced dexterity. The original high performance utility glove. A comfortable, form-fitting glove designed to handle all of your day-to-day tasks.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------------------|-------|---------|------|------|-------|
| 10 IRN-GUG-03-M * | Black | Medium | 1 | PR | |
| 11 IRN-GUG-04-L * | Black | Large | 1 | PR | |
| 12 IRN-GUG-05-XL * | Black | X-Large | 1 | PR | |

* CE Rating 2132 Abrasion 2, Cut 1, Tear 3, Puncture 2.



E FastFit® Work Gloves Protective work gloves have stretch panels set in between fingers to provide a comfortable fit. Convenient cuffs allow wearers to easily slip gloves on and off. Synthetic leather wraps around glove for improved protection and stronger grip.

| ID No. | Color | Size | Qty. | Unit | Price |
|------------------|------------|----------|------|------|-------|
| 13 MNX-MFF05009 | Black/Gray | Medium | 1 | PR | |
| 14 MNX-MFF05010 | Black/Gray | Large | 1 | PR | |
| 15 MNX-MFF05011 | Black/Gray | X-Large | 1 | PR | |
| 16 MNX-MFF05012* | Black/Gray | 2X-Large | 1 | PR | |





A Cheetah 935CH Gloves Cheetah multi-task gloves stand up to grease and grime, with a dark coloring that helps hide dirt. Sturdy gloves provide the grip, durability and protection for tough tasks. Black synthetic palm, hook and loop wrist closure, G shaped gel pad in palm.

| ID No. | Color | Size | Qty. | Unit | Price |
|----------------|-------|---------|------|------|-------|
| 1 CRW-935CHS* | Black | Small | 1 | PR | |
| 2 CRW-935CHM* | Black | Medium | 1 | PR | |
| 3 CRW-935CHL* | Black | Large | 1 | PR | |
| 4 CRW-935CHXL* | Black | X-Large | 1 | PR | |

B Full Leather Cow Grain Work Gloves Sturdy, versatile gloves are made for tough jobs. Good balance between dexterity, durability and comfort. Abrasion-resistant.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------------|-------|-------|------|------|-------|
| 5 MPG-3200L* | Tan | Large | 1 | DZ | |

C Unlined Pigskin Driver Gloves Unlined pigskin gloves offer excellent abrasion resistance. They are naturally soft and retain their softness even after exposure to water. The breathable nature of the hide allows hands to be comfortable.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------------|-------|-------|------|------|-------|
| 6 MPG-3400L* | Cream | Large | 1 | DZ | |

D Economy Leather Drivers Gloves Durable, cowhide leather gloves provide comfort and convenience for any workplace. Flexible, keystone thumb offers added mobility. Applications include construction, farm equipment, utility work and general maintenance where greater dexterity is required. Color-coded hem to identify size.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------------|-------|--------|------|------|-------|
| 7 CRW-3215M* | Beige | Medium | 1 | PR | |
| 8 CRW-3215L | Beige | Large | 1 | PR | |

E Select Shoulder Gloves When working conditions turn harsh, turn to Memphis™. Sturdy cow leather gloves with Gunn pattern offer excellent protection. Comfortable fleecy lining. Rubberized cuff and knuckle strap offer extra protection.

| ID No. | Color | Size | Qty. | Unit | Price |
|-------------|-----------|-------|------|------|-------|
| 9 MPG-1311* | Blue/Gray | Large | 1 | DZ | |



boardwalk.

A Cow Split Leather Double Palm Gloves Cow split leather palm gloves have a double layer of leather over the palm area for reduced wear and tear and added grip. This sturdy glove features a wing thumb, knuckle strap, pull patch and a lined palm for additional protection and easy use. Elastic back for comfort and improved fit. Recommended for rugged jobs that require extra protection for the back of the wearer's hand and fingers.

| ID No. | Description | Color | Size | Qty. | Unit | Price |
|--------|---|-----------|-------|------|------|-------|
| 1 | BWK-00034* ★ Double Palm Leather Glove with Safety Cuff | Gray/Blue | Large | 1 | DZ | |

★ Made of FDA Accepted Materials.



B Men's Split Leather Palm Gloves For superior protection against sharp objects and abrasions in the workplace, these leather palm gloves offer continued durability and performance. Soft cotton back provides premium comfort and breathability. Rubberized cuff provides added protection to wrist and lower arm. Ideal for general purpose applications requiring abrasion protection.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|-------------|------|---------|------|-------|
| 2 | CRW-12010M★ | Gray | Medium | 1 | PR |
| 3 | CRW-12010L | Gray | Large | 1 | PR |
| 4 | CRW-12010XL | Gray | X-Large | 1 | PR |

C 1040 Leather Palm Glove Economical leather palm glove provides general purpose protection.

| ID No. | Description | Color | Size | Thickness | Qty. | Unit | Price |
|--------|-------------|------------|-------|-------------------|------|------|-------|
| 5 | CRW-1040★ | Gray/White | Large | 0.8 mil - 1.3 mil | 1 | DZ | |

D Grain Goatskin Driver Gloves Supple leather gloves contain natural lanolin for an extra-soft feel. Excellent tensile strength and tactile sensitivity. Gloves have exceptional durability.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|-------------|-------|---------|------|-------|
| 6 | MPG-3601M★ | White | Medium | 1 | DZ |
| 7 | MPG-3601L★ | White | Large | 1 | DZ |
| 8 | MPG-3601XL★ | White | X-Large | 1 | DZ |

E Mustang MIG/TIG Leather Welding Gloves MIG/TIG welding gloves are made from high-quality top grain leathers. Sewn with super-strong, heat-resistant DuPont™ Kevlar® thread. Gloves offer easy dexterity for detail-oriented low heat welding.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|------------|--------------|-------|------|-------|
| 9 | MPG-4950L★ | Cream/Russet | Large | 1 | DZ |



boardwalk.

A 8-oz. Cotton Canvas Gloves White, all-purpose.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|--------|-------|-------|------|-------|
| 1 | BWK-7* | White | Large | 1 | DZ |

B Jersey Knit Wrist Gloves Protect your hands from even the toughest of jobs involving materials handling. Lightweight with clute cut and comfortable knit wrist cuffs.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|-------|-------|----------|------|-------|
| 2 | BWK-9 | Brown | One Size | 1 | DZ |

C PVC-Dotted String Knit Utility Gloves Long-lasting utility gloves have black PVC dots on both sides, providing a firm grip and doubling the life of the glove. Knit wrists provide secure and comfortable fit, while machine knit offers breathability. Suitable for a wide range of tasks including warehouse work and handling materials.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|----------|-------------|-------|------|-------|
| 3 | BWK-792* | Beige/Black | Large | 1 | DZ |

D String Knit General-Purpose Gloves Long-lasting reversible utility gloves are a cotton-polyester blend, making them ideal as liners for cold applications and for general purposes. Knit wrists provide secure and comfortable fit. Suitable for a wide range of tasks, including warehouse work and handling materials.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|---------|---------|-------|------|-------|
| 4 | BWK-782 | Natural | Large | 1 | DZ |



E Men's Brown Jersey Gloves Reach for the general-purpose cotton glove alternative for work in and out of the home. Flexible knit wrist allows for easy on and off convenience. Straight, durable thumb for heavier workloads. Ideal for any general purpose applications without sacrificing breathability and comfort.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|------------|-------|----------|------|-------|
| 5 | CRW-7100D* | Brown | One Size | 1 | DZ |

F Men's Dotted Canvas Gloves Durable cotton gloves with dotted palm and index finger are a handy accessory to have on hand when you need a firm grip. Flexible knit wrist and straight thumb provide added protection and flexibility. Perfect for simple household tasks or light-duty jobs in the workplace.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|-----------|-------|----------|------|-------|
| 6 | CRW-8808* | White | One Size | 1 | DZ |

KLEENGUARD™

G G60 PURPLE NITRILE* Cut-Resistant Gloves Ambidextrous with tapered coating on the fingertips for added dexterity. Made of ultra-high molecular weight polyethylene (UHMWPE) fiber, which enhances breathability and comfort. Dotted palms to keep a better grip. 12 pairs per carton.

| ID No. | Description | Color | Size | Qty. | Unit | Price |
|--------|---------------|---------------------------------------|-------------|-----------------|------|-------|
| 7 | KCC-97431CT * | Purple Nitrile* Level 3 Cut Resistant | Black/White | Medium (Size 8) | 24 | CT |

* ANSI Level 3 Cut Resistance.

PROTECT YOUR EYES!



Personal protective eyewear, such as goggles, safety glasses and faceshields, must be used in a workplace where an eye hazard exists.

Each day approximately 2,000 U.S. workers sustain an eye injury on the job that requires medical treatment. A third of the injuries are treated in ERs and more than 100 result in a day or more of lost work. The majority of injuries occur because of small particles or objects striking or abrading the eye.

Having the right protective eyewear is critical in preventing eye-related injuries.

Before choosing eye protection, identify the hazards of your workplace. Then, the choice can be made between safety glasses, goggles or a combination with a faceshield as secondary protection.

Eye protection should be fit to the worker or adjustable to provide for appropriate coverage. The worker's personal vision should be considered, with safety glasses large enough to allow the user to wear their own glasses underneath.

www.cdc.gov/niosh/topics/eye

Eyewear Types

Safety Glasses protect against general impact; however, speed of impact must be considered. The higher the velocity, the more likely the safety glasses could be dislodged. In this case, goggles or a faceshield may be a better choice. **See pages 322-326.**

Goggles are available in direct and indirect vented styles. **See pages 326-327.**

Direct vented goggles allow airflow, but are only approved for protection against particulates. Use for jobs such as grinding or cutting where dust is an issue.

Indirect vented goggles are for protection against vapors, chemicals, liquids and dust.

Full Faceshields are the best option for workers exposed to flying particles or chemical splashes. Use in conjunction with safety glasses or goggles to protect against secondary hazards. **See page 328.**

Eyewear Features

UV Protection—for workers exposed to ultraviolet radiation, such as outdoor workers and welders.

Hard-Coated—for applications where lens scratching is an issue.

Anti-Fog/Anti-Mist—for workers who are exposed to extreme temperatures or warm humid environments.

Clear Lenses—for indoor or outdoor applications in below-normal light conditions.

Gray or Brown Lenses—for outdoor use where above-average light is available.

Amber Lenses—for applications where light is below normal or enhanced contrast is needed.



A



B



C



D



E



F



G



A Storm® Safety Glasses Face-flattering design appeals to a wide range of professionals. High-quality polycarbonate lenses provide superior protection without hindering visual acuity. Five-position ratchet-action temples make getting a proper fit quick and easy. Manufacturer's lifetime frame warranty.

| ID No. | Frame Color | Lens Color | Qty. | Unit | Price |
|---------------|-------------|------------|------|------|-------|
| 1 CRW-ST110 * | Black | Clear | 12 | BX | |

* ANSI Z87.1 Compliant.

B Stratos® Safety Glasses Stylish, highly practical wraparound design helps maximize your field of vision. Duramass® coating keeps lenses scratch-free. Extension-adjustable temples enhance comfort.

| ID No. | Frame Color | Lens Color | Qty. | Unit | Price |
|---------------|-------------|------------|------|------|-------|
| 2 CRW-SS110BX | Black | Clear | 12 | BX | |

C Tomahawk® Safety Glasses Lightweight safety glasses with a scratch-resistant, polycarbonate, wraparound lens. Fully adjustable temples with ratchet for custom fit and one-piece lens with integral side shields. Filters 99.9% of UV rays. Manufacturer's lifetime frame warranty.

| ID No. | Frame Color | Lens Color | Qty. | Unit | Price |
|----------------|-------------|------------|------|------|-------|
| 3 CRW-TK110* * | Black | Clear | 12 | BX | |

* ANSI Z87.1 Compliant.

D BearKat® Safety Glasses Well-thought-out construction combines the best in safety, comfort and affordability! Wraparound lenses won't obstruct vision; fits snugly for maximum safety. Flexible temples and nonslip rubber head grips. Filters 99.9% of UV rays.

| ID No. | Frame Color | Lens Color | Qty. | Unit | Price |
|-----------------|-------------|------------|------|------|-------|
| 4 CRW-BK110BX * | Black | Clear | 12 | BX | |
| 5 CRW-BK110AFBX | Frost | Clear | 12 | BX | |
| 6 CRW-BK112BX * | Gray | Gray | 12 | BX | |

Magnifier Lens—1.5 diopter strength.

| | | | | | |
|-------------|-------|-------|---|----|--|
| 7 CRW-BKH15 | Clear | Clear | 1 | EA | |
|-------------|-------|-------|---|----|--|

Magnifier Lens—2 diopter strength.

| | | | | | |
|--------------|-------|-------|---|----|--|
| 8 CRW-BKH20* | Clear | Clear | 1 | EA | |
|--------------|-------|-------|---|----|--|

* CRW-BK110, CRW-BK110BX, CRW-BK112, CRW-BK112BX—ANSI Z87.1+ Compliant.

E Law OTG® Safety Glasses Breaks through the traditional look of over-the-glasses protective eyewear. Durable polycarbonate frame is designed to be worn over prescription glasses. Ratcheting temple design for optimum fit. Nonslip temple inserts provide comfort and grip. Anti-fog, scratch-resistant and filters 99.9% of UV rays.

| ID No. | Frame Color | Lens Color | Qty. | Unit | Price |
|-----------------|-------------|------------|------|------|-------|
| 9 CRW-OG110AF * | Gray | Clear | 1 | EA | |

* ANSI Z87.1+ Compliant.

F Yukon® Safety Glasses Convenient, low-cost glasses make a great courtesy handout for visitors to your workplace. Contemporary wraparound style provides increased angular coverage for improved peripheral vision. Molded-in brow guards and vented side shields.

| ID No. | Frame Color | Lens Color | Qty. | Unit | Price |
|----------------|-------------|------------|------|------|-------|
| 10 CRW-9810* * | Clear | Clear | 1 | EA | |

* ANSI Z87.1+ Compliant.

boardwalk.

G Safety Glasses Safety glasses feature a hard-coated polycarbonate frame and lens for superb scratch and impact resistance. These versatile spectacles provide 99.9% UV protection. Lightweight, for comfortable long-term wear.

| ID No. | Frame Color | Lens Color | Qty. | Unit | Price |
|-----------------|-------------|------------|------|------|-------|
| 11 BWK-00021* * | Clear | Clear | 1 | DZ | |
| 12 BWK-00023* * | Gray | Gray | 1 | DZ | |

Anti-Fog Lens

| | | | | | |
|-----------------|-------|-------|---|----|--|
| 13 BWK-00022* * | Clear | Clear | 1 | DZ | |
|-----------------|-------|-------|---|----|--|

* ANSI Z87.1-2010 Compliant; CAN/CSA Z94.3-07; Made of FDA Accepted Materials.



3M

A Virtua™ Protective Eyewear Lightweight safety eyewear weighs less than 1 ounce and is comfortable for long wear. High-wraparound coverage offers extra protection. Sturdy polycarbonate lenses.

| ID No. | Frame Color | Lens Color | Qty. | Unit | Price |
|--------|--------------------|------------|------|------|-------|
| 1 | MMM-11329000020 * | Clear | 1 | EA | |
| 2 | MMM-11326000020* * | Clear | 20 | CT | |

* ANSI Z87.1-2003 Compliant.

KLEENGUARD™

B Element* Safety Glasses Lightweight, popular styling and economical price. Frame features universal nose bridge. Clear polycarbonate lenses provide 99.9% UVA/ UVB/UVC protection.

| ID No. | Frame Color | Lens Color | Qty. | Unit | Price |
|--------|--------------|------------|------|------|-------|
| 3 | KCC-25631* * | Black | 1 | EA | |
| 4 | KCC-25627* * | Clear | 1 | EA | |

* ANSI Z87.1+ Compliant.

C Maverick™ Safety Glasses Eye protection combines a modern, sleek, and trendy design with comfort and safety features. Integrated side shields and browguard help the user feel confident they are protected.

| ID No. | Frame Color | Lens Color | Qty. | Unit | Price |
|--------|--------------|--------------|------|------|-------|
| 5 | KCC-49309* * | Black | 144 | CT | |
| 6 | KCC-49311* * | Black | 12 | CT | |
| 7 | KCC-49312* * | Black/Orange | 144 | CT | |
| 8 | KCC-49301* * | Clear/Orange | 144 | CT | |

* ANSI-Z87, EN 166 "N" and "K" Mark Tests.

D Nemesis™ Safety Glasses Feature sleek, flexible, lightweight design with soft touch temples for comfort. Patented nose piece designed to be extremely flexible, to channel sweat away from the eyes, and to help prevent slippage down the nose – all for long-term comfort. Scratch-resistant dual polycarbonate lens offers 99% UVA/ UVB/UVC protection.

| ID No. | Frame Color | Lens Color | Qty. | Unit | Price |
|----------------------------|-------------|------------|------|------|-------|
| 9 | KCC-25676 * | Black | 1 | EA | |
| Indoor/Outdoor Lens | | | | | |
| 10 | KCC-25685 * | Black | 1 | EA | |
| V30 | | | | | |
| 11 | KCC-25688 * | Black | 1 | EA | |

* ANSI Z87.1+ Compliant.



EYE PROTECTION

3M  **WARNING!**

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and User Instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash, see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 800-243-4630. In Canada, call Technical Service at 800-267-4414.



A Backdraft Glasses A trendy design that also offers soft and secure TPR nosepads. Inner TPR side shields for added protection.

| ID No. | Frame Color | Lens Color | Qty. | Unit | Price |
|-----------------------|----------------|------------|-------|------|-------|
| Anti-Fog Lens | | | | | |
| 1 | CRW-BD110PF* * | Clear | Clear | 1 | EA |
| 2 | CRW-BD112PF* * | Clear | Gray | 1 | EA |
| Hard Coat Lens | | | | | |
| 3 | CRW-BD110P* * | Clear | Clear | 1 | EA |
| 4 | CRW-BD112P* * | Clear | Gray | 1 | EA |

* ANSI Z87.1 Compliant.

B Forceflex™ Professional Grade Safety Glasses The ultimate in safety, flexible frame combines with lenses to achieve military-level impact resistance. Thermoplastic frames flex to fit any size face. Stylish and comfortable. Scratch-resistant.

| ID No. | Frame Color | Lens Color | Qty. | Unit | Price |
|--------|---------------|------------|---------------------|------|-------|
| 5 | CRW-FF128B* * | Black | Blue Diamond Mirror | 1 | EA |
| 6 | CRW-FF120* * | Black | Clear | 1 | EA |

* ANSI Z87.1+ Compliant.

C Klondike® Plus Safety Glasses Safety and style at an affordable price. Great on the slopes or in the workplace. Adjustable temples and gel nose piece keep you comfortable all day. Scratch-resistant, lightweight polycarbonate lenses. Filters 99.9% of UV rays.

| ID No. | Frame Color | Lens Color | Qty. | Unit | Price |
|--------|--------------|------------|-------|------|-------|
| 7 | CRW-KD310 * | Black | Clear | 1 | EA |
| 8 | CRW-KD312* * | Black | Gray | 1 | EA |

* ANSI Z87.1+ Compliant.

D Klondike® Safety Glasses Attractive, modern design gives you a stylish, light-weight option that you'll want to wear all day long. Strong polycarbonate lenses provide excellent protection from flying debris. Adjustable temples and gel nose piece enhance wearing comfort.

| ID No. | Frame Color | Lens Color | Qty. | Unit | Price |
|--------|-------------|-------------|-------|------|-------|
| 9 | CRW-KD110BX | Black Matte | Clear | 12 | BX |
| 10 | CRW-KD112BX | Black Matte | Gray | 12 | BX |

E Dallas™ Safety Glasses Fashion and function combine with sleek styling that offers a lightweight, comfortable fit. Unique nosebridge with gel nose pad. Nonslip temple sleeves and wraparound lens design. Filters 99.9% of UV rays.

| ID No. | Frame Color | Lens Color | Qty. | Unit | Price |
|--------------------------------------|----------------|---------------|--------------|------|-------|
| 11 | CRW-DL110* * | Black | Clear | 1 | EA |
| 12 | CRW-DL112* * | Black | Gray | 1 | EA |
| Anti-Fog | | | | | |
| 13 | CRW-DL310AF * | Metallic Blue | Clear | 1 | EA |
| Anti-Fog; Indoor/Outdoor Lens | | | | | |
| 14 | CRW-DL119AF* * | Black | Clear Mirror | 1 | EA |

* ANSI Z87.1+ Compliant.

F Checklite Safety Glasses CL110AF Near total coverage of eye orbit assures high level of protection. Exclusive Duramass® scratch-resistant and anti-fog lens.

| ID No. | Frame Color | Lens Color | Qty. | Unit | Price |
|--------|---------------|------------|-------|------|-------|
| 15 | CRW-CL110AF * | Clear | Clear | 1 | EA |

* ANSI Z87.1+ Compliant.



A Klondike® Magnifier Safety Glasses Modern style combines with excellent fit, comfort and adjustability. Provides a range of magnification to see the details up close. Strong, lightweight lenses. Five-position ratchet spatula temples. Filters 99.9% of UV rays.

| ID No. | Frame Color | Lens Color | Diopter Strength | Unit | Price |
|--------------|-------------|------------|------------------|------|-------|
| 1 CRW-K3H15* | Black | Clear | 1.5 | EA | |
| 2 CRW-K3H20* | Black | Clear | 2 | EA | |
| 3 CRW-K3H25* | Black | Clear | 2.5 | EA | |

* ANSI Z87.1+ Compliant.

B Checklite® Safety Glasses Stylish safety glasses offer exclusive Duramass scratch-resistant lens coating. Flexible temple design for a comfortable fit. Filters 99.9% of UV rays.

| ID No. | Frame Color | Lens Color | Qty. | Unit | Price |
|---------------------------------------|-------------|------------|------|------|-------|
| Uncoated Lens | | | | | |
| 4 CRW-CL010BX | Clear | Clear | 12 | BX | |
| Scratch-Resistant Lens Coating | | | | | |
| 5 CRW-CL110BX* | Clear | Clear | 12 | BX | |
| 6 CRW-CL112BX* | Smoke | Gray | 12 | BX | |

* CRW-CL110, CRW-CL110BX, CRW-CL112, CRW-CL112BX—ANSI Z87.1+ Compliant.

C Checkmate® Safety Glasses Lightweight, polycarbonate frame and nose piece. Design provides near total seal of eye orbit and maximum protection. Manufacturer's lifetime frame warranty.

| ID No. | Frame Color | Lens Color | Qty. | Unit | Price |
|---|-------------|------------|------|------|-------|
| Scratch-Resistant Lens —Blocks 99.9% of UV rays. | | | | | |
| 7 CRW-CK110BX* | Clear | Clear | 12 | BX | |

* ANSI Z87.1 Compliant.

3M

D Tour-Guard™ V Protective Eyewear Economical visitor spec fits over most personal prescription eyewear. Polycarbonate lenses absorb 99.9% UV.

| ID No. | Frame Color | Lens Color | Qty. | Unit | Price |
|--|-------------|------------|------|------|-------|
| Wraparound design; Wall-mountable dispenser box for easy access | | | | | |
| 8 MMM-TGV0120* | Clear | Clear | 20 | BX | |

* ANSI Z87.1-2010 Compliant; CSA Z94.3-2007 Compliant. **IMPORTANT:** This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

E LightVision™ 2 Protective Eyewear Light up your workspace! Dual LED lights provide hands-free illumination that swivels/adjusts for directional convenience. Long-lasting batteries provide up to 50 hours of use. Clear anti-fog lens. Soft temples and nosebridge.

| ID No. | Frame Color | Lens Color | Qty. | Unit | Price |
|--------------------|-------------|------------|------|------|-------|
| 9 MMM-11476000010* | Gray | Clear | 1 | EA | |

* ANSI Z87.1-2010 Compliant; Meets CSA Z94.3-2007 Compliant. **IMPORTANT:** This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.



Magnification to see the details



EYE PROTECTION

3M **WARNING!**

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and User Instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash, see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 800-243-4630. In Canada, call Technical Service at 800-267-4414.



3M

A Smart Lens™ Photochromic Eyewear Lightens and darkens with changing outdoor light conditions. Nylon brow and magnesium alloy spring-hinged temples. Soft, adjustable nosebridge.

| ID No. | Frame Color | Lens Color | Qty. | Unit | Price |
|--------|------------------|------------|----------------|------|-------|
| 1 | MMM-13407000005* | Clear | Photochromatic | 1 | EA |

* ANSI Z87.1-2010 Compliant; Meets the Traffic Signal Recognition Requirements of ANSI Z80.3-2008. IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

Honeywell UVEX®

B Astro OTG® 3001 Safety Glasses Easily fit over most prescription glasses. The scratch-resistant, Ultradura® hardcoated polycarbonate lenses resist impact and absorb 99.9% of UV rays. Adjustable temple length allows various sizes for customized comfort. Manufacturer's lifetime frame warranty.

| ID No. | Frame Color | Lens Color | Qty. | Unit | Price |
|--------|-------------|------------|-------|------|-------|
| 2 | UVX-S2500* | Black | Clear | 1 | EA |

* ANSI Z87.1 Compliant; CSA Z94.3-2007 Compliant.

C Genesis® Safety Eyewear The dual 9-base unilens offers peripheral vision and protection, while the soft, flexible fingers adjust and conform to most nasal profiles. Impact to the forehead is minimized by the soft elastomer brow. The scratch- and impact-resistant hardcoat is ideal for individuals working in labor-intensive environments. Manufacturer's lifetime frame warranty.

| ID No. | Frame Color | Lens Color | Qty. | Unit | Price |
|--------|-------------|------------|-------|------|-------|
| 3 | UVX-S3200* | Black | Clear | 1 | EA |
| 4 | UVX-S3200X* | Black | Clear | 1 | EA |

Anti-Scratch, Anti-Fog

Infra-Dura Lens, Uvextreme Anti-Fog Coating, Advanced TPE

* ANSI Z87.1 Compliant; CSA Z94.3-2007 Compliant.



D Stryker Goggles Anti-fog lenses provide chemical protection for your eyes. Indirect vent. Easy adjusting strap.

| ID No. | Lens Color | Unit | Price |
|--------|-------------|-------|-------|
| 5 | CRW-2310AF* | Clear | EA |

E Safety Goggles Provides a wide, unobstructed field of vision and can be worn with most half-mask respirators. Transparent PVC body; fits over glasses.

| ID No. | Lens Color | Unit | Price |
|--------|------------|-------|-------|
| 6 | CRW-2230R | Clear | EA |
| 7 | CRW-2220 | Clear | EA |

Chemical Splash Goggles—Indirect vented. Transparent protective PVC body permits a comfortable fit while protecting against impact and splash.

Economy Goggles—Perforated ventilation, direct vents.

* ANSI Z87.1-2010 Compliant; CSA Z94.3-2007 Compliant.

Honeywell

F A610S Safety Goggles Economically protect yourself from airborne particulates, flying debris and chemical hazards. Indirect-venting design provides excellent impact and splash protection. Fog-Ban anti-fog coating. Manufacturer's limited one-year warranty.

| ID No. | Lens Color | Unit | Price |
|--------|------------|-------|-------|
| 8 | UVX-A610S* | Clear | EA |

* ANSI Z87.1-2010 Compliant; CSA Z94.3-2007 Compliant.

3M ⚠️ WARNING!

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and User Instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash, see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 800-243-4630. In Canada, call Technical Service at 800-267-4414.

Honeywell UVEX®

A Seismic® Sealed Eyewear Protect your eyes from sun, wind, impacts and airborne debris without compromising your peripheral vision. Convertible design allows you to wear them as fully sealed goggles (using the included headband) or as wraparound safety glasses (using the included temple frame). Manufacturer's limited one-year warranty.

| ID No. | Frame Color | Lens Color | Qty. | Unit | Price |
|--|---------------|------------|-------|------|-------|
| Uvextra™ AF Anti-Fog Lens Coating | | | | | |
| 1 | UVX-S0600X* * | Black | Clear | 1 | EA |

* ANSI Z87.1-2010 Compliant; CSA Z94.3-2007 Compliant.

B Stealth® Safety Goggles Low-profile design for chemical splash and impact protection. Uvextreme® AF lens coating provides antifog, antiscratch, antistatic and anti-UV protection. Prescription insert available.

| ID No. | Lens Color | Unit | Price |
|--------|--------------|-------|-------|
| 2 | UVX-S3960C * | Clear | EA |

* ANSI Z87.1 Compliant; CSA Z94.3-2007 Compliant.

3M

C Refine™ Protective Eyewear Specially sized for the smaller face profile of women. Lightweight, slim frame design. Wrap-around lens for optimum protection. Padded, adjustable nosebridge.

| ID No. | Frame Color | Lens Color | Qty. | Unit | Price |
|--------|--------------------|------------|-------|------|-------|
| 3 | MMM-11735000020* * | Teal | Clear | 1 | EA |

* ANSI Z87.1-2015 Compliant. **IMPORTANT:** This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.



D Skullerz® Odin Safety Glasses Pick the king of safety glasses, with full frame safety glasses designed with rubber coinjection temples and a non-slip nose piece. Scratch-resistant lens blocks 99.9% of harmful UV rays.

| ID No. | Frame Color | Lens Color | Qty. | Unit | Price |
|--------|--------------|-------------|----------------|------|-------|
| 4 | EGO-50000* * | Black | Clear | 1 | EA |
| 5 | EGO-50080* * | Black | Indoor/Outdoor | 1 | EA |
| 6 | EGO-50042* * | Black | Silver-Mirror | 1 | EA |
| 7 | EGO-50030* * | Black | Smoke | 1 | EA |
| 8 | EGO-50400* * | Matte Black | Clear | 1 | EA |
| 9 | EGO-50442* * | Matte Black | Silver-Mirror | 1 | EA |
| 10 | EGO-50430* * | Matte Black | Smoke | 1 | EA |
| 11 | EGO-50130* * | Matte Gray | Smoke | 1 | EA |
| 12 | EGO-50150* * | Matte Gray | Yellow | 1 | EA |

Fog-Off™ Technology—Fog-Off™ Technology anti-fog coating won't wash off or wear off.

| | | | | | |
|----|--------------|------------|-------|---|----|
| 13 | EGO-50003* * | Black | Clear | 1 | EA |
| 14 | EGO-50033* * | Black | Smoke | 1 | EA |
| 15 | EGO-50103* * | Matte Gray | Clear | 1 | EA |
| 16 | EGO-50133* * | Matte Gray | Smoke | 1 | EA |

* ANSI Z87.1+ Compliant; CSA Z94.3; MIL-PRF 32432 Ballistic Impact.

E Skullerz® Dagr Safety Glasses Sleek half frame™ blade style™ safety glasses are an excellent choice for everyday safety. Designed with coinjection rubber temples and a non-slip nose piece. Scratch-resistant lens blocks 99.9% of harmful UV rays. Temple accessory slot improves air flow.

| ID No. | Frame Color | Lens Color | Qty. | Unit | Price |
|--------|--------------|------------|---------------|------|-------|
| 17 | EGO-52000* * | Black | Clear | 1 | EA |
| 18 | EGO-52042* * | Black | Silver-Mirror | 1 | EA |
| 19 | EGO-52030* * | Black | Smoke | 1 | EA |
| 20 | EGO-52100* * | Matte Gray | Clear | 1 | EA |
| 21 | EGO-52130* * | Matte Gray | Smoke | 1 | EA |
| 22 | EGO-52150* * | Matte Gray | Yellow | 1 | EA |

* ANSI Z87.1+ Compliant; CSA Z94.3; MIL-PRF 32432 Ballistic Impact.



F Skullerz® Loki Safety Glasses/Goggles Go a little loco with convenient Loki full frame safety glasses. They convert from safety glasses to a sealed goggle with interchangeable temples, elastic strap and removable foam gasket (all included). Scratch-resistant lens blocks 99.9% of harmful UV rays.

| ID No. | Frame Color | Lens Color | Qty. | Unit | Price |
|--------|--------------|------------|----------------|------|-------|
| 23 | EGO-56092* * | Black | Blue Mirror | 1 | EA |
| 24 | EGO-56000* * | Black | Clear | 1 | EA |
| 25 | EGO-56080* * | Black | Indoor/Outdoor | 1 | EA |
| 26 | EGO-56030* * | Black | Smoke | 1 | EA |

Fog-Off™ Technology—Fog-Off™ Technology anti-fog coating won't wash off or wear off.

| | | | | | |
|----|--------------|------------|-------|---|----|
| 27 | EGO-56003* * | Black | Clear | 1 | EA |
| 28 | EGO-56033* * | Black | Smoke | 1 | EA |
| 29 | EGO-56133* * | Matte Gray | Smoke | 1 | EA |

* ANSI Z87.1+ Compliant; CSA Z94.3; MIL-PRF 32432 Ballistic Impact.

G Skullerz® Elastic Retainer Strap Elastic retainer strap secures safety glasses for a snug fit. Inserts into temple slots, twists and locks. Use alone or with foam gasket insert (sold separately). For use with Odin, Dagr, Kvasir, or Valkyrie safety glasses (sold separately).

| ID No. | Qty. | Unit | Price |
|--------|--------------|------|-------|
| 30 | EGO-59991* * | 1 | EA |

* ANSI Z87.1+ Compliant.



3M

A Deluxe Headgear with Ratchet Adjustment High-strength thermoplastic crown protector provides impact resistance. Five-position crown strap and adjustable ratchet suspension help provide a precise fit. No snaps, cams or bands needed. Must be used with 3M faceshields only (sold separately). Test compatible with 3M™ E-A-R fit™ Validation System.

| ID No. | For Use With | Style | Unit | Price |
|--------|------------------|---------------------|--------------------|-------|
| 1 | MMM-82501-00000* | Faceshield Headgear | Five-Point Ratchet | EA |

* ANSI Z87.1-2010 Compliant. IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

B Deluxe Faceshield Propionate faceshield is designed to reduce the risk of splash, spray and light impact with good chemical resistance. For use with Deluxe Headgear with ratchet adjustment (sold separately).

| ID No. | For Use With | Style | Unit | Price |
|--------|------------------|------------|-----------|-------|
| 2 | MMM-82700-00000* | Faceshield | Full Face | EA |

* ANSI Z87.1-2010 Compliant. IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

Honeywell UVEX®

C Bionic® Face Shield Lightweight face shield provides all-day comfort and full protection from chin to the top of the head. Panoramic polycarbonate window furnishes increased visibility and minimal blind spots. Efficiently shuts out airborne dust, dirt and debris.

| ID No. | For Use With | Style | Unit | Price |
|--------|--------------|-------|------|-------|
|--------|--------------|-------|------|-------|

Anti-Fog/Hardcoat

| | | | | |
|---|------------|-------------|----------------|----|
| 3 | UVX-S8510* | Face Shield | Anti-Fog Visor | EA |
|---|------------|-------------|----------------|----|

Uncoated

| | | | | |
|---|------------|-------------|----------------|----|
| 4 | UVX-S8500* | Face Shield | Uncoated Visor | EA |
|---|------------|-------------|----------------|----|

* Face shield offers secondary protection and must be worn with spectacles or goggles.

BAUSCH + LOMB

D – F Sight Savers® Lens Cleaners Keep glass or plastic lenses spotless with antifog, antistatic cleaner. Comes in dispenser box that can be attached to wall or placed on countertop.

D Sight Savers® Lens Cleaning Station Includes 16-oz. silicone cleaning fluid with spray pump and 1,520 tissues.

| ID No. | W × L | Qty. | Unit | Price |
|--------|----------|-----------|------|-------|
| 5 | BAL-8565 | 6½" × 4¾" | 1 | EA |

E Sight Savers® Premoistened Lens Cleaning Tissues Tissues come in individual packets.

| ID No. | W × L | Qty. | Unit | Price |
|--------|------------|---------|------|-------|
| 6 | BAL-8574GM | 8" × 5" | 100 | BX |

F Sight Savers® Respirator and Equipment Wipes Alcohol-free, individually packaged tissues to clean respirator masks, hard hats, hearing protectors and other safety equipment. Won't irritate skin. Safe to use on rubberized materials.

| ID No. | Color | Qty. | Unit | Price |
|--------|----------|-------|------|-------|
| 7 | BAL-8595 | White | 100 | BX |

3M WARNING!

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and User Instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash, see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 800-243-4630. In Canada, call Technical Service at 800-267-4414.



KIMTECH™

A Kimwipes Delicate Task Wipers Wipes are designed to handle a variety of delicate tasks, including wiping up liquid and dust. **S**

| ID No. | Color | W x L | No. of Sheets | Qty. | Unit | Price |
|---------------------------------------|-------------|-------|--------------------|------|-------|-------|
| Value Pack —Stock up and save! | | | | | | |
| 1 | KCC-34155CT | White | 4 7/8" x 8 7/8" | 280 | 16800 | CT |
| 2 | KCC-34256CT | White | 14 7/16" x 16 7/8" | 140 | 2100 | CT |

B KIMWIPES* Lens Cleaning Station A one-stop spot for lens cleaning. It includes a bottle of anti-static, anti-fog, silicone-free cleaning solution and soft, lens-friendly cleaning wipes.

| ID No. | Color | Qty. | Unit | Price |
|--------|-----------|-------|------|-------|
| 3 | KCC-34644 | White | 4 | CT |



C Lens Cleaning Towelettes Premoistened towelettes are safe to use on plastic, polycarbonate and glass lenses. Specialized solution reduces fogging. Individual-use packets are easy-to-carry.

| ID No. | Qty. | Unit | Price |
|--------|-----------|------|-------|
| 4 | CRW-LCTCT | 1000 | CT |

BAUSCH+LOMB

D Sight Savers Pre-Moistened Anti-Fog Tissues with Silicone Individually packaged tissues treated with anti-fog formula for continuously clear glasses. Silicone based, anti-static formula cleans glass and plastic. Works in cold to hot and hot to cold conditions. Perfect for heavy and light industrial, office, sports and recreation. Excellent for non-coated glasses.

| ID No. | W x L | Qty. | Unit | Price |
|--------|----------|---------|------|-------|
| 5 | BAL-8576 | 8" x 5" | 100 | BX |

E Sight Savers® Non-Silicone Disposable Lens Cleaning Station Make clean lenses an easy option with an all-in-one cleansing station, complete with wipes and spray. The spray bottle dispenses non-silicone based cleaner, making it a great option for employees with silicone allergies. Convenient dispenser can be wall-mounted to conserve space, and also makes an appealing countertop display.

| ID No. | W x L | Qty. | Unit | Price |
|--------|-------------|-----------------|------|-------|
| 6 | BAL-8565GM* | 5 1/4" x 7 1/2" | 1 | EA |

F FogShield Extreme Protection Disposable Safety Lens Cleaning Station FogShield protection lens cleaning kit provides an excellent option if your facility has extreme variations in temperatures or harsh conditions. Easy-to-use FogShield is applied in two steps – first spray and clean the surface with FogShield XP, then use a dry tissue to buff, polish, and coat the surface for extreme protection. Combining the effective cleaning of all glass and plastic lenses with extreme anti-fog protection, the FogShield XP Lens Cleaning Station can keep employees vision clear in all conditions.

| ID No. | W x L | Qty. | Unit | Price |
|--------|----------|--------------|------|-------|
| 7 | BAL-8577 | 10" x 7 1/2" | 1 | EA |





Honeywell

A – C Eye Wash Stations There’s no time to lose when harmful material gets into the eyes of someone at your workplace. That’s why an efficient wash station should always be nearby. Pull the straps on this self-contained unit and the reservoir releases crisscross streams of solution, leaving hands free to hold eyes open. Can be placed on level surfaces or mounted on vertical surfaces (brackets incl.). Includes Eyesaline® Concentrate and an EMERGENCY EYE WASH sign.

A Fendall Porta Stream® II Eye Wash Station Flushes up to 15 minutes. Exclusive “full-flow” nozzles cover a wide area around the eyes.

| ID No. | W × D × H | Size | Qty. | Unit | Price |
|--|--------------------|-------------------|--------|------|-------|
| With Eyesaline Concentrate (Saline) | | | | | |
| 1 | FND-320002000000 * | 19½" × 19½" × 26" | 16 gal | 1 | EA |
| With Water Additive —Includes 8-oz Eyesaline® water additive. | | | | | |
| 2 | FND-320002300000 * | 19" × 19¾" × 24" | 16 gal | 1 | EA |

* FND-320002000000—ANSI Z358.1-2014 Compliant.
FND-320002300000—FDA Approved Material; SEI Certified to Meet ANSI Z358.1 Requirements.

Also Consider:

| ID No. | Description | Qty. | Unit | Price |
|--------|-------------------|---|------|-------|
| 3 | FND-320005130000* | Honeywell® 180 oz Saline Refill Bottles | 4 | CT |

B Fendall Single Eye Wash Wall Station Be prepared for quick action when an eye needs to be flushed or decontaminated. This station helps provide relief until primary eyewash care can be provided. Includes single-use 32-oz. bottle of eye wash. Mounts easily with fasteners (included). Classified as a personal (secondary) device.

| ID No. | W × D × H | Size | Qty. | Unit | Price |
|--------|--------------------|-----------------|-------|------|-------|
| 4 | FND-320004610000 * | 13" × 4½" × 14" | 32 oz | 8 | CT |

* Does not meet ANSI Z358.1 standard 15-minute flushing requirement. Is intended to support, not replace, primary plumbed or self-contained units.

Also Consider:

| ID No. | Description | Qty. | Unit | Price |
|--------|-------------------|--|------|-------|
| 5 | FND-320005020000* | Honeywell® Ready-to-Use Refill Bottles | 4 | CT |
| 6 | FND-320004550000 | Honeywell® 32 oz Refill Bottles | 12 | CT |

C Fendall Porta Stream® I Eye Wash Station Has six-gallon capacity and six minutes of flushing time. Classified as personal (secondary) device.

| ID No. | W × D × H | Size | Qty. | Unit | Price |
|--------|--------------------|------------------|-------|------|-------|
| 7 | FND-320001000000 * | 16" × 13½" × 24" | 6 gal | 1 | EA |

* Does not meet ANSI Z358.1 standard 15-minute flushing requirement. Is intended to support, not replace, primary plumbed or self-contained units.

Also Consider:

| ID No. | Description | Qty. | Unit | Price |
|--------|-------------------|--|------|-------|
| 8 | FND-320005090000* | Honeywell® 70 oz Saline Refill Bottles | 6 | CT |



Honeywell

A Saline Eye Wash Wall Station Wall-mountable saline solution kit allows immediate eye flushing until the injured person can be helped to a primary eyewash device. Brightly colored station is highly visible. Instructions in English and Spanish facilitate use in an emergency.

| ID No. | W × D × H | Size | Qty. | Unit | Price |
|----------------------|----------------|-------|------|------|-------|
| 1 FND-3200046200CT * | 19" × 14" × 4" | 32 oz | 4 | CT | |

* ANSI Z358.1-2009 Compliant.

Also Consider:

| ID No. | Description | Qty. | Unit | Price |
|--------------------|---------------------------------|------|------|-------|
| 2 FND-320004550000 | Honeywell® 32 oz Refill Bottles | 12 | CT | |

B Fendall Eyesaline Ready-to-Use Solution Use directly from the container to fill eyewash stations. No mixing or measuring. Manufacturer's limited one-year warranty

| ID No. | Description | Qty. | Unit | Price |
|---------------------|--|------|------|-------|
| 3 FND-320005020000* | Honeywell® Ready-to-Use Refill Bottles, 1 gal Bottle | 4 | CT | |

Also Consider:

| ID No. | Description | Qty. | Unit | Price |
|---------------------|---|------|------|-------|
| 4 FND-320005130000* | Honeywell® 180 oz Saline Refill Bottles | 4 | CT | |




boardwalk.

C Emergency Eyewash Station Convenient twin bottle eye flush station with wall mount provides easy access to solution in emergency situations. A reliable choice for use in flushing or irrigating the eyes. Includes eye cup for easily focusing the fluid stream into affected eye.

| ID No. | W × D × H | Size | Qty. | Unit | Price |
|-------------|-------------------|-------|------|------|-------|
| 5 BWK-54842 | 10¾" × 3¾" × 17½" | 16 oz | 1 | KT | |



D Eyewash Relieves irritation by removing loose foreign material, chlorinated water, smog and pollen. Twist-top bottle. 

| ID No. | Description | Qty. | Unit | Price |
|-----------------|-----------------------|------|------|-------|
| 6 FAO-24101001* | Eyewash, 16 oz Bottle | 12 | CT | |





3M

A E-A-R™ Classic™ Plus Earplugs Slightly longer than regular E-A-R™ Classic™ earplugs to fit deeper into the ear canal and provide higher noise reduction. Test compatible with 3M™ E-A-Rfit™ validation system.

| ID No. | Noise Reduction Rate | Style | Qty. | Unit | Price |
|--------|----------------------|----------|------|------|-------|
| 1 | 33 dB | Uncorded | 200 | BX | |

* **IMPORTANT:** This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

B E-A-R™ UltraFit™ Reusable Earplugs Premolded triple-flange earplug design inserts easily. Washable and reusable. Test compatible with 3M™ E-A-Rfit™ validation system.

| ID No. | Noise Reduction Rate | Style | Qty. | Unit | Price |
|--------|----------------------|--------|------|------|-------|
| 2 | 25 dB | Corded | 100 | BX | |

* **IMPORTANT:** This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

C E-A-R™ Classic™ Earplugs Slow recovery, low-pressure foam conforms to the shape of the ear canal. Flame-resistant and moisture-resistant. Test compatible with 3M™ E-A-Rfit™ validation system.

| ID No. | Noise Reduction Rate | Style | Qty. | Unit | Price |
|--------|----------------------|----------|------|------|-------|
| 3 | 29 dB | Uncorded | 30 | BX | |

Safety cord helps prevent loss—One pair per polybag.

| | | | | | |
|---|-------|--------|-----|----|--|
| 4 | 29 dB | Corded | 200 | BX | |
|---|-------|--------|-----|----|--|

* **IMPORTANT:** This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

D E-A-R™ Swerve™ Banded Hearing Protector Banded hearing protector features a flexible, comfortable band which helps keep earplugs in place. Includes two sets of earplug tips: Comfort Pod tips NRR 19 dB, Flex tips NRR 28 dB.

| ID No. | Noise Reduction Rate | Style | Qty. | Unit | Price |
|--------|----------------------|--------|------|------|-------|
| 5 | 28 dB | Banded | 1 | EA | |

* **IMPORTANT:** This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

E E-A-R™ Classic™ Single-Use Earplugs Classic cylindrical shape provides the high-grade protection that you've come to expect. Slow-recovery, gradual post-insertion expansion ensures the creation of an effective sound barrier. Top-quality, moisture-resistant, dermatologically safe foam.

| ID No. | Noise Reduction Rate | Style | Qty. | Unit | Price |
|--------|----------------------|----------|------|------|-------|
| 6 | 29 dB | Uncorded | 200 | BX | |

* ISO 9000 Certified.

IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

NRR footnote

* Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise reduction provided.

3M WARNING!

Choking Hazard – Keep away from infants and small children. These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, *User Instructions*, or call 3M PSD Technical Service in the USA at 800-243-4630. In Canada, call Technical Service at 800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing earplugs. Failure to do so may result in hearing loss or injury. **Noise Reduction Rating (NRR):** 3M strongly recommends fit testing of hearing protectors. If NRR is used to estimate typical workplace protection, 3M recommends that NRR be reduced by 50% or in accordance with applicable regulations. See *User Instructions* for more information.

MOLDEX

A Pura-Fit® Single-Use Earplugs Choose Pura-Fit® and get excellent hearing protection from industrial-environment noise. Long, tapered-bullet design simplifies insertion while providing a more comfortable fit. Smooth, soft foam ensures irritation-free use.

| ID No. | Noise Reduction Rate | Style | Qty. | Unit | Price |
|-------------------------------|----------------------|----------|------|------|-------|
| 1 MLX-6800 * | 33 dB | Cordless | 200 | BX | |
| PlugStation® Dispenser | | | | | |
| 2 MLX-6845 * | 33 dB | Cordless | 500 | BX | |

* ANSI S3.19-1974 Compliant.

B SparkPlugs® Single-Use Earplugs Eye-catching random color patterns on top of the highly successful Softies® design put SparkPlugs® first in line. Extra-soft foam provides a comfortable no-pressure fit. Form-fitting, tapered bullet ensures excellent attenuation.

| ID No. | Noise Reduction Rate | Style | Qty. | Unit | Price |
|-------------------------------|----------------------|----------|------|------|-------|
| 3 MLX-6654 * | 33 dB | Corded | 100 | BX | |
| 4 MLX-6604 * | 33 dB | Cordless | 200 | BX | |
| PlugStation® Dispenser | | | | | |
| 5 MLX-6644 * | 33 dB | Cordless | 250 | BX | |
| 6 MLX-6645 * | 33 dB | Cordless | 500 | BX | |

* ANSI S3.19-1974 Compliant.

3M

C E-A-Rsoft™ Yellow Neon Blasts™ Soft Foam Earplugs Soft, slow-recovery foam for excellent noise reduction and comfort. Test compatible with 3M™ E-A-Rfit™ validation system.

| ID No. | Noise Reduction Rate | Style | Qty. | Unit | Price |
|-------------------|----------------------|----------|------|------|-------|
| 7 MMM-311-1252* * | 33 dB | Corded | 200 | BX | |
| 8 MMM-312-1252 * | 33 dB | Uncorded | 200 | BX | |

* IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

D E-A-Rsoft™ Yellow Neons™ Soft Foam Earplugs Seal the ear canal with soft, slow-recovery foam for excellent noise reduction and comfort. Test compatible with 3M™ E-A-Rfit™ validation system. 200 pairs.

| ID No. | Noise Reduction Rate | Style | Qty. | Unit | Price |
|-------------------|----------------------|----------|------|------|-------|
| 9 MMM-311-1250 * | 33 dB | Corded | 200 | BX | |
| 10 MMM-312-1250 * | 33 dB | Uncorded | 200 | BX | |

* IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

E E-A-R™ TaperFit™ 2 Earplugs Self-adjusting foam plugs, tapered for easier insertion and removal. Excellent attenuation. Test compatible with 3M™ E-A-Rfit™ validation system. 200 pairs.


| ID No. | Noise Reduction Rate | Style | Qty. | Unit | Price |
|--------------------|----------------------|----------|------|------|-------|
| 11 MMM-312-1219* * | 32 dB | Uncorded | 200 | BX | |

* IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

F E-A-R™ Classic™ Small Earplugs in Pillow Paks Small diameter for medium and small ear canals. Excellent level of protection. Test compatible with 3M™ E-A-Rfit™ validation system.

| ID No. | Noise Reduction Rate | Style | Qty. | Unit | Price |
|--------------------|----------------------|----------|------|------|-------|
| 12 MMM-310-1103* * | 29 dB | Uncorded | 200 | BX | |

* IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.



20-FA-CU-RNU

3M **WARNING!**

Choking Hazard – Keep away from infants and small children. These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, *User Instructions*, or call 3M PSD Technical Service in the USA at 800-243-4630. In Canada, call Technical Service at 800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing earplugs. Failure to do so may result in hearing loss or injury. **Noise Reduction Rating (NRR):** 3M strongly recommends fit testing of hearing protectors. If NRR is used to estimate typical workplace protection, 3M recommends that NRR be reduced by 50% or in accordance with applicable regulations. See *User Instructions* for more information.

HEARING PROTECTION



Honeywell
HOWARD
LEIGHT

A AirSoft® Multiple-Use Earplugs Excellent noise attenuation meets exceptional in-ear comfort. Advanced air-pocket design and internal interlocking fins create a noise-blocking barrier that ensures optimal protection. Four-flange profile provides a low-pressure, solid ear canal seal. Manufacturer's limited one-year warranty.

| ID No. | Noise Reduction Rate | Style | Qty. | Unit | Price |
|----------------------------------|----------------------|-------|------|--------|--------|
| Red Polycord | | | | | |
| 1 | UVX-DPAS30R* ★ | 27 dB | | Corded | 100 BX |
| ★ OSHA 29 CFR 1910.95 Compliant. | | | | | |

B Fusion® Multiple-Use Earplugs Multi-use plugs fuse great noise protection performance with all-day wearing comfort. Patented SoftFlange™ design securely seals off your ear canal without subjecting you to unpleasant pressure. FlexiFirm® stem core simplifies insertion and removal.

| ID No. | Noise Reduction Rate | Style | Qty. | Unit | Price |
|-------------------|----------------------|-------|------|--------|--------|
| Blue/White | | | | | |
| 2 | HOW-FUS30HP* | 27 dB | | Corded | 100 BX |

C Laser Lite® Single-Use Earplugs Vibrant coloring simplifies compliance sighting. Self-adjusting polyurethane foam expands upon insertion, ensuring a tight yet comfortable ear-canal seal. Smooth, soil-resistant closed-cell foam skin prevents dirt buildup.

| ID No. | Noise Reduction Rate | Style | Qty. | Unit | Price |
|---------------------------------|----------------------|-------|------|----------|--------|
| 3 | HOW-LL30 | 32 dB | | Corded | 100 BX |
| 4 | HOW-LL1 | 32 dB | | Cordless | 200 BX |
| Leight Source 500 Refill | | | | | |
| 5 | HOW-LL1D | 32 dB | | Cordless | 500 BX |

D Laser Trak® Detectable Single-Use Earplugs Brilliantly colored plugs feature a nonferrous metal grommet, ensuring excellent visual and metal-scan detectability. Low-pressure polyurethane foam gently expands to fit the wearer's ear canal. Contoured T shape simplifies insertion and removal.

| ID No. | Noise Reduction Rate | Style | Qty. | Unit | Price |
|--------|----------------------|-------|------|--------|--------|
| 6 | HOW-LT30 | 32 dB | | Corded | 100 BX |

E Max Lite® Single-Use Earplugs Petite earpieces are ideal for those with smaller ear canals. Soft polyurethane foam expands to fit snugly without creating uncomfortable pressure. Smooth, soil-resistant closed-cell foam skin helps keep plugs clean.

| ID No. | Noise Reduction Rate | Style | Qty. | Unit | Price |
|--------|----------------------|-------|------|----------|--------|
| 7 | HOW-LPF30 | 30 dB | | Corded | 100 BX |
| 8 | HOW-LPF1 | 30 dB | | Cordless | 200 BX |

F MAX® Single-Use Earplugs High NRR plugs deliver superior noise-blocking performance. Contoured bell-shaped design provides an excellent ear-canal fit with enhanced back-out resistance. Soft, expanding polyurethane foam ensures a comfortable fit.

| ID No. | Noise Reduction Rate | Style | Qty. | Unit | Price |
|---------------------------------|----------------------|-------|------|----------|--------|
| 9 | HOW-MAX30 | 33 dB | | Corded | 100 BX |
| 10 | HOW-MAX1 | 33 dB | | Cordless | 200 BX |
| Leight Source 500 Refill | | | | | |
| 11 | HOW-MAX1D* | 33 dB | | Cordless | 500 BX |



3M

A PELTOR™ OPTIME™ 105 High Performance Earmuffs For noise levels up to 105 dBA. Over-the-head earmuffs feature double-shell technology to provide effective hearing protection. Stainless steel headband distributes weight for low-pressure fit. Earcup pivot points that tilt for optimum comfort and efficiency.

| ID No. | Noise Reduction Rate | Unit | Price |
|--------------|----------------------|------|-------|
| 1 MMM-H10A * | 30 dB | PR | |

* ANSI S3.19-1974; Testing per Method B, ANSI standard, S12.6-1997(R2002); Noise Reduction Rating (NRR) of 30 dB. **IMPORTANT:** The 3M products in this catalog must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

B PELTOR™ OPTIME™ 95 Low-Profile Folding Earmuffs For noise levels up to 95 dBA. This over-the-head, folding earmuff features a stainless steel headband for consistent force and effective hearing protection. Cups fold up into the headband for compact storage.

| ID No. | Noise Reduction Rate | Unit | Price |
|---------------|----------------------|------|-------|
| 2 MMM-H6F/V * | 21 dB | PR | |

* ANSI S3.19-1974; Noise Reduction Rating (NRR): 21 dB. CSA Class B. **IMPORTANT:** The 3M products in this catalog must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.



Honeywell

HOWARD
LEIGHT

C Leightning® Hi-Visibility Noise-Blocking Earmuffs When you need to be seen as much as you need to protect your hearing choose Leightning® double-duty muffs. Patented Air Flow Control™ technology ensure excellent, full-frequency noise attenuation. Hi-Visibility, high-contrast, bright-green cans.

| ID No. | Noise Reduction Rate | Unit | Price |
|----------------|----------------------|------|-------|
| 3 HCV-1013941* | 30 dB | EA | |

LHV: With Reflective Headband

3 HCV-1013941*



D Ear Muffs Seal out sound with cushioned ear covers that are durable, lightweight and adjustable for a comfortable fit. Color may vary.

| ID No. | Noise Reduction Rate | Unit | Price |
|-------------|----------------------|------|-------|
| 4 FAO-13256 | 21 dB | EA | |



HEARING PROTECTION

3M ⚠ WARNING!

Choking Hazard – Keep away from infants and small children. These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, *User Instructions*, or call 3M PSD Technical Service in the USA at 800-243-4630. In Canada, call Technical Service at 800-267-4414. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing earplugs. Failure to do so may result in hearing loss or injury. **Noise Reduction Rating (NRR):** 3M strongly recommends fit testing of hearing protectors. If NRR is used to estimate typical workplace protection, 3M recommends that NRR be reduced by 50% or in accordance with applicable regulations. See *User Instructions* for more information.



3M

A – E Particulate Respirators When the job requires work around tiny particles, you and your co-workers will be protected with these lightweight respirators. Adjustable nose clip ensures a more secure seal against the face. At least 95% filtration efficiency when subjected to a 0.3µmMMAD Sodium Chloride particle challenge.

A Particulate Respirator 8210, N95 Suggested for grinding, sanding, sweeping and other non-oil based operations. Proprietary filter media.

| ID No. | Resistance | Rating | Size | Qty. | Unit | Price |
|--|-------------------------|--------|-------------------|------|------|-------|
| 1 | Non-Oil Based Particles | N95 | Standard | 20 | BX | |
| Plus Staple-Free Braided Headband | | | | | | |
| 2 | Non-Oil Based Particles | N95 | One Size Fits All | 20 | BX | |

* NIOSH Approved.

MMM-8210—IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

B Particulate Respirator 8200, N95 Suggested for applications such as bagging, sanding and sweeping. Advanced electrostatically charged microfibers designed for ease of breathing.

| ID No. | Resistance | Rating | Size | Qty. | Unit | Price |
|--------|-------------------------|--------------|----------|------|------|-------|
| 3 | Non-oil based particles | Unvalved N95 | Standard | 20 | BX | |

* NIOSH Approved. IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

C Particulate Respirator 8210V, N95 with Cool Flow™ Valve Half-face-mask respirator provides excellent protection from non-oil-based particulates. Cool Flow™ exhalation valve reduces heat buildup, keeping the wearer more comfortable. Designed for grinding, sanding, sweeping and other dust-creating tasks.

| ID No. | Resistance | Rating | Size | Qty. | Unit | Price |
|--------|-------------------------|--------|----------|------|------|-------|
| 4 | Non-Oil Based Particles | N95 | Standard | 10 | BX | |

* NIOSH Approved. IMPORTANT: This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

D Particulate Respirator 8211, N95 Particulate respirator is ideally suited for hot and humid environments. Light construction makes it less obtrusive for long periods of wear. Cool Flow™ Exhalation Valve aids breathing and reduces moisture buildup.

| ID No. | Rating | Size | Qty. | Unit | Price |
|--------|--------|-------------------|------|------|-------|
| 5 | N95 | One Size Fits All | 10 | BX | |

* NIOSH Approved. Do not use for: gases and vapors, oil aerosols, asbestos, arsenic, cadmium, lead, 4,4'-methylene dianiline (MDA) or sandblasting; concentrations that exceed 10 times the PEL/OEL, specific OSHA standards, or applicable government regulations, whichever is lower. This respirator does not supply oxygen.

E Particulate Welding Respirator 8212, N95 Disposable respirator protects against exposure to molten metal fumes. Cool Flow™ Exhalation Valve minimizes moisture and heat build-up. Contoured foam face seal helps enhance comfort levels.

| ID No. | Size | Qty. | Unit | Price |
|--------|-------------------|------|------|-------|
| 6 | One Size Fits All | 10 | BX | |

* NIOSH Approved.

3M ⚠ WARNING!

These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, SCA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.



A – E Particulate Respirators When the job requires work around tiny particles, you and your co-workers will be protected with these lightweight respirators. Adjustable nose clip ensures a more secure seal against the face. At least 95% filtration efficiency when subjected to a 0.3µm MMAD Sodium Chloride particle challenge.

A Particulate Respirator 8511, N95 with Cool Flow™ Exhalation Valve Suggested for grinding, sanding, sweeping and other non-oil based operations. Cool Flow™ exhalation valve reduces heat buildup, keeping the wearer more comfortable. Suited for heat, humidity or long periods of wear.

| ID No. | Resistance | Rating | Size | Qty. | Unit | Price |
|--------|-------------------------|--------|----------|------|------|-------|
| 1 | Non-Oil Based Particles | N95 | Standard | 10 | BX | |

* NIOSH Approved. **IMPORTANT:** This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

B N95 Particulate Respirator 8247 With Nuisance-Level Organic Vapor Relief Chemical absorbent removes odors. Lightweight construction and contoured fit enhance comfort and wear-time. Easy to breathe through even without an exhalation valve.

| ID No. | Rating | Size | Qty. | Unit | Price |
|--------|--------|-------------------|------|------|-------|
| 2 | N95 | One Size Fits All | 20 | BX | |

* NIOSH Approved. **IMPORTANT:** The 3M products in this catalog must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

C Particulate Respirator 8271, P95 Respirator provides P95 level protection in environments where grinding, sanding and other dust inducing operations occur. Advanced electret filter technology blocks particles without impeding airflow. Contoured faceseal and adjustable M-noseclips help enhance long-term wearing comfort.

| ID No. | Rating | Size | Qty. | Unit | Price |
|--------|--------|-------------------|------|------|-------|
| 3 | P95 | One Size Fits All | 10 | BX | |

* NIOSH Approved. **IMPORTANT:** This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

D Particulate Respirator 8577, P95 Respirator provides P95 level protection against oil and non-oil based aerosols. Added carbon-layering to the filter helps minimize organic vapor bleed-through. Lightweight design and adjustable M-noseclip enhance comfort levels, particularly over extended use periods

| ID No. | Rating | Size | Qty. | Unit | Price |
|--------|--------|-------------------|------|------|-------|
| 4 | P95 | One Size Fits All | 10 | BX | |

* NIOSH Approved. **IMPORTANT:** This 3M product must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

E Half Facepiece Respirator 6000 Series, Reusable Here's the solution for workers who frequently need a respirator for job after job. It's reusable—just replace cartridges and filters when used to capacity. Comfortable, soft and lightweight with easy-to-adjust headstraps. Suitable for use against a variety of gases, vapors, and particulate hazards. Filters and cartridges sold separately. For Use With 3M 2000 Series Filters; 3M 7093 P100 Filters; 3M 6000 Series Cartridges; 3M Dual Airline Systems.

| ID No. | Size | Unit | Price |
|--------|--------|------|-------|
| 5 | Medium | EA | |
| 6 | Large | EA | |

* NIOSH Approved. **IMPORTANT:** The 3M products in this catalog must be used in accordance with OSHA regulations, warning, and limitations that accompany each item.

Also Consider:

| ID No. | Description | Qty. | Unit | Price |
|--------|-------------------------|------|------|-------|
| 7 | Organic Vapor Cartridge | 2 | PK | |

20-FA-CU-RNU



These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, SCA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.

RESPIRATORY PROTECTION



A



B



C



D



E



A Procedure Mask with Earloops Provides complete protection while remaining light and comfortable. Polypropylene outer facing offers a soft, fluid protection barrier while the cellulose inner facing assures comfort and breathability. A full-width nosepiece guarantees proper fit.

| ID No. | Size | Qty. | Unit | Price |
|-----------------|-------------------|------|------|-------|
| 1 MII-NON27375Z | One Size Fits All | 50 | BX | |



B Nuisance Dust Mask Disposable dust mask effectively reduces your exposure to airborne particles such as pollen, cut grass, dirt and dust. Adjustable nosepiece enhances comfort. Durable design stands up to moisture and high-humidity environments.

| ID No. | Size | Qty. | Unit | Price |
|------------|-------------------|------|------|-------|
| 2 GSN-1501 | One Size Fits All | 50 | BX | |

* Does not provide NIOSH-Approved respiratory protection.



C Comfort Masks Keep a pack of these disposable masks with you for breathing relief from the irritating effects of nontoxic dusts and airborne particles such as pollen, common household dust and cut grass. Plastic headband and adjustable soft metal nose clip.

| ID No. | Size | Qty. | Unit | Price |
|-------------|------------|------|------|-------|
| 3 FAO-13259 | Adjustable | 5 | PK | |

boardwalk.

D N95 Disposable Particulate Respirator Industrial disposable safety respirators protect against non-oil and solid particulates. Designed for comfort, with a soft padded adjustable nose piece. Adjustable metal nose clips keep your eyewear free of fog. Elastic, double headbands provide a strong, secure fit.

| ID No. | Resistance | Rating | Size | Qty. | Unit | Price |
|--------------|-----------------------------|--------|-------------------|------|------|-------|
| 4 BWK-00018* | Non Oil & Solid Particulate | N95 | One Size Fits All | 20 | BX | |

* NIOSH-N95 & 42CRF84 Approved.

E N95 Disposable Respirator With Valve Industrial disposable safety respirators protect against non-oil and solid particulates. Designed for comfort, with a soft padded adjustable nose piece. Adjustable metal nose clips keep your eyewear free of fog. Convenient exhalation valve. Elastic double headbands provide a strong, secure fit.

| ID No. | Resistance | Rating | Size | Qty. | Unit | Price |
|-------------|-----------------------------|--------|-------------------|------|------|-------|
| 5 BWK-00019 | Non Oil & Solid Particulate | N95 | One Size Fits All | 10 | BX | |

* NIOSH-N95 & 42CRF84 Approved; Made of FDA Accepted Materials.



MOLDEX

A Premium Particulate Respirator Premium particulate respirator offers N99 protection for applications such as welding, metal pouring, torch cutting and brazing. Softspun® liner adds durability and comfort. Dura-Mesh® shell holds up in extreme heat and humidity.

| ID No. | Size | Qty. | Unit | Price |
|------------------|-------------------|------|------|-------|
| 1 MLX-2310N99* * | One Size Fits All | 10 | PK | |

* NIOSH Approved.

B HandyStrap® Respirator 2700N95 Series Convenient HandyStrap® allows you to keep the mask in an at-the-ready, hangdown position during brief periods of downtime. Ventex® valve facilitates heat dissipation, enabling easier breathing. Dura-Mesh® shell holds up in extreme heat and humidity.

| ID No. | Resistance | Rating | Size | Qty. | Unit | Price |
|------------------|--------------|--------|------------------|------|------|-------|
| 2 MLX-2700N95* * | Particulates | N95 | Medium/ Large | 10 | BX | |

* NIOSH Approved.

C Particulate Respirator 2200N95 Series For humid and/or dusty work environments, this is a mask that fits the bill. Dura-Mesh® shell stands up to extreme heat environments while providing better protection to the filter. Contoured face seal and molded nose bridge deliver enhanced comfort, particularly during extended periods of wear.

| ID No. | Resistance | Rating | Size | Qty. | Unit | Price |
|------------------|----------------------------|--------|----------------------|------|------|-------|
| 3 MLX-2200N95* * | Non-Oil Based Particles | N95 | One Size Fits All | 20 | BX | |

* NIOSH Approved.

D Particulate Respirator 2300N95 Series Durable particulate respirator is suitable for most welding applications. Exhale valve reduces hot-air buildup, keeping workers cooler. Dura-Mesh® shell protects filter from extreme heat conditions.

| ID No. | Resistance | Rating | Size | Qty. | Unit | Price |
|------------------|----------------------------|--------|------------------|------|------|-------|
| 4 MLX-2300N95* * | Non-Oil Based Particles | N95 | Medium/ Large | 10 | BX | |

* NIOSH Approved.

E Particulate Respirator, 2400N95 Series Added carbon layer effectively filters out ozone and organic vapors. Dura-Mesh® shell holds up in extreme heat and humidity. Effective against most non-oil based welding fumes.

| ID No. | Rating | Size | Qty. | Unit | Price |
|------------------|--------|------------------|------|------|-------|
| 5 MLX-2400N95* * | N95 | Medium/ Large | 10 | BX | |

* NIOSH Approved.

RESPIRATORY PROTECTION



3M

A Full Facepiece Respirator 6000 Series, Reusable Protect yourself from a variety of gas, vapor and particulate hazards. Full facepiece features a large, clear lens, giving you a wide field of vision and excellent overall visibility. Unique center adapter directs exhaled breath downward, effectively reducing liquid and debris buildup.

| ID No. | Rating | Size | Qty. | Unit | Price |
|-------------|--------|--------|------|------|-------|
| 1 MMM-6800 | P100 | Medium | 1 | EA | |
| 2 MMM-6900* | P100 | Large | 1 | EA | |

Honeywell

NORTH

B 7600 Series Full-Facepiece Respirator Mask Superior performance, fit, comfort and visibility: get it all with the 7600 Series. Wide lens provides an excellent, 200° field of vision. Dual-flange sealing area and five-strap harness provide a comfortable fit. Supports PAPR and Supplied Air systems.

| ID No. | Size | Unit | Price |
|------------------|--------------|------|-------|
| 3 NSP-760008A* * | Medium/Large | EA | |

* NIOSH Certified. Wide range of cartridges and filters available (sold separately).

C 7700 Series Half Mask Respirators Comfortable half masks are suitable for multiple work environments and can be adapted to PAPR or Supplied Air systems. Because of low “dead air” space within the mask, less exhaled air is recycled. Strategic placement of the exhalation valve means that more breath leaves the mask swiftly. For Use With North Safety® Respirator Cartridges/Filters.

| ID No. | Size | Unit | Price |
|----------------|--------|------|-------|
| 4 NSP-770030M* | Medium | EA | |
| 5 NSP-770030L* | Large | EA | |

D P100 All-Particulate Filter Cartridge Keep your mask in top shape by regularly replacing your filter. Standard filter cartridge design accommodates all compatible masks. Easy to replace. For Use With North Safety® 5400, 5500, 7600, 7700 Series Facepieces.

| ID No. | Type | Used With | Rating | Unit | Price |
|-----------------|-------------|--|--------|------|-------|
| 6 NSP-7580P100* | Particulate | North Safety® 5400, 5500, 7600, 7700 Series Facepieces | P100 | PR | |

3M

E Particulate Filter 5P71, P95 Approved 95% effective against certain oil- and non-oil-based particles. For Use With 501 Filter Retainer (sold separately).

| ID No. | Type | Used With | Rating | Qty. | Unit | Price |
|---------------|--------|--|--------|------|------|-------|
| 7 MMM-5P71* * | Filter | 501 Filter Retainer (sold separately). | P95 | 10 | BX | |

* NIOSH Approved. IMPORTANT: The 3M products in this catalog must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

3M ⚠ WARNING!

These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the *User Instructions* provided as part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, SCA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.



A Skullgard® Protective Hard Hats Heavy-duty helmet provides excellent protection against nearly all workplace hazards. Phenolic construction withstands elevated temperatures. Easy-adjust pin lock suspension allows you to get the right fit.

| ID No. | Color | Unit | Price |
|---|-------------------------|------|-------|
| Cap: Standard Size 6½ - 8—Non-slotted. | | | |
| 1 | MSA-475395 Natural Tan | EA | |
| Hat: Standard Size 6½ - 8—Non-slotted. | | | |
| 2 | MSA-475407* Natural Tan | EA | |
| Staz-On® Pin-Lock | | | |
| 3 | MSA-454617* ★ Tan | EA | |

★ MSA-454617—ANSI Z89.1 Type 1, Class G Compliant.

B V-Gard® Hard Hats Premium hard hat provides comfortable protection. Polyethylene shell with ratchet suspension ensures excellent shock absorption while keeping weight down. Self-adjusting crown straps simplify sizing.

| ID No. | Color | Unit | Price |
|---|----------------------------|------|-------|
| Standard: Size 6½ - 8—Non-slotted. | | | |
| 4 | MSA-475368* Blue | EA | |
| 5 | MSA-475367* Gray | EA | |
| 6 | MSA-475370* Green | EA | |
| 7 | MSA-1002129* Hi-Viz Orange | EA | |
| 8 | MSA-475371* Red | EA | |
| 9 | MSA-475369 White | EA | |
| 10 | MSA-475366* Yellow | EA | |
| Standard: Size 6½ - 8—Slotted. | | | |
| 11 | MSA-475359* Blue | EA | |
| 12 | MSA-475360* Yellow | EA | |
| Fas-Trac III Suspension: Standard Size 6½ - 8—Slotted. | | | |
| 13 | MSA-475358* White | EA | |
| Staz-On Suspension: Standard Size 6½ - 8—Slotted. | | | |
| 14 | MSA-463942* White | EA | |

C Fas-Trac® III Replacement Suspension Fas-Trac® III ratchet suspension and flush rear lug attachments eliminate pressure points. Three levels of nape strap adjustment allow for a comfortable, customized fit. Graspable ratchet with ultra-smooth rotation and steadfast hold.

| ID No. | For Use With | Style | Unit | Price |
|--------|--|---------------|------|-------|
| 15 | MSA-10148708* ★ 4-Point Ratchet Suspension | Fas-Trac® III | EA | |

★ Third-Party Tested by SEI to Comply with Standards Defined on Label in MSA Helmet.



D Skullerz® 8950 Bump Cap Select comfort and protection in one very cool lid—bump caps provide protection against cranial bumps and bruises. Removable impact-resistant shell with foam lining. Patented flanged design for comfort and air flow. Sturdy caps with reflective accents for easy visibility.

| ID No. | Color | Unit | Price |
|-------------------|--------------------|------|-------|
| Long Brim | | | |
| 16 | EGO-23344* ★ Black | EA | |
| 17 | EGO-23345* ★ Navy | EA | |
| Short Brim | | | |
| 18 | EGO-23340* ★ Black | EA | |
| 19 | EGO-23343* ★ Navy | EA | |

★ EN 812-Compliant.



E Skullerz® 8960 Bump Cap with LED Lighting Technology Select comfort and protection in one very cool lid—bump cap with LED lighting technology provides protection against cranial bumps and bruises. Built-in LED lighting under the brim illuminates projects without the need for a flashlight or bulky headlamp. Removable impact-resistant shell with foam lining for protection and added comfort.

| ID No. | Color | Unit | Price |
|-------------------|--------------------|------|-------|
| Long Brim | | | |
| 20 | EGO-23374* ★ Black | EA | |
| 21 | EGO-23375* ★ Navy | EA | |
| Short Brim | | | |
| 22 | EGO-23370* ★ Black | EA | |
| 23 | EGO-23373* ★ Navy | EA | |

★ EN 812-Compliant.



3M

A H-700 Series Hard Hat Protective hard hat with comfortable four-point ratchet suspension and standard brow pad.

| ID No. | Color | Unit | Price |
|--------|---------------------|------|-------|
| 1 | MMM-H-701R * White | EA | |
| 2 | MMM-H-702R * Yellow | EA | |
| 3 | MMM-H-701V * White | EA | |

Vented

* MMM-H-701R, MMM-H-702R—Meets Requirements of ANSI/ISEA Z89.1-2014 Type 1, Class G and E.
 MMM-H-701V—Meets Requirements of ANSI/ISEA Z89.1-2014 Type 1, Class C.

MSA

The Safety Company

B Cotton Hard-Hat Sweatband Make your hard hat a little more comfortable with this soft and absorbent sweatband. Plastic snaps keep band securely in place. All-cotton fabric stands up to repeated machine washing.

| ID No. | Color | Size | Qty. | Unit | Price |
|--|-------------------|-------------------|------|------|-------|
| Compatible With All MSA Helmets | | | | | |
| 4 | MSA-696688• White | One Size Fits All | 10 | PK | |



C Chill-Its® 6609 Terry Sweat Band 12440 Machine washable. Absorbent terrycloth sweatband, fits most hard hat suspension systems. Economical way for hard hat wearers to manage moisture.

| ID No. | For Use With | Unit | Price |
|--------|----------------------------|------|-------|
| 5 | EGO-12440• Sweatband Terry | EA | |

KLEENGUARD™

D A65 Zipper Front Flame Resistant Coveralls Designed for protection against non-hazardous and hazardous dust in areas where exposure to sparks is possible. Breathable material, with a high moisture vapor transmission rate, to be worn comfortably over flame-resistance garments.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|-------------------|----------|------|------|-------|
| 6 | KCC-45355• * Blue | 2X-Large | 25 | CT | |
| 7 | KCC-45356• * Blue | 3X-Large | 21 | CT | |

* NFPA 99 Compliant; NFPA 701 Compliant.

KLEENGUARD™

A A60 Zipper Front Elastic Back Coveralls Three-layer fabric construction features a middle layer of microporous film that allows heat and sweat vapor to escape while protecting against dry particulates and liquid. Passes ASTM F1670/1671 testing for penetration of blood, body fluids and blood-borne pathogens. Patented REFLEX* Design is 7-½ times less likely to rip out than ANSI minimums — provides 12% more chest room and 6% longer body length.

| ID No. | Color | Size | Qty. | Unit | Price |
|--|--------------|------|----------|------|-------|
| Elastic Wrists and Ankles with Storm Flap | | | | | |
| 1 | KCC-45003* * | Blue | Large | 24 | CT |
| 2 | KCC-45004* * | Blue | X-Large | 24 | CT |
| 3 | KCC-45005* * | Blue | 2X-Large | 24 | CT |

* Conforms to ASTM F1670 Standards.

B A60 Bloodborne Pathogen & Chemical Splash Protection Coveralls Protection against bloodborne pathogens in forensic or other environments where exposure to blood is possible. A60 also provides protection against some chemicals. Three-layer fabric construction features a middle layer of microporous film that allows heat and sweat vapor to escape while protecting against dry particulates and liquid. Seamless front provides more protection in primary exposure areas. Outer layer provides protection of film barrier against tearing and abrasion.

| ID No. | Color | Size | Qty. | Unit | Price |
|--|------------|------------|----------|------|-------|
| Zipper Front; Elastic Back, Wrists, Ankles and Hood | | | | | |
| 4 | KCC-45094* | Denim Blue | X-Large | 24 | CT |
| 5 | KCC-45095* | Denim Blue | 2X-Large | 24 | CT |

C A40 Zipper Front Liquid and Particle Protection Coveralls Coveralls have better liquid and particulate barrier than TYVEK®. Zipper front close makes them easy to put on and take off. Made of breathable, microporous film laminate which is low lint.

| ID No. | Color | Size | Qty. | Unit | Price |
|--|--------------|-------|----------|------|-------|
| Elastic Wrists and Ankles | | | | | |
| 6 | KCC-44314* | White | X-Large | 25 | CT |
| 7 | KCC-44315* * | White | 2X-Large | 25 | CT |
| 8 | KCC-44316* * | White | 3X-Large | 26 | CT |
| 9 | KCC-44317* * | White | 4X-Large | 25 | CT |
| Hood and Boots, Elastic Wrists and Ankles | | | | | |
| 10 | KCC-44333* | White | Large | 25 | CT |
| 11 | KCC-44334* * | White | X-Large | 25 | CT |
| 12 | KCC-44335* * | White | 2X-Large | 25 | CT |
| 13 | KCC-44336* * | White | 3X-Large | 25 | CT |
| 14 | KCC-44337* * | White | 4X-Large | 25 | CT |
| Hooded, Elastic Wrists and Ankles | | | | | |
| 15 | KCC-44323* * | White | Large | 25 | CT |
| 16 | KCC-44324* * | White | X-Large | 25 | CT |
| 17 | KCC-44325* * | White | 2X-Large | 25 | CT |
| Open Wrists and Ankles | | | | | |
| 18 | KCC-44303* | White | Large | 25 | CT |
| 19 | KCC-44304* | White | X-Large | 25 | CT |
| 20 | KCC-44305* | White | 2X-Large | 25 | CT |

* KCC-44315, KCC-44336, KCC-44323, KCC-44324, KCC-44325—Conforms to ASTM F1670 Standards.

KCC-44316, KCC-44317—NFPA 99 Compliant.

KCC-44334—Passes NFPA 99 criteria for antistatic materials.

KCC-44335—Conforms to ANSI/ISEA 101 Sizing Standards; Conforms to ASTM F1670 Standards; Passes NFPA 99 criteria for antistatic materials.

KCC-44337—Conforms to ANSI/ISEA 101-1996 Standard.



May require longer delivery.

PROTECTIVE CLOTHING



KLEENGUARD™

A A35 Coveralls Ensure safety with coveralls made from breathable, microporous laminate. Lightweight and comfortable. Zipper front makes it easy to put on and quick to remove.

| ID No. | Color | Size | Qty. | Unit | Price |
|--|--------------|-------|----------|------|-------|
| Zipper Front, Hooded, Elastic Wrists and Ankles | | | | | |
| 1 | KCC-38938* * | White | Large | 25 | CT |
| 2 | KCC-38939* * | White | X-Large | 25 | CT |
| 3 | KCC-38941 * | White | 2X-Large | 25 | CT |

* Conforms to ANSI/ISEA 101 Sizing Standards.

B A30 Elastic-Back Zipper Front Coveralls Features Patented Reflex* design, which offers excellent fit (with elastic back) and freedom of movement. The material is strong and abrasion resistant, and filters out many water-based liquids and dry particles.

| ID No. | Color | Size | Qty. | Unit | Price |
|--|------------|-------|----------|------|-------|
| Elastic Wrist and Ankles, 1-Inch Flap | | | | | |
| 4 | KCC-46104* | White | X-Large | 25 | CT |
| Hooded, Elastic Wrist and Ankles, 1-Inch Flap | | | | | |
| 5 | KCC-46114* | White | X-Large | 25 | CT |
| 6 | KCC-46115* | White | 2X-Large | 25 | CT |
| Open Wrists and Ankles, 1-Inch Flap | | | | | |
| 7 | KCC-46004* | White | X-Large | 25 | CT |
| 8 | KCC-46005* | White | 2X-Large | 25 | CT |

C A20 Breathable Particle Protection Coveralls Patented Reflex* design minimizes the potential for rips and tears while providing more chest room than average. The material is strong and abrasion resistant, and filters out many water-based liquids and dry particles.

| ID No. | Color | Size | Qty. | Unit | Price |
|--|--------------|-------|----------|------|-------|
| Hood, Elastic Back, Wrists and Ankles | | | | | |
| 9 | KCC-49115* | White | 2X-Large | 24 | CT |
| 10 | KCC-49116* | White | 3X-Large | 20 | CT |
| Hood, Elastic Wrists and Ankles | | | | | |
| 11 | KCC-49114* | White | X-Large | 24 | CT |
| Zipper Front, Open Wrists and Ankles | | | | | |
| 12 | KCC-49003* * | White | Large | 24 | CT |
| 13 | KCC-49004* | White | X-Large | 24 | CT |
| 14 | KCC-49005* | White | 2X-Large | 24 | CT |
| 15 | KCC-49006* | White | 3X-Large | 20 | CT |

* KCC-49003—NFPA 99 Compliant.



D Tyvek® Elastic-Cuff Hooded Coveralls Industrial use coverall is designed for lead and asbestos abatement, spray painting, and general maintenance and cleanup. Durable Tyvek® material allows greater range of movement and a more tailored fit. Attached respirator-fit hood has elastic around face opening and protects neck and chin.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|------------------|-------|----------|------|-------|
| 16 | DUP-TY127SL* * | White | Large | 25 | CT |
| 17 | DUP-TY127SXL* * | White | X-Large | 25 | CT |
| 18 | DUP-TY127S2XL* * | White | 2X-Large | 25 | CT |
| 19 | DUP-TY127S3XL* * | White | 3X-Large | 25 | CT |

* AATCC 127 Compliant, Conforms to ASTM D1777 Standards. Should not be worn in the presence of strong acids.



A ProShield® NexGen® Coveralls Ideal for use in automotive refinishing, waste cleanup and remediation and other fields. ProShield® NexGen® material is made of microporous film laminated to polypropylene substrate. Protects against non-hazardous particles, light liquid splashes and aerosols.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------------------|-------|----------|------|------|-------|
| 1 DUP-NG120SXL* * | White | X-Large | 25 | CT | |
| 2 DUP-NG120S2XL* * | White | 2X-Large | 25 | CT | |

Zipper Front

| | | | | | |
|--------------------|-------|----------|----|----|--|
| 3 DUP-NG120S3XL* * | White | 3X-Large | 25 | CT | |
|--------------------|-------|----------|----|----|--|

* DUP-NG120SXL, DUP-NG120S2XL—AATCC 127 Compliant; Conforms to ASTM D751 Standards.

Should not be worn in the presence of strong acids.

DUP-NG120S3XL—Conforms to ASTM F739 Standards.

B Tyvek® Coveralls Industrial use coverall is designed for lead and asbestos abatement, spray painting, and general maintenance and cleanup. Durable Tyvek® material allows greater range of movement and a more tailored fit. Effective barrier for particles down to 1 micron in size.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------------------|-------|----------|------|------|-------|
| 4 DUP-TY120SL* * | White | Large | 25 | CT | |
| 5 DUP-TY120SXL * | White | X-Large | 25 | CT | |
| 6 DUP-TY120S2XL* * | White | 2X-Large | 25 | CT | |
| 7 DUP-TY120S3XL* * | White | 3X-Large | 25 | CT | |

* AATCC 127 Compliant; Conforms to ASTM D1777 Standards. Should not be worn in the presence of strong acids.

C Tyvek® Elastic-Cuff Hooded Coveralls With Attached Boots Industrial use coverall is designed for lead and asbestos abatement, spray painting, and general maintenance and cleanup. Durable Tyvek® material allows greater range of movement and a more tailored fit. Attached Tyvek® FC boots have special coating to provide added skid-resistance.

| ID No. | Color | Size | Qty. | Unit | Price |
|---------------------|-------|----------|------|------|-------|
| 8 DUP-TY122SL* * | White | Large | 25 | CT | |
| 9 DUP-TY122SXL* * | White | X-Large | 25 | CT | |
| 10 DUP-TY122S2XL* * | White | 2X-Large | 25 | CT | |
| 11 DUP-TY122S3XL* * | White | 3X-Large | 25 | CT | |

* AATCC 127 Compliant; Conforms to ASTM D1777 Standards. Should not be worn in the presence of strong acids.

boardwalk

D Disposable Coveralls Manufactured from lightweight, spunbonded polypropylene material, these disposable long sleeve coveralls are ideal for general applications where coolness and comfort are top priority. Features serged seams and an attached elastic hood and elastic wrists and ankles. Convenient zipper front closure. General coveralls are not liquid proof, but they are an excellent choice for dirty areas.

| ID No. | Color | Size | Qty. | Unit | Price |
|-------------------|-------|---------|------|------|-------|
| 12 BWK-00032S* * | White | Small | 25 | CT | |
| 13 BWK-00032M* * | White | Medium | 25 | CT | |
| 14 BWK-00032L* * | White | Large | 25 | CT | |
| 15 BWK-00032XL* * | White | X-Large | 25 | CT | |
| 16 BWK-0032XXL* * | White | XXL | 25 | CT | |

* Made of FDA Accepted Materials.





A Tyvek® IsoClean® Sleeves Sturdy sleeves provide an excellent barrier to dry particles, microorganisms and non-hazardous liquids. Breathable, lightweight, and durable for long-term use. Sleeves extend from wrist to bicep with covered elastic ends for complete coverage.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|---------------|-------|--------------------|------|-------|
| 1 | DUP-IC501BWB* | White | One Size Fits Most | 100 | CT |

B Tyvek® Sleeves Durable Tyvek® material offers barrier to particles down to 1 micron in size. Arm sleeves have elastic at both ends for secure fit. One size fits most.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|-------------|-------|-------------------|------|-------|
| 2 | DUP-TY500S* | White | One Size Fits All | 200 | CT |

* AATCC 127 Compliant; Conforms to ASTM D1777 Standards. Should not be worn in the presence of strong acids.

C Tyvek® Apron Provides enhanced frontal protection from the chest to past the waistline. Durable Tyvek® material. Ties at the waist.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|---------------|-------|-------------------|------|-------|
| 3 | DUP-TY273BWH* | White | One Size Fits All | 100 | CT |

* Conforms to ASTM F739 Standards.

KLEENGUARD™

D A20 Breathable Particle Protection Apron Universal size apron made of a breathable barrier SMS fabric, which helps protect against hazardous and non-hazardous dust. Strong and abrasion-resistant for extended wear.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|------------|-------|-------------------|------|-------|
| 4 | KCC-36550* | White | One Size Fits All | 100 | CT |

E A40 Liquid & Particle Protection Apron Breathable, microporous film laminate combines comfort and protection in a clean, white apron. Aprons offer a sturdy liquid and particle protection barrier. Low-linting aprons are a solid safety choice.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|------------|-------|-------------------|------|-------|
| 5 | KCC-44481* | White | One Size Fits All | 100 | CT |

* Passes NFPA 99 criteria for antistatic materials.

F A10 Breathable Particle Protection Sleeve Protectors Protective sleeves made from a lightweight, polypropylene material provide additional protection on the job. Comfortable fit. Elastic top adjusts easily for assorted sizes. Designed for entry level hazardous dust protection.

| ID No. | Color | Qty. | Unit | Price |
|--------|------------|-------|------|-------|
| 6 | KCC-23610* | White | 200 | CT |



G Rainsuit Two-piece rainsuit made of durable PVC polyester offers both protection and comfort. Adjustable elastic suspenders on overalls assure a customizable fit. Jacket has a vented cape back and five-snap front closure with storm flap.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|-------------|--------|----------|------|-------|
| 7 | ANR-9000L | Yellow | Large | 1 | EA |
| 8 | ANR-9000XL | Yellow | X-Large | 1 | EA |
| 9 | ANR-90002XL | Yellow | 2X-Large | 1 | EA |



KLEENGUARD™

A A20 Breathable Particle Protection Shoe Covers Slip-on covers designed to protect against hazardous and non-hazardous dust. They feature serged seams and are fully elasticized for a formed fit. They are 6.5" tall and are one size fits all.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------------------|------------|-------|-------------------|------|-------|
| Shoe Covers | | | | | |
| 1 | KCC-36885* | White | One Size Fits All | 300 | CT |



B Tyvek® Shoe Covers Covers feet in a barrier that keeps out particles down to 1 micron in size. Durable Tyvek® material. Elastic top helps secure cover to almost any size shoe.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|---------------|-------|-------------------|------|-------|
| 2 | DUP-FC450S* * | Gray | One Size Fits All | 200 | CT |
| 3 | DUP-TY450S* * | White | One Size Fits All | 200 | CT |

* AATCC 127 Compliant; Conforms to ASTM D1777 Standards.

C Tyvek® FC Boot Cover Protect precious footwear with sturdy boot covers made of Tyvek® FC. Protective fabric with a skid resistant friction coating. High boot cover with elastic top provides complete coverage up to calf.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|-------------|------|--------------------|------|-------|
| 4 | DUP-FC454S* | Gray | One Size Fits Most | 100 | CT |



D Polypropylene Non-Skid Shoe Covers Shoe covers are made from breathable, fluid-repellent spunbond material. Non-skid tread on bottom offers good traction. Regular/Large fits up to men's size 12.


| ID No. | Color | Size | Qty. | Unit | Price |
|--------|-------------|------|-------|------|-------|
| 5 | MII-CRI2002 | Blue | Large | 100 | BX |

boardwalk

E Disposable Shoe Covers Sturdy, disposable shoe covers are constructed with tear and puncture resistant spunbond polypropylene. Elastic at the ankles for a comfortable fit. They provide particulate protection and keep out dirt and dust. These protective covers are excellent for work in dirty areas.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|---------------|-------|---------|------|-------|
| 6 | BWK-00031L * | White | Large | 50 | PK |
| 7 | BWK-00031XL * | White | X-Large | 50 | PK |

* Made of FDA Accepted Materials.



A Luminator™ Class 2 Safety Vest Occupational activities such as roadway, construction, airport and utility projects call for Luminator™ protection. This economy Class 2 vest is 100% solid polyester in lime green with a 2" silver reflective stripe. The hook and loop closure is a full 8" to stay in place even in the most inclement weather conditions. Two outer and one inside pocket allow worker to keep essentials close at hand. 10" imprintable width allows customization. Washable.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|-----------------|----------------------------------|----------|------|-------|
| 1 | CRW-VCL2SLL * | Fluorescent Lime w/Silver Stripe | Large | 1 | EA |
| 2 | CRW-VCL2SLXL * | Fluorescent Lime w/Silver Stripe | X-Large | 1 | EA |
| 3 | CRW-VCL2SLXL2 * | Fluorescent Lime w/Silver Stripe | 2X-Large | 1 | EA |
| 4 | RVR-VCL2SLX3+ | Lime Green/Silver | 3X-Large | 1 | EA |

* CRW-VCL2SLL, CRW-VCL2SLXL, CRW-VCL2SLXL2—ANSI/ISEA 107-2010 Compliant.

B One Size Reflective Safety Vest Bright orange color and reflective strips provide high visibility day or night for a variety of hazardous situations. Lightweight polyester mesh fabric with hook and loop closure keeps vest secure in all weather conditions. One size, 18" x 47", with 8" elastic side straps.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|-----------|--|-------------------|------|-------|
| 5 | CRW-V201R | Bright Orange/Lime; Silver Reflective Strips | One Size Fits All | 1 | EA |

C Vest Basic, economical bright orange safety vest for warehouse, parking lot, or other roadside workers with a call for caution. The mesh design allows for air movement, making these vests comfortable in warm weather. The hook and loop closure firmly secures the vest around the worker.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|-----------|---------------------|-------------------|------|-------|
| 6 | CRW-V201+ | Bright Orange/Black | One Size Fits All | 1 | EA |

D Garments® Luminator Safety Vest Keep employees safe and secure with a sturdy Class 2 100% polyester safety vest with solid front and mesh back. Bright, neon coloring with fluorescent reflective stripes ensures easy visibility and promotes safety. Mesh back allows for cool comfort in hot conditions. Convenient dielectric zipper-front closure for easy on and off. Six pockets provide plenty of space for storage on-the-go.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|---------------|------|---------|------|-------|
| 7 | CRW-CL2LCM * | Lime | Medium | 1 | EA |
| 8 | CRW-CL2LCL * | Lime | Large | 1 | EA |
| 9 | CRW-CL2LCXL * | Lime | X-Large | 1 | EA |

* ANSI/ISEA 107-2010 Compliant.



E Safety Baton Five super bright LED lights in baton may be seen up to 3,000 yards away and last up to 100,000 hours. Three different lighting modes include: slow flashing red, quick flashing red, and steady red light. Shock-proof, water-resistant, safe to use in inclement weather. Comfortable handle.

| ID No. | Handle Color | Power | Unit | Price |
|--------|--------------|-------|---------------------------------|-------|
| 10 | TCO-25400 | Black | 2 C Batteries (Sold Separately) | EA |



F GloWear® 8310HL Type R Class 3 Economy Safety Vest Economy polyester mesh vests for visibility on the job—they're an excellent choice for use in road construction, utility crews, survey crews and more. Bright neon coloring with reflective striping ensures high visibility. Hook and loop front closure for easy on/easy off.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|--------------|--------|---------|------|-------|
| 11 | EGO-22023* * | Lime | S/M | 1 | EA |
| 12 | EGO-22025* * | Lime | L/XL | 1 | EA |
| 13 | EGO-22027* * | Lime | 2XL/3XL | 1 | EA |
| 14 | EGO-22013* * | Orange | S/M | 1 | EA |
| 15 | EGO-22015* * | Orange | L/XL | 1 | EA |
| 16 | EGO-22017* * | Orange | 2XL/3XL | 1 | EA |
| 17 | EGO-22019* * | Orange | 4XL/5XL | 1 | EA |

* ANSI 107 Type R Class 3.

G GloWear® 8205HL Type R Class 2 Super Econo Mesh Safety Vest Sturdy mesh vest is a great value for everyday on-the-job applications—excellent for use in road construction or on utility and survey crews. Bright neon coloring with silver stripes ensures high visibility. Convenient hook and loop closure for easy wear.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------|--------------|--------|---------|------|-------|
| 18 | EGO-20963* * | Orange | S/M | 1 | EA |
| 19 | EGO-20965* * | Orange | L/XL | 1 | EA |
| 20 | EGO-20967* * | Orange | 2XL/3XL | 1 | EA |
| 21 | EGO-20969* * | Orange | 4XL/5XL | 1 | EA |

* ANSI 107 Type R Class 2.



A GloWear® 8215BA Type R Class 2 Econo Breakaway Mesh Safety Vest Great for everyday on-the-job visibility—it's an excellent choice for use in road construction, utility crews, survey crews and more. Bright neon coloring with reflective striping ensures high visibility. Hook and loop front closure for easy on/easy off. Five-point hook and loop breakaway on both shoulders and sides.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------------|--------|---------|------|------|-------|
| 1 EGO-21063* | Orange | S/M | 1 | EA | |
| 2 EGO-21065* | Orange | L/XL | 1 | EA | |
| 3 EGO-21067* | Orange | 2XL/3XL | 1 | EA | |
| 4 EGO-21069* | Orange | 4XL/5XL | 1 | EA | |

* ANSI 107 Type R Class 2.

B ProFlex® 2000SF High-Performance Spandex Back Support 8½" 840D spandex body material. Patented non-conductive Sticky Fingers® stays. Innovative Power Panel Positioners™. Unique V-shaped design. Adjustable, detachable suspenders.

| ID No. | Size | Fits Waist | Color | Qty. | Unit | Price |
|--------------|----------|------------|-------|------|------|-------|
| 5 EGO-11282* | Small | 25" - 30" | Black | 1 | EA | |
| 6 EGO-11283 | Medium | 30" - 34" | Black | 1 | EA | |
| 7 EGO-11284* | Large | 34" - 38" | Black | 1 | EA | |
| 8 EGO-11285* | X-Large | 38" - 42" | Black | 1 | EA | |
| 9 EGO-11286* | 2X-Large | 42" - 46" | Black | 1 | EA | |

C ProFlex® 1650 Economy Elastic Back Support Single layer 5" elastic cinch strap for positive tension. Adjustable 1½" knit elastic suspenders. Knit elastic body material (7½" width). Machine washable.

| ID No. | Size | Fits Waist | Color | Qty. | Unit | Price |
|---------------|---------|------------|-------|------|------|-------|
| 10 EGO-11093* | Medium | 30" - 34" | Black | 1 | EA | |
| 11 EGO-11094* | Large | 34" - 38" | Black | 1 | EA | |
| 12 EGO-11095* | X-Large | 38" - 42" | Black | 1 | EA | |



D Work Belt with Removable Suspenders Designed with removable, adjustable suspenders, durable elastic compression straps, breathable mesh fabric and grip tape strapping for optimal support while assuring proper fit and comfort. Hand washable.

| ID No. | Size | Fits Waist | Color | Qty. | Unit | Price |
|-----------------|-------------------|------------|-------|------|------|-------|
| 13 MMM-208605 * | One Size Fits All | Up to 48" | Black | 1 | EA | |

* Caution: Product contains natural rubber latex which may cause allergic reactions. Warning: All ACE™ back supports have been designed to help reduce the severity of back injuries however, no support can guarantee that an injury will not occur. 3M neither makes nor assumes any kind, express, implied or statutory assurance that this product will prevent an injury from occurring, when using this support. If discomfort or pain results, persists or increases, discontinue use and consult a physician.



A ProFlex® 4000 Single Strap Wrist Support Give injured wrists the support they need, with a single strap support brace that limits downward wrist movement. Designed with a Patented Open-Center Stay™. Three-stage hook and loop closure for security and comfort. Anti-odor treatment ensures a pleasant user experience. Black.

| ID No. | Size | Fits | Unit | Price |
|--------|------------|---------------|------------|-------|
| 1 | EGO-70004* | Medium (6-7") | Right Hand | EA |
| 2 | EGO-70014* | Medium (6-7") | Left Hand | EA |
| 3 | EGO-70016* | Large (7-8") | Left Hand | EA |
| 4 | EGO-70008* | XL (8"+) | Right Hand | EA |
| 5 | EGO-70018* | XL (8"+) | Left Hand | EA |



B Adjustable Reversible Splint Wrist Brace Can be used on either the right or left hand to help provide comfortable, moderate support and compression for injured, weak, or post-cast wrists. Low-cut, ergonomic shape. Easy sleeve design for effortless application. Adjustable palmar stay helps provide moderate stability. Breathable, durable, soft and latex-free materials. Black.

| ID No. | Size | Fits | Unit | Price |
|--------|---------------|------------|---------------------|-------|
| 6 | MMM-10770EN * | Adjustable | Wrist Size 5½"- 8½" | EA |

* If discomfort or pain results, persists or increases, discontinue use and consult a physician.



C ProFlex® 230 Wide Soft Cap Knee Pad Sturdy knee pad provides economical, light duty protection for a broad range of applications. Durable 600D polyester fabric cover. 15mm closed cell foam padding for comfortable protection. Slightly wider and longer for wraparound comfort. Anti-odor treatment ensures a positive user experience. Buckle closure for secure fit.

| ID No. | Elbow/Knee Pad Type | Size Group | Unit | Price |
|--------|---------------------|------------|-------------------|-------|
| 7 | EGO-18230* | Knee Pad | One Size Fits All | PR |



D ShockWave2™ Shock-Absorbing Lanyard Twin-leg shock-absorbing tie-off lanyard smoothly reacts to your movements and minimizes the danger of trip-fall hazards. Abrasion-resistant, tubular webbing ensures safe, reliable performance. Self-locking snap hook simplifies hookups.

| ID No. | Ropes, Harness and Climbing Tool Type | Application | Maximum Arresting Force | Length | Unit | Price |
|--------|---------------------------------------|-------------------------|---|---------------------------|------|-------|
| 8 | DBS-1244412* | Shock-Absorbing Lanyard | Construction; Iron-Working; Maintenance | 900 lbs 4½ ft; 6 ft | EA | |

* ANSI Z359 Compliant; OSHA Compliant.

E Delta™ No-Tangle™ Full-Body Harness If you're looking for a fusion of cutting-edge innovation and industry-standard-setting reliability, choose Delta™ full-body harnesses. Features include: patented No-Tangle™ design, stand-up D-rings and Repel™ abrasion-resistant, water-repellant webbing.

| ID No. | Ropes, Harness and Climbing Tool Type | Application | Maximum Arresting Force | Unit | Price |
|---|---------------------------------------|-------------|--|----------|-------|
| Construction-Vest Style: Belt Pad & Tongue-Buckle Legs —Side and back D-rings. | | | | | |
| 9 | DBS-1101655* | Harness | Climbing; Construction; Iron-Working; Logging; Maintenance; Mining; Window Washing | 1800 lbs | EA |
| Vest Style: Tongue-Buckle Legs —Back D-ring. | | | | | |
| 10 | DBS-1102000* | Harness | Climbing; Construction; Iron-Working; Logging; Maintenance; Mining; Window Washing | 1800 lbs | EA |



FIRST AID ONLY.

A ANSI 2015 SmartCompliance General Business First Aid Station Ideal for businesses, offices and worksites. The swing-out door and easy-to-carry handle add extra convenience. Clearly labeled compartments create a cabinet that is easy to use and restock. Expansion pocket allows you to customize your cabinet to meet your needs. This unique cabinet design eliminates disorganized and missing supplies.

| ID No. | Size | Case Material | Unit | Price |
|--|---|---------------|------|-------|
| Medium 25 Person SmartCompliance First Aid Cabinet without Medications—94 pieces. | | | | |
| 1 | FAO-90578 * 3" x 9" x 11 1/4" | Metal | KT | |
| Large 50 Person SmartCompliance First Aid Cabinet with Medications—241 pieces. | | | | |
| 2 | FAO-746000 * 13" x 4 1/6" x 14" | Metal | KT | |
| 3 | FAO-90608 * 13" x 4 1/6" x 14" | Plastic | KT | |
| Large 50 Person SmartCompliance First Aid Cabinet without Medications—202 pieces. | | | | |
| 4 | FAO-90580 * 4 3/8" x 13 3/4" x 13 3/4" | Plastic | KT | |
| Large 50 Person SmartCompliance First Aid Cabinet without Medications—241 pieces. | | | | |
| 5 | FAO-746004 * 3 1/8" x 13 3/4" x 14 1/16" | Metal | KT | |
| XL 150 Person SmartCompliance First Aid Cabinet with Medications—925 pieces. | | | | |
| 6 | FAO-90732 * 17" x 5 3/4" x 22 1/2" | Metal | KT | |
| XL 150 Person SmartCompliance First Aid Cabinet without Medications—669 pieces. | | | | |
| 7 | FAO-90829 * 17" x 5 3/4" x 22 1/2" | Metal | KT | |
| XXL 200 Person SmartCompliance First Aid Cabinet without Medication—743 pieces. | | | | |
| 8 | FAO-90833 * 17" x 5 3/4" x 26" | Metal | KT | |

* FAO-90578—ANSI/ISEA Z308.1-2015 Compliant; Class A.
 FAO-746000—ANSI 2015; OSHA Compliant.
 FAO-90608—ANSI/ISEA Z308.1-2015 Compliant; Class A+.
 FAO-90580, FAO-746004—ANSI/ISEA Z308.1-2015.
 FAO-90732, FAO-90829—Ansi 2015 and OSHA Compliant.
 FAO-90833—ANSI 2015 Compliant.

Also Consider:

| ID No. | Description | Qty. | Unit | Price |
|--------|---|------|------|-------|
| 9 | FAO-90827* ANSI Class A+ Refill Pack, 202 Pieces | 1 | KT | |
| 10 | FAO-90582 ANSI Class A Refill Pack, 94 Pieces | 1 | KT | |
| 11 | FAO-90613* ANSI A+ First Aid Kit Refill, 241 Pieces | 1 | KT | |

B ANSI 2015 SmartCompliance Food Service First Aid Cabinet SmartCompliance easily masters the unique first aid challenges in food preparation with an innovative cabinet designed to take on common injuries. Patented snap-in boxes keep first aid organized and easy to restock and allow for easy management of first aid supplies over multiple locations.

| ID No. | Size | Case Material | Unit | Price |
|--|--------------------------------------|---------------|------|-------|
| Medium 25 Person SmartCompliance First Aid Cabinet without Medications—94 pieces. | | | | |
| 12 | FAO-90658 * 12" x 3" x 9 1/2" | Metal | KT | |
| Large 50 Person SmartCompliance First Aid Cabinet without Medications—260 pieces. | | | | |
| 13 | FAO-746006 * 14 1/2" x 3" x 13 1/2" | Metal | KT | |
| XL 150 Person SmartCompliance First Aid Cabinet with Medications—953 pieces. | | | | |
| 14 | FAO-90830 * 17" x 5 3/4" x 22 1/2" | Metal | KT | |
| XL 150 Person SmartCompliance First Aid Cabinet without Medications—710 pieces. | | | | |
| 15 | FAO-90831 * 17" x 5 3/4" x 22 1/2" | Metal | KT | |

* FAO-90658, FAO-746006—ANSI/ISEA Z308.1-2015.
 FAO-90830, FAO-90831—ANSI and OSHA Compliant.

Also Consider:

| ID No. | Description | Qty. | Unit | Price |
|--------|--|------|------|-------|
| 16 | FAO-90828* A+ Food Service Refill Pack, 260 Pieces | 1 | KT | |
| 17 | FAO-90692* Food Service Refill Pack, 94 Pieces | 1 | KT | |

C ANSI SmartCompliance Food Service First Aid Station with Medications Food service station is ideal for restaurants and cafeterias and for any area where you are handling and/or cooking food. The swing-out door and easy-to-carry handle add extra convenience. Clearly labeled compartments create a cabinet that is easy to use and restock. Expansion pocket allows you to customize your cabinet to meet your needs. SmartTab® ezRefills easily snap into place in cabinet. Unique cabinet design eliminates disorganized and missing supplies. Includes burn care solutions and blue metal bandages, nitrile gloves, over the counter medications and more.

| ID No. | Size | Case Material | Unit | Price |
|--------|---------------------------------|---------------|------|-------|
| 18 | FAO-90834 * 17" x 5 3/4" x 26" | Metal | KT | |

* ANSI and OSHA.



FIRST AID ONLY.

| ID | No. | Description | Qty. | Unit | Price |
|----|----------------|--|------|------|-------|
| 1 | FAO-FAE4001 * | SmartCompliance Alcohol Cleansing Pads | 20 | BX | |
| 2 | FAO-FAE7021 * | SmartCompliance Antibiotic Ointment | 10 | BX | |
| 3 | FAO-FAE4002 * | SC Antiseptic Cleansing Wipes | 10 | BX | |
| 4 | FAO-FAE7004* | SmartCompliance Aspirin Refill, 2/Pack | 1 | EA | |
| 5 | FAO-FAE3040 | SC Fingertip Bandages, 1¼" x 2" | 20 | BX | |
| 6 | FAO-FAE3030 | SC Knuckle Bandages 1" x 3", 20/Box | 1 | EA | |
| 7 | FAO-FAE7011 * | SmartCompliance Burn Cream | 10 | BX | |
| 8 | FAO-FAE4004 | SmartCompliance Castile Soap Towelettes | 10 | BX | |
| 9 | FAO-FAE3009 | SC Elastic Bandage Wrap, 2" x 5 yds | 1 | EA | |
| 10 | FAO-FAE6022 | SC Eyewash Set/Eyepads and Adhesive Tape | 1 | EA | |
| 11 | FAO-FAE3001 | SmartCompliance Fabric Bandages, 1" x 3" | 25 | BX | |
| 12 | FAO-FAE3006 | SC Fingertip Bandages 2" x 1½" | 10 | BX | |
| 13 | FAO-FAE6000 | First Aid Tape, ½" x 10 yards | 1 | EA | |
| 14 | FAO-FAE6003 | SC First Aid Tape/Gauze Roll Combo | 1 | BX | |
| 15 | FAO-FAE5000 | SmartCompliance Gauze Pads, 2" x 2" | 5 | PK | |
| 16 | FAO-FAE5005 | SmartCompliance Gauze Pads, 3" x 3" | 5 | PK | |
| 17 | FAO-FAE5002 | Gauze Bandages, 2" | 1 | EA | |
| 18 | FAO-FAE4007 | SmartCompliance Hand Sanitizer Packets | 10 | BX | |
| 19 | FAO-FAE6012 | SC Instant Cold Compress, 5" x 4" | 1 | EA | |
| 20 | FAO-FAE3008 | Sterilized Knuckle Bandage | 10 | BX | |
| 21 | FAO-FAE3020 | Sterilized Knuckle/Fingertip Bandages | 10 | BX | |
| 22 | FAO-FAE6013 | SC Moleskin/Blister Protection, 2" Square | 10 | BX | |
| 23 | FAO-FAE6018* * | SmartCompliance Vinyl Lightweight Gloves | 2 | BX | |
| 24 | FAO-FAE3000 | SmartCompliance Bandage, 1½" x 1½" | 10 | BX | |
| 25 | FAO-FAE3004 | Smart Compliance Bandages, ¾" x 3" | 25 | BX | |
| 26 | FAO-FAE7012 | SC Refill Burn Dressing, 4" x 4", White | 1 | BX | |
| 27 | FAO-16004* | SmartCompliance Refill Burn Dressing | 1 | BX | |
| 28 | FAO-FAE6015* | SC Rescue Breather Face Shield/2 Gloves | 1 | EA | |
| 29 | FAO-FAE6023 * | SC CPR Face Shield & Breathing Barrier | 1 | EA | |
| 30 | FAO-FAE6004 * | SC First Aid Scissors, 4½" Long | 1 | EA | |
| 31 | FAO-FAE5012 | Smart Compliance Trauma Pad, 5" x 9" | 1 | EA | |
| 32 | FAO-FAE6007 | SC Triangular Sling/Bandage, 40" x 40" x 56" | 1 | EA | |
| 33 | FAO-FAE6019 | SC Stainless Steel Tweezers, 3" | 1 | EA | |
| 34 | FAO-7002* * | ANSI 2015 Compliant First Aid Kit Refill, 4 Sterile Eye Pads and 4 Adhesive Strips | 4 | BX | |

* FAO-FAE4001, FAO-FAE4002—ANSI Z308.1-2009 Compliant.
 FAO-FAE7021, FAO-FAE7011—Meets ANSI/ISEA Z308.1-009 Standards
 FAO-FAE6018—FDA Compliant.
 FAO-FAE6023—ANSI Z308.1-2015, Class A & B.
 FAO-FAE6004—For left or right hand use.
 FAO-7002—ANSI.



FIRST AID
ITEMS CANNOT
BE RETURNED

20-FA-CU-RNU



A ANSI 2015 ReadyCare First Aid Kit Convenient kit comes in an innovative plastic case with a carrying handle. Comes complete with all of the items needed to clean, treat and protect against a variety of everyday occurrences. Transparent door allows you to find items quickly in an emergency. Kit is conveniently wall mountable.

| ID No. | Size | Case Material | Unit | Price |
|---|-------------|----------------|---------|-------|
| For Up to 25 People —139 pieces. | | | | |
| 1 | FAO-90697 * | 7" × 9" × 4" | Plastic | KT |
| For Up to 50 People —238 pieces. | | | | |
| 2 | FAO-90698* | 11" × 12" × 4" | Plastic | KT |

* ANSI/ISEA Z308.1-2015; Contents exceed the 2015 ANSI Class A+ requirement.



B ANSI 2015 Compliant Industrial First Aid Kit This industrial first aid station is designed as an auxiliary kit for smaller businesses, offices and work sites. Contains a variety of products to take care of cuts and scrapes, eye irritations, CPR rescue, personal discomfort, minor burns, sprains, strains and bruises. The swing-down door and easy-to-carry handle make this first aid station extra convenient. Refills are color-coded for easy identification in an emergency.

| ID No. | Size | Case Material | Unit | Price |
|--|--------------|------------------|-------|-------|
| 3 | FAO-90832* * | 17" × 5¼" × 26" | Metal | KT |
| Three-Shelf Case with Medication, For Up to 100 People —676 pieces. | | | | |
| 4 | FAO-90575 * | 5½" × 15" × 16" | Metal | KT |
| Two-Shelf Case with Medication, For Up To 75 People —446 pieces. | | | | |
| 5 | FAO-90573 * | 4¾" × 10¾" × 15" | Metal | KT |

* FAO-90832—Ansi 2015 and OSHA Compliant.
 FAO-90575—ANSI/ISEA Z308.1-2015 Compliant; Class A+ Type I & II; Meets or exceeds Federal OSHA Regulation 1910.151(b).
 FAO-90573—ANSI/ISEA Z308.1-2015 Compliant; Class B+ Type I & II; Meets or exceeds Federal OSHA Regulation 1910.151(b).



Also Consider:

| ID No. | Description | Qty. | Unit | Price |
|--------|-------------|--|------|-------|
| 6 | FAO-90618* | ANSI First Aid Station Refills 446 Piece | 1 | KT |
| 7 | FAO-90623* | ANSI Refill with Medications, 676 Pieces | 1 | KT |

C ANSI Class B+ 4 Shelf First Aid Station with Medications Four shelf industrial first aid station is designed for businesses, offices and work sites. Sturdy solid steel case comes with a convenient carrying handle. Case is also wall mountable. Sufficient to treat 150 to 200 people. 1461 pieces.

| ID No. | Size | Case Material | Unit | Price |
|--------|--------------|-----------------|-------|-------|
| 8 | FAO-90576* * | 17" × 6" × 22¼" | Metal | KT |

* ANSI/ISEA Z308.1-2015 Compliant; Cabinet is ANSI Class B+ compliant; Contents exceed the 2015 ANSI Class B requirements.



Also Consider:

| ID No. | Description | Qty. | Unit | Price |
|--------|-------------|--|------|-------|
| 9 | FAO-90625* | ANSI Refill with Medications, 1427 Piece | 1 | KT |

D Bulk ANSI 2015 Compliant First Aid Kit Ensure employee safety with a convenient, handy plastic first aid kit, containing key items for office, vehicle and worksite kits. Supplies feature bilingual labels in English and Spanish for easy reading in an emergency.

| ID No. | Size | Case Material | Unit | Price |
|---|--------------|-----------------|---------|-------|
| For Up to 25 People —89 pieces. | | | | |
| 10 | FAO-90588 * | 9¾" × 2¾" × 7¼" | Plastic | KT |
| For Up to 25 People —141 pieces. | | | | |
| 11 | FAO-90589 * | 10" × 2½" × 7" | Plastic | KT |
| For Up to 50 People —199 pieces. | | | | |
| 12 | FAO-90566* * | 9¾" × 2¾" × 9" | Plastic | KT |

* FAO-90588—ANSI/ISEA Z308.1-2015 Compliant; Class A Type I & II.
 FAO-90589—ANSI/ISEA Z308.1-2015 Compliant; Class A+ Type I & II.
 FAO-90566—ANSI/ISEA Z308.1-2015 Compliant; Class B Type III.



20-FA-CU-RNU

FIRST AID

Also Consider:

| ID No. | Description | Qty. | Unit | Price |
|--------|-------------|--|------|-------|
| 13 | FAO-90583 | 25 Person, 89 Piece First Aid Kit Refill | 1 | KT |



FIRST AID ONLY.

| ID No. | Description | Qty. | Unit | Price |
|---------------|---------------------------------------|------|------|-------|
| 1 FAO-H-305 * | Alcohol Cleansing Pads, Dispenser Box | 100 | BX | |
| 2 FAO-Z6005 | Instant Cold Compress, 4" x 5" | 1 | EA | |
| 3 FAO-21004 | Instant Cold Pack, 1 1/4" x 2 1/8" | 1 | EA | |
| 4 FAO-21008* | CPR Mask with Gloves and Wipes | 1 | KT | |
| 5 FAO-G121 * | Fabric Bandages, 1" x 3" | 50 | BX | |
| 6 FAO-G-122 | Fabric Bandages, 1" x 3" | 100 | BX | |
| 7 FAO-G126* * | Fingertip Bandages, 2" x 1 1/8" | 40 | BX | |
| 8 FAO-5006 | Gauze Bandages, 3" | 1 | EA | |
| 9 FAO-750013* | Hand Sanitizer Packets | 10 | BX | |
| 10 FAO-G155 | Plastic Adhesive Bandages, 3 x 3/4 | 100 | BX | |

* FAO-H-305—ANSI Z308.1-2009 Compliant.
 FAO-G121—ANSI Z308.1-2015.
 FAO-G126—ANSI Z308.1-2015, class A.



Physicians CARE By **FIRST AID ONLY.**

| ID No. | Description | Qty. | Unit | Price |
|----------------|---|------|------|-------|
| 11 FAO-7006 | Disposable Eye Wash, 4 oz | 1 | EA | |
| 12 FAO-92100* | Emergency First Aid Disposable CPR Mask | 10 | BX | |
| 13 FAO-12302 | First Aid Adhesive Tape, 1/2" x 10yds | 6 | BX | |
| 14 FAO-51019 * | First Aid Alcohol Pads | 50 | BX | |
| 15 FAO-51028 * | First Aid Antiseptic Towelettes | 25 | BX | |
| 16 FAO-19002 | First Aid Sting Relief Pads | 10 | BX | |
| 17 FAO-13462 | Reusable Hot/Cold Pack, 8.63" Long | 1 | EA | |
| 18 FAO-13006 * | First Aid Kit Refill Burn Cream Packets | 10 | BX | |
| 19 FAO-12001 * | Triple Antibiotic Ointment | 12 | BX | |

* FAO-51019, FAO-51028—ANSI Z308.1-2009 Compliant.
 FAO-13006, FAO-12001—Meets ANSI/ISEA Z308.1-2009 Standards.

NO RETURN FIRST AID ITEMS CANNOT BE RETURNED

FIRST AID ONLY.

A First Aid Kit in Metal Case for Up to 25 People 18 first aid products, 106 pieces in a metal case with mountable hanger for convenient removal and transport. (Mounting hardware not included).

| ID No. | Size | Case Material | Unit | Price |
|---|-------------|------------------|-------|-------|
| For Up to 25 People —107 pieces. | | | | |
| 1 | FAO-224-U * | 10½" × 2½" × 7½" | Metal | KT |

* Meets or exceeds OSHA Requirements.

B 50-Person Complete First Aid Kit 195-piece kit, in compartmental plastic case. Also includes 28-piece bloodborne pathogen/personal protection kit and six-piece CPR pack with one-way valve faceshield. Plastic case is wall mountable (hardware not included). Full-color reorder schematic.

| ID No. | Size | Case Material | Unit | Price |
|--------|---------------|------------------|---------|-------|
| 2 | FAO-228-CP* * | 10½" × 3" × 11¼" | Plastic | KT |

* Meets OSHA Requirements.

C Unitized ANSI 2015 Compliant First Aid Kit Complete first aid kit contains everything needed to maintain safety in the office, in your vehicle, or at a worksite. Supplies feature bilingual labels in English and Spanish, for easy reading in an emergency. This convenient ANSI-compliant first aid kit holds all 21 ANSI required items.

| ID No. | Size | Case Material | Unit | Price |
|--|--------------|----------------|-------|-------|
| For Up to 25 People —16 units. | | | | |
| 3 | FAO-90568* * | 9½" × 2½" × 6" | Metal | KT |
| For Up to 100 People —54 units. | | | | |
| 4 | FAO-90570* * | 15" × 3" × 14" | Metal | KT |

* FAO-90568—ANSI/ISEA Z308.1-2015 Compliant; Class A Type III.
FAO-90570—ANSI/ISEA Z308.1-2015 Compliant; Class B Type III.

Also Consider:

| ID No. | Description | Qty. | Unit | Price |
|--------|-------------|---|------|-------|
| 5 | FAO-90584* | 100 Person 217 Piece 1st Aid Kit Refill | 1 | KT |

D ANSI Class A+ First Aid Kit Plastic, organized case comes with a carrying handle. Conveniently wall mountable.

| ID No. | Size | Case Material | Unit | Price |
|---|--------------|----------------|---------|-------|
| For Up to 50 People —183 pieces. | | | | |
| 6 | FAO-90639 * | 10" × 3" × 9" | Plastic | KT |
| 50 Person Weatherproof Case —215 piece weather and impact resistant carrying case is perfect for general indoor use and sheltered outdoor use. | | | | |
| 7 | FAO-90699* * | 13" × 12" × 4" | Plastic | KT |

* ANSI/ISEA Z308.1-2015; Contents exceed the 2015 ANSI Class A+ requirement.

Also Consider:

| ID No. | Description | Qty. | Unit | Price |
|--------|-------------|--------------------------------------|------|-------|
| 8 | FAO-90617 | ANSI First Aid Kit Refill, 183 Piece | 1 | KT |

E ANSI Class A Bulk First Aid Kit Sturdy kit with plenty of first aid supplies needed for medical emergencies. Durable weatherproof case. Comes with a carrying handle.

| ID No. | Size | Case Material | Unit | Price |
|--|--------------|---------------------|-------|-------|
| For Up to 25 People —89 pieces. | | | | |
| 9 | FAO-90560* * | 6.31" × 9" × 2.375" | Metal | KT |

* ANSI/ISEA Z308.1-2015; Contents meet the 2015 ANSI Class A requirements.

F ANSI Class A 10 Person Bulk First Aid Kit Convenient weatherproof case comes with a carrying handle. Case is easily wall mountable. Contents exceed the 2015 ANSI Class A requirements and are sufficient to treat up to 10 people.

| ID No. | Size | Case Material | Unit | Price |
|--------|-------------|---------------|---------|-------|
| 10 | FAO-90754 * | 8" × 5" × 3" | Plastic | KT |

* ANSI/ISEA Z308.1-2015.

Also Consider:

| ID No. | Description | Qty. | Unit | Price |
|--------|-------------|---------------------------------|------|-------|
| 11 | FAO-90782* | 10 Person ANSI Refill, 71 Piece | 1 | KT |





FIRST AID ONLY.

A ANSI Class A Weatherproof First Aid Kit Convenient kit for efficient care—this handy kit is designed for use in small offices, vehicles and work sites. Weatherproof case features a gasket and an easy-to-carry handle. Convenient case is also wall-mountable for quick access in an emergency. Contents fit snugly to prevent shifting, and single-use packaging ensures that products do not become contaminated. Designed to hold all 18 ANSI required items. A list of contents can be permanently affixed inside the lid for easy restocking.

| ID No. | Size | Case Material | Unit | Price |
|---------------------------------------|--------------|--------------------|---------|-------|
| For Up to 25 People —16 units. | | | | |
| 1 | FAO-90569+ * | 9" x 3" x 6 1/2" | Plastic | KT |
| For Up to 50 People —24 units. | | | | |
| 2 | FAO-90600+ * | 10" x 10" x 3" | Metal | KT |
| For Up to 75 People —36 units. | | | | |
| 3 | FAO-90700+ * | 14" x 10" x 2 3/4" | Metal | KT |

* ANSI/ISEA Z308.1-2015.

Also Consider:

| ID No. | Description | Qty. | Unit | Price |
|--------|--|------|------|-------|
| 4 | FAO-90611+ ANSI Class A+ Refill, 24 Pieces | 1 | KT | |
| 5 | FAO-90584+ 100 Person 217 Piece 1st Aid Kit Refill | 1 | KT | |

B Weatherproof ANSI Class A+ First Aid Kit Convenient first aid kit in a weatherproof case. Comes with a carrying handle and is wall mountable. Contents exceed the 2015 ANSI Class A+ requirements.

| ID No. | Size | Case Material | Unit | Price |
|---------------------------------------|--------------|----------------|---------|-------|
| For Up to 50 People —24 units. | | | | |
| 6 | FAO-90601+ * | 10" x 10" x 3" | Plastic | KT |

* ANSI/ISEA Z308.1-2015; Contents exceed the 2015 ANSI Class A+ requirement.

Also Consider:

| ID No. | Description | Qty. | Unit | Price |
|--------|--|------|------|-------|
| 7 | FAO-90611+ ANSI Class A+ Refill, 24 Pieces | 1 | KT | |

By

C Soft Sided First Aid Kit Whether at work or play, be prepared with quality convenient, efficient care on-the-go. Contains essential first aid items needed to treat most incidents and accidents in and out of your office. Durable, portable soft case. Clear pouches organized for quick easy access. Includes adhesive bandages, gauze pads, antiseptic wipes, antibiotic ointment, sting relief pads, tape, gloves and more.

| ID No. | Size | Case Material | Unit | Price |
|---|-----------|--------------------------|-------------|-------|
| For Up to 25 People —Contains 195 pieces. Includes tweezers, eye pads and more. | | | | |
| 8 | FAO-90167 | 1 1/4" x 9 1/2" x 7 1/8" | Soft Fabric | KT |
| For Up to 10 People —Contains 95 pieces. | | | | |
| 9 | FAO-90166 | 5 3/8" x 7 1/8" x 1 1/2" | Soft Fabric | KT |
| First Aid Plus Emergency Preparedness Items —For up to 10 people. Contains 105 pieces. Includes light stick, survival blanket, whistle, face mask, hand sanitizer and rain poncho. | | | | |
| 10 | FAO-90168 | 5 3/8" x 7 1/8" x 2 1/2" | Soft Fabric | KT |

D First Aid Station for Up to 50 People Designed for contractors and vehicles. 20 first aid products, 196 pieces including bandages, compresses, eye care products, ointment, wipes, plus six-piece CPR pack. Metal case with handle. Wall mountable (hardware not incl.).

| ID No. | Size | Case Material | Unit | Price |
|--------|-------------|----------------------------|-------|-------|
| 11 | FAO-226-U * | 10 1/2" x 2 1/2" x 10 1/2" | Metal | KT |

* Meets or exceeds OSHA Requirements.

By

E First Aid Kit for Use By Up to 25 People 113-piece kit that includes alcohol pads, antibiotic ointment, bandages, first aid cream, instant cold pack, scissors, tape, tweezers, gloves and a first aid guide.

| ID No. | Size | Case Material | Unit | Price |
|--------|-------------|----------------------|---------|-------|
| 12 | FAO-25001 * | 8" x 5 1/2" x 2 3/4" | Plastic | KT |

* Meets or exceeds OSHA Requirements.



By **FIRST AID ONLY.**

A Office First Aid Kit You'll be prepared for emergencies indoors or outdoors with this reliable kit that features first aid products. Housed in a plastic case with a weatherproof seal. Kit contains a variety of quality products to care for cuts, scrapes and bruises, minor eye irritations, personal discomfort and minor burns. Dust- and moisture-resistant with long-lasting hinges and two latches.

| ID No. | Size | Case Material | Unit | Price |
|--------|------|---------------|------|-------|
|--------|------|---------------|------|-------|

For Up to 25 People—131 pieces.

| | | | | |
|---|-------------|---------------|---------|----|
| 1 | FAO-60002 * | 7" x 3" x 10" | Plastic | KT |
|---|-------------|---------------|---------|----|

For Up to 75 People—312 pieces.

| | | | | |
|---|-------------|-----------------------|---------|----|
| 2 | FAO-60003 * | 10 1/4" x 3" x 9 3/4" | Plastic | KT |
|---|-------------|-----------------------|---------|----|

* Meets or exceeds OSHA Requirements.



B Safe Travels™ First Aid Kit Don't let minor mishaps ruin your trip. The 70 essential first aid items in this kit will help you handle a variety of medical problems that might arise when you're on the road. Products will help you treat cuts and scrapes and relieve pain and itching. Includes an assortment of BAND-AID® adhesive bandages, cleansing wipes and antibiotic ointment. Comes in a compact, hard-shell case.

| ID No. | Size | Case Material | Unit | Price |
|--------|------|---------------|------|-------|
|--------|------|---------------|------|-------|

| | | | | |
|---|----------|--------------------------|---------|----|
| 3 | JOJ-8274 | 6 1/4" x 1 1/8" x 5 1/2" | Plastic | KT |
|---|----------|--------------------------|---------|----|

C Mini First Aid to Go® Perfect for minor first aid situations. Conveniently packaged in a durable shell. Compact size allows for maximum portability. Fits in a purse, glove compartment or gym bag. Contains 12 essential items. Includes antiseptic wipes, gauze pads, butterfly closures and adhesive bandages.

| ID No. | Size | Case Material | Unit | Price |
|--------|------|---------------|------|-------|
|--------|------|---------------|------|-------|

| | | | | |
|---|----------|----------------------|---------|----|
| 4 | JOJ-8295 | 4 1/2" x 1 1/4" x 4" | Plastic | EA |
|---|----------|----------------------|---------|----|



By **FIRST AID ONLY.**

D Emergency Care Backpack XL Spacious orange backpack has glow-in-the-dark tag that makes it easy to find. Contains essential supplies you need in an emergency based on FEMA and American Red Cross guidelines. Includes water, food, whistle, light stick, flashlight with batteries, rain poncho, emergency blanket, hand warmers, first aid kit, mask, cotton gloves and two hand sanitizer packets.

| ID No. | Size | Case Material | Unit | Price |
|--------|------|---------------|------|-------|
|--------|------|---------------|------|-------|

| | | | | |
|---|-------------|----------------------------|-------|----|
| 5 | FAO-90001 * | 12 1/2" x 4 1/2" x 17 1/2" | Nylon | KT |
|---|-------------|----------------------------|-------|----|

* Meets or exceeds OSHA Requirements.



E Personal Safety Pack with Backpack One-person emergency pack to take on the go. These basic supplies could prove vital in an emergency. Supplies will keep a person warm and dry, help them stay hydrated, and treat minor injuries. A lightweight, modular design makes it easy to stow, grab, and carry. Tear-resistant nylon backpack has plenty of room for personal items.

| ID No. | Size | Case Material | Unit | Price |
|--------|------|---------------|------|-------|
|--------|------|---------------|------|-------|

| | | | | |
|---|---------------|--------------------------|-------|----|
| 6 | FAO-RC-622* * | 8 1/8" x 3 1/8" x 8 3/8" | Nylon | KT |
|---|---------------|--------------------------|-------|----|

* Endorsed by the American Red Cross.

F Essentials First Aid Kit Portable essentials first aid kit allows you to be ready for all potential emergencies on the road. Our new generation of hard kit is specially designed for easy access, to save time and frustration in the midst of emergency situations. Economical kit in a convenient size for safety on-the-go.

| ID No. | Size | Case Material | Unit | Price |
|--------|------|---------------|------|-------|
|--------|------|---------------|------|-------|

| | | | | |
|---|---------|------------------|---------|----|
| 7 | FAO-340 | 9" x 2 1/2" x 8" | Plastic | EA |
|---|---------|------------------|---------|----|



FIRST AID



A Body Fluid Spill Kit Safely removes vomit, blood and feces. Proven effective against norovirus, E. coli, salmonella - rapid 30 second kill time. Surface spray proven effective across most hard and soft surfaces. OSHA and Food Code compliant.

| ID No. | Number of Pieces | Qty. | Unit | Price |
|---------------------|------------------|------|------|-------|
| 1 GOJ-384101CLMS* * | 16 | 2 | CT | |
| Refill | | | | |
| 2 GOJ-384102RFL* * | 16 | 2 | CT | |

* OSHA and Food Code Compliant.



B Biohazard Spill CleanUp This single-use bio-hazard cleanup kit safely removes blood and bodily fluids. Kit includes essential items needed to safely clean-up and dispose of bodily fluids, blood and other substances. It's quick and easy to use on small to midsize biohazard spills. Ideal to have on hand at home, in a school or a restaurant or any location where there may be an accident of bodily fluids or blood accidents may occur. This powder works on several surfaces such as asphalt, concrete and tile surfaces. After clean up, it leaves the surface clean and dry, with no spill residue.

| ID No. | W x D x H | Unit | Price |
|--------------------|----------------|------|-------|
| 3 FAO-SMBIOHAZARD* | 3/4" x 6" x 9" | KT | |



C Essential OSHA Compliance Kit Protect your staff and customers from common safety hazards in every workplace. All products meet standards for medical grade quality. EPA-registered disinfectant, Medical Grade gloves, OSHA compliant spill clean-up kits and OSHA compliant sharps container with mail away capability. Take care of both biohazard body fluid spills and needle sharps waste in one kit. Mount sharps container in common areas to reduce liability with needle sticks and increase workplace safety. All products can be disposed of in Mail-Away sharps container and sent through UPS carriers (transportation, disposal and incineration charges all included). Contains (1) Box of 50 individually packaged CaviWipes XL Surface Disinfection Towelettes; (1) Box of 50 OneSafe Nitrile Latex-Free Exam Gloves, Size Small; (1) Box of 50 OneSafe Nitrile Latex-Free Exam Gloves, Size Medium; (1) Box of 50 OneSafe Nitrile Latex-Free Exam Gloves, Size Large; (1) 1-Quart Red Sharps Container with Mail-Away Box; (1) Wall Mount Bracket for 1-Quart Red Sharps Container; (2) Biohazard Spill Clean-Up Kits; (2) Plastic Disposable Scooper/Scrapers; (2) 0.75 oz. RedZ Absorbent Crystal Packets; (1) 1-Gallon Bucket for Non-Sharps Biohazard Waste with Mail-Away Box.

| ID No. | Number of Pieces | Qty. | Unit | Price |
|-----------------|------------------|------|------|-------|
| 4 UMI-KITOEK* * | 13 | 1 | KT | |

* OSHA Bloodborne Pathogens Standard.



D BBP Spill Cleanup Kit Convenient spill cleanup kit is ideal for vehicle or facility use. Sturdy weatherproof plastic case. Contains everything you need for safe and effective cleanup of small spills.

| ID No. | W x D x H | Unit | Price |
|------------|--------------------------|------|-------|
| 5 FAO-6021 | 7 1/2" x 4 1/2" x 2 3/4" | KT | |



E Blood Clean-Up Kit Convenient blood clean-up kit comes in a heavy-duty plastic case with safety latch and handle. Case is wall-mountable for easy access. Complete kit comes with an assortment of tools and disposable personal protective equipment to safely clean up blood or other potentially infectious materials. Includes disposable gloves, shoe covers, an apron, protective eyewear, and an isolation mask to help protect cleaning personnel.

| ID No. | W x D x H | Unit | Price |
|---------------|--------------|------|-------|
| 6 BWK-54865 * | 3" x 8" x 5" | KT | |

* Meets OSHA requirements.



F Biohazard Fluid Clean Up Kit Handy kit contains everything you need to contain biohazard fluids including blood borne pathogens and decontaminate hard surfaces. It's a must-have for personal protection and surface disinfection. Includes exam gloves, absorbent towel, absorbent powder, antimicrobial hand wipe, scoop with detachable scraper, disinfecting towelette, biohazard bag and instructions.

| ID No. | W x D x H | Unit | Price |
|------------------|------------------------------|------|-------|
| 7 MII-MPH17CE210 | 10 3/16" x 13 5/8" x 10 1/2" | KT | |



A Sterile Tongue Depressors High-quality wood is smooth and splinter-free. Sterile and individually wrapped.

| ID No. | Length | Material | Qty. | Unit | Price |
|-----------------|--------|----------|------|------|-------|
| 1 MII-MDS202075 | 6" | Wood | 100 | BX | |

B Non-Sterile Tongue Depressors These depressors are made from high quality wood, so they're smooth and splinter-free. They're great for spreading ointments and for stirring and mixing medications. Tongue depressors are non-sterile.

| ID No. | Length | Material | Qty. | Unit | Price |
|-----------------|--------|----------|------|------|-------|
| 2 MII-MDS202065 | 6" | Wood | 500 | BX | |



C In-Room Locking Wall Mount Sharps Container Cabinet System Safely secures sharps containers in a sturdy locked enclosure.

| ID No. | Color | Capacity | W x D x H | Unit | Price |
|--------|-------|----------|-----------|------|-------|
|--------|-------|----------|-----------|------|-------|

3 CVD-SWMU000609* * Beige 5 qt 13" x 5" x 13" EA
With Glove Box Holder—Single glove box holder slides onto bottom of unit. Wall-mounting hardware included.

| | | | | | |
|---------------------|-------|------|------------------|----|--|
| 4 CVD-SSGB00056H* * | Beige | 5 qt | 13" x 5" x 18.5" | EA | |
|---------------------|-------|------|------------------|----|--|

* Meets OSHA Bloodborne Pathogens Standard.

D Sharps Containers Safely contains and disposes of medical sharps waste. Lids provide temporary closure, and lock upon final disposal. Single use - lid locks onto base to prevent spills. Fit carts, brackets and wall-mount cabinets for OSHA compliance. Easy assembly. Autoclavable.

| ID No. | Color | Capacity | W x D x H | Unit | Price |
|--------|-------|----------|-----------|------|-------|
|--------|-------|----------|-----------|------|-------|

Counter-Balanced Lid—Limits accidental or intentional access to container contents.

| | | | | | |
|---------------------|-----|------|------------------------|----|--|
| 5 CVD-K5SS1007SA* * | Red | 5 qt | 4.75" x 10.75" x 11.5" | EA | |
|---------------------|-----|------|------------------------|----|--|

Hinged Lid—Accommodates a variety of sharps sizes.

| | | | | | |
|---------------------|-----|------|---------------------|----|--|
| 6 CVD-SR1Q100900* * | Red | 1 qt | 3.5" x 4.25" x 5.5" | EA | |
|---------------------|-----|------|---------------------|----|--|

| | | | | | |
|---------------------|-----|-------|----------------------|----|--|
| 7 CVD-SSHL100980* * | Red | 8 gal | 15.5" x 11" x 17.75" | EA | |
|---------------------|-----|-------|----------------------|----|--|

* Meets OSHA Bloodborne Pathogens Standard.



E Sharps Container Designed for maximum capacity to fill line and large opening accommodates larger syringes. Translucent lid provides easy-to-see fill levels. Container easily locks for final disposal and safe transport.

| ID No. | Color | Capacity | W x D x H | Unit | Price |
|--------|-------|----------|-----------|------|-------|
|--------|-------|----------|-----------|------|-------|

| | | | | | |
|------------------|-----|------|-----------------|----|--|
| 8 MII-MDS705110* | Red | 1 qt | 4.25" x 4" x 6" | EA | |
|------------------|-----|------|-----------------|----|--|

| | | | | | |
|------------------|-----|------|-------------------|----|--|
| 9 MII-MDS705202* | Red | 8 qt | 14" x 6" x 10.75" | EA | |
|------------------|-----|------|-------------------|----|--|

F Sharps Container-Patient Room Sharps disposal system. Tortuous lid design limits access to container contents and facilitates one-handed operation. Translucent lid provides easy-to-see fill levels. Large openings accommodate larger syringes. Horizontal drop design for maximum capacity to fill line and large openings accommodate larger syringes. Containers easily lock for final disposal and safe transport. The nestable design saves money on shipping costs and storage space. Mounts using Medline 707315 & 707316 (sold separately).

| ID No. | Color | Capacity | W x D x H | Unit | Price |
|--------|-------|----------|-----------|------|-------|
|--------|-------|----------|-----------|------|-------|

| | | | | | |
|-------------------|-----|------|----------------------|----|--|
| 10 MII-MDS705153H | Red | 5 qt | 12.25" x 4.25" x 14" | EA | |
|-------------------|-----|------|----------------------|----|--|

Wall Mountable

| | | | | | |
|--------------------|-----|-------|------------------|----|--|
| 11 MII-MDS705203H* | Red | 3 gal | 14" x 6" x 20.5" | EA | |
|--------------------|-----|-------|------------------|----|--|





A Caring® Non-Sterile Gauze Ideal for wound debriding, prepping, packing, dressing and general wound care. 100% cotton. 8-ply.

| ID No. | W × L | Qty. | Unit | Price |
|------------------|---------|------|------|-------|
| 1 MII-PRM21208C* | 2" × 2" | 200 | PK | |
| 2 MII-PRM21408C | 4" × 4" | 200 | PK | |

B Caring® Non-Woven Gauze Sponges Ideal for absorption, wicking and wound release. Rayon/polyester formed fabric offers more absorbency and less linting than 100% cotton gauze. Virtually non-adherent, non-sterile. 4-ply.

| ID No. | W × L | Qty. | Unit | Price |
|-----------------|---------|------|------|-------|
| 3 MII-PRM25224* | 2" × 2" | 200 | BX | |
| 4 MII-PRM25444* | 4" × 4" | 200 | BX | |



C First Aid Cloth Silk Tape Strong-woven cloth tape is perfect for affixing wound dressings. Water-repellent and flexible, it keeps gauze pads securely in place, making it a top choice for active individuals. Hypoallergenic. Latex-free.

| ID No. | W × L | Color | Qty. | Unit | Price |
|------------------|-------------|-------|------|------|-------|
| 5 MII-NON270101* | 1" × 10 yds | White | 12 | PK | |
| 6 MII-NON270102* | 2" × 10 yds | White | 6 | PK | |

D Paper Adhesive Tape Flexible, comfortable and conformable, gentle and breathable – paper adhesive tape is ideal for those with sensitive skin, especially pediatric and geriatric patients. Hypoallergenic. Latex-free.

| ID No. | W × L | Color | Qty. | Unit | Price |
|------------------|-------------|-------|------|------|-------|
| 7 MII-NON270001 | 1" × 10 yds | White | 12 | PK | |
| 8 MII-NON270002* | 2" × 10 yds | White | 6 | PK | |

E Bloodstop® Sterile Hemostat Gauze Pad In an emergency, every second counts, so stick with the gauze bandage that helps stop bleeding quickly—effective in under a minute. For cuts, abrasions and nosebleeds. More than just a bandage—this gauze turns into gel to seal the wound, keeping dirt and germs out.

| ID No. | W × L | Qty. | Unit | Price |
|---------------|---------|------|------|-------|
| 9 MII-CUR0055 | 1" × 1" | 10 | BX | |

F Waterproof Tape Waterproof, oil-resistant tape is ideal for general outpatient use. Durable tape adheres securely. Cloth backing provides comfort, while the polyethylene coating adds a layer of protection. Easy to write on. Latex-free.

| ID No. | W × L | Color | Qty. | Unit | Price |
|-------------------|-------------|-------|------|------|-------|
| 10 MII-NON260501* | 1" × 10 yds | White | 12 | BX | |



NEOSPORIN

A Antibiotic Ointment Provides long-lasting protection against infection and may help minimize the appearance of scars.

| ID No. | Description | Qty. | Unit | Price |
|--------|--------------------------------|------|------|-------|
| 1 | JOJ-512376900 0.032 oz Packets | 144 | BX | |
| 2 | PFI-512373700 1 oz Tube | 1 | EA | |



B Pure Cotton Swabs Just the right combination of softness and strength. Made with the #1 premium grade of cotton, they feel extra soft on delicate skin, making them ideal for beauty and baby care. The absorption and durability make them a great tool for various uses around the household.

| ID No. | Description | Qty. | Unit | Price |
|--------|---|------|------|-------|
| 3 | Safety Swabs —Specially shaped for children. JOJ-002948 | 1 | EA | |



C Alcohol Swabs The easy and convenient way to cleanse the skin and help decrease bacteria at the site of application. Individually sealed, two-fold quilted swabs are ideal for pre-injection skin prepping. Contains 70% isopropyl alcohol.

| ID No. | Description | Qty. | Unit | Price |
|--------|-------------------------|------|------|-------|
| 4 | MII-CUR45581RBI 1" x 1" | 200 | BX | |

D Heavy Duty Bandages Self-adhesive bandages help protect hard-working hands. Heavy-duty fabric provides superior protection. Sure-stick adhesive keeps the bandage on until you decide to remove it.

| ID No. | Description | Material | Qty. | Unit | Price |
|--------|------------------------------------|----------------|-------------|------|-------|
| 5 | Assorted MII-CUR14924RB* | Assorted Sizes | Flex-Fabric | 30 | BX |

E Reusable Hot & Cold Pack Can be used when soothing heat is needed or when an icy cold compress is required.

| ID No. | W x D | Qty. | Unit | Price |
|--------|----------------------|------|------|-------|
| 6 | MII-CUR959* 4" x 10" | 1 | EA | |

F Instant Cold Pack Easy to use. Ideal for minor sprains, strains, bumps and bruises. Helps control swelling and relieve discomfort. Includes an insulating layer to help maintain the cold temperature longer.

| ID No. | Description | W x D | Qty. | Unit | Price |
|--------|-------------|-------------------|---------|------|-------|
| 7 | MII-CUR961R | Instant Cold Pack | 5" x 6" | 2 | BX |

G Sterile Saline Wound Wash Gently cleanses minor cuts, scrapes and burns. Pressurized flow effectively removes dirt and debris with better control and less waste. Dispenses a controlled spray at any angle, even upside down.

| ID No. | Description | Qty. | Unit | Price |
|--------|-----------------------|------|------|-------|
| 8 | MII-CURSALINE7 7.1 oz | 1 | EA | |





BAND-AID
TRU-STAY ADHESIVE BANDAGES

A Tru-Stay Sheer Strips Adhesive Bandages For wound protection of minor cuts and scrapes. These sterile bandages provide lightweight, breathable protection.

| ID No. | Description | Material | Qty. | Unit | Price |
|--------------|----------------|-------------|------|------|-------|
| 1 JOJ-4669 * | Assorted Sizes | Flex-Fabric | 80 | BX | |

* Not made with natural rubber latex.

B – F Adhesive Bandages Packaged for individual use and to replenish first aid stations and kits.

B Sheer/Wet Flex Adhesive Bandages Adhesive bandages provide breathable protection.

| ID No. | Description | Qty. | Unit | Price |
|------------|----------------|------|------|-------|
| 2 JOJ-4711 | Assorted Sizes | 280 | BX | |

C Flexible Fabric Adhesive Bandages Extra-tough, durable and flexible fabric. Attaches with adhesive.

| ID No. | Description | Material | Qty. | Unit | Price |
|----------------|----------------|----------|------|------|-------|
| 3 JOJ-4444 | 1" x 3" | Fabric | 100 | BX | |
| 4 JOJ-11507800 | Assorted Sizes | Fabric | 100 | BX | |

D Plastic Adhesive Bandages Get superior, all-purpose protection for everyday cuts and scrapes. Breathable design. Reliable, stay-on adhesive.

| ID No. | Description | Qty. | Unit | Price |
|-----------------|-------------|------|------|-------|
| 5 JOJ-100563500 | ¾" x 3" | 60 | BX | |

E Flexible Fabric Tough-Strips™ Adhesive Bandages Provides extra flexibility - stretchable and comfortable fabric moves with you to fit better.

| ID No. | Description | Qty. | Unit | Price |
|------------|-------------|------|------|-------|
| 6 JOJ-4408 | 1" x 3¼" | 20 | BX | |

F Flexible Fabric Extra Large Adhesive Bandages Extra-large bandages are useful for knees and elbows.

| ID No. | Description | Qty. | Unit | Price |
|------------|-------------|------|------|-------|
| 7 JOJ-5685 | 1¾" x 4" | 10 | BX | |

3M Nexcare
PRODUCTS

G Waterproof Bandages Stays on in wet conditions and keeps water out. Features a unique diamond shape, 360-degree seal and breathable material. Offers superior protection against water, dirt and germs that may lead to infection. A must-have for any first aid kit and perfect for treating minor wounds such as cuts, scrapes and blisters.

| ID No. | Description | Qty. | Unit | Price |
|--------------|-------------------------------|------|------|-------|
| 8 MMM-432-50 | Clear Bandage, Assorted Sizes | 50 | BX | |



ZOLL

A AED Plus Automated External Defibrillator The AED Plus is the first and only automated external defibrillator (AED) that provides Real CPR Help® for depth and rate of chest compressions during CPR. The AED Plus guides rescuers through the complete Chain of Survival helping all sudden cardiac arrest victims, not just those who need a shock.

| ID No. | Qty. | Unit | Price |
|---|------|------|-------|
| Fully Automatic AED Plus —Includes one set of CPR-D-Padz, set of batteries, carry case and medical prescription. | | | |
| 1 ZOL-800000400701* * | 1 | EA | |
| Semiautomatic AED Plus —Includes one set of CPR-D-Padz, set of batteries, carry case and medical prescription. | | | |
| 2 ZOL-800000400001* * | 1 | EA | |

* FDA Compliant.

B Replacement Batteries for ZOLL® AED Plus Replacement batteries for ZOLL® AED Plus have a standby life of five years (installed in the unit), or 300 ±5 continuous shocks. Ten 123 lithium batteries.

| ID No. | Size | Voltage | Qty. | Unit | Price |
|-------------------|------|---------|------|------|-------|
| 3 ZOL-8000080701* | 123 | 3 V | 10 | PK | |

C AED Wall Cabinet Alarmed wall cabinet. Durable metal construction. For use with the ZOLL® AED Plus defibrillator.

| ID No. | Color | W × D × H | Shpg. Wt. | Unit | Price |
|----------------|-------|-----------------|-----------|------|-------|
| 4 ZOL-80000855 | White | 17" × 9½" × 17" | 19 lbs. | EA | |

D Pedi-pad® II Defibrillator Pads Works with intelligent pediatric capability, using text and voice prompts, applying separate energy levels for pediatric patients and using specific algorithms to analyze a child's heart rate as compared to an adult's. Can be used to defibrillate children up to eight years of age. Two-year shelf life.

| ID No. | Unit | Price |
|-------------------|------|-------|
| 5 ZOL-8900081001* | EA | |

E CPR-D-Padz Adult Electrodes One-piece pre-connected electrode pads are easy to use, making it easy to get help to the victim quickly. This unique one-piece pad is easy to place, using CPR hand placement as a guide. Five-year shelf life.

| ID No. | Unit | Price |
|-------------------|------|-------|
| 6 ZOL-8900080001* | EA | |



A Excel Deluxe Aluminum Transport Wheelchair Ideal for travel—weighs just 22 lbs. Back folds down for easy storage and transport. Loop brakes and seatbelt for safety. Full-length padded armrests. Convenient swing-away, detachable footrests. 12" wheels with dual-sealed bearings for stability. Black nylon upholstery with blue powder coated frame.

| ID No. | Seat Size | Capacity | Unit | Price |
|---------------------|-----------|----------|------|-------|
| 1 MII-MDS808210ABE* | 19" x 16" | 300 lbs | EA | |

B Excel K1 Basic Wheelchair Elevating leg rest model features a notched, stainless steel ratchet bar to lock the leg rests securely in place. Durable tig-welded frame in gray powder coat finish. Comfortable nylon upholstery. Smooth-rolling, solid flat-free tires. Dual axle hemi-height adjustable. Full length permanent armrests. Swing-away, detachable footrests.

| ID No. | Seat Size | Capacity | Unit | Price |
|--------------------|-----------|----------|------|-------|
| 2 MII-MDS806150EE* | 18" x 16" | 300 lbs | EA | |

C Chrome Foot Stool Sturdy and attractive, chrome-plated steel stool fits perfectly into examination rooms. Textured, black-rubber platform mat provides enhanced comfort and traction. Non-slip rubber-tipped feet help ensure that the stool stays where you place it. Weight capacity is 350 lbs.

| ID No. | Color | Duty Rating | Working Height | Width | Unit | Price |
|-----------------|--------------|-------------|----------------|-------|------|-------|
| 3 MII-MDS80430I | Chrome/Black | 350 lbs | 8.25" | 16" | EA | |

D Room ID Flag System Quickly and clearly alerts staff to room availability. Swings 180° for ideal viewing from various locations. Allows rearrangement of flags for prioritizing by color. Clearly marking or labeling flag provides guidance to visitors and helps protect patients' privacy.

| ID No. | Color | Flag Length | Flag Qty. | Unit | Price |
|------------------|-------------------------|-------------|-----------|------|-------|
| 4 MII-OMD291716* | Assorted Primary Colors | 8" | 6 | EA | |

E Automatic Digital Upper Arm Blood Pressure Monitor Revolutionary design and proprietary programming provide automatic inflation and error detection. Customized inflation levels for each individual patient. Color gauge simplifies detection. Provides quick digital readings of systolic and diastolic pressure as well as the pulse rate. Easy-to-use one-push button design. Stores the 90 most recent measurements. Large digital readout. Batteries included.

| ID No. | Size | Power | Unit | Price |
|---------------|-------------------------------------|----------------|------|-------|
| 5 MII-MDS3001 | Small Adult Cuff Fits Arms 22-30 cm | 4 AA Batteries | EA | |

F Automatic Digital Wrist Blood Pressure Monitor Easy-to-use wrist monitor automatically inflates and deflates. Digital readout details systolic and diastolic pressure as well as pulse rate. Memory automatically attaches a date and time to readings. Color gauge for quick detection. Batteries included.

| ID No. | Size | Power | Unit | Price |
|---------------|-------------------|-----------------|------|-------|
| 6 MII-MDS3003 | One Size Fits All | 2 AAA Batteries | EA | |

G Premier Oral Digital Thermometer Digital thermometer provides an accurate reading. Push-button start and large LCD screen make taking temperatures quick and easy. Measures in degrees Fahrenheit and degrees Celsius.

| ID No. | Display | Qty. | Unit | Price |
|---------------|---------|------|------|-------|
| 7 MII-MDS9950 | Digital | 1 | EA | |



H Littmann® Master Classic II™ Stethoscope Stethoscope brings together an ergonomic design and excellent acoustic sensitivity. Delivers reliable performance and comfortable use for professionals dedicated to providing the best patient care.

| ID No. | Color | Unit | Price |
|--------------|-------|------|-------|
| 8 MMM-2144L* | Black | EA | |

I Littmann® Classic III™ Monitoring Stethoscope Compact and sensitive stethoscope is the perfect instrument for clinicians who monitor and assess children or adults in non-critical environments. Manufactured with strong yet lightweight materials for hours of comfortable use.

| ID No. | Color | Unit | Price |
|---------------|-------|------|-------|
| 9 MMM-586127* | Black | EA | |

Advil

A Ibuprofen Tablets Effective for headaches, backaches, muscle aches, menstrual pain, minor arthritis and other joint pain, body aches and pains from the flu. Packaged for individual use to replenish first aid stations and kits.

| ID No. | Description | Qty. | Unit | Price |
|--------------|-------------|------|------|-------|
| 1 PFI-015489 | 2/Pack | 50 | BX | |

B Ibuprofen Tablets Refill Packs Effective for headaches, backaches, muscle aches, menstrual pain, minor arthritis and other joint pain, body aches and pains from the flu. Packaged for quick refill of Lil' Drugstore Medicine Dispensers (sold separately) or for other use.

| ID No. | Description | Qty. | Unit | Price |
|-------------|------------------------------------|------|------|-------|
| 2 LIL-58030 | Advil® Ibuprofen 2 Tablet Pouch | 30 | BX | |

C Liqui-Gels Relieves headaches, backaches, muscle aches, menstrual pain, minor arthritis and other joint pain, body aches and pains of the flu. Packaged for individual use to replenish first aid stations and kits.

| ID No. | Description | Qty. | Unit | Price |
|--------------|-------------|------|------|-------|
| 3 PFI-016902 | 2/Pack | 50 | BX | |

D Sinus Congestion & Pain Non-drowsy relief of sinus pressure, nasal swelling and congestion and headache. Packaged for individual use to replenish first aid stations and kits.

| ID No. | Description | Qty. | Unit | Price |
|--------------|-------------|------|------|-------|
| 4 PFI-019901 | 1/Pack | 50 | BX | |

E Pain Reliever Tablets Temporarily relieves minor aches and pains due to arthritis, muscular aches, backache, menstrual cramps, headache, toothache and common cold. Also temporarily reduces fever. Packaged for individual use to replenish first aid stations and kits.

| ID No. | Description | Qty. | Unit | Price |
|--------------|-------------|------|------|-------|
| 5 PFY-BXAL50 | 1/Pack | 50 | BX | |



F Aspirin Tablets Provides temporary relief from minor arthritis pain. Packaged for individual use to replenish first aid stations and kits.

| ID No. | Description | Qty. | Unit | Price |
|--------------|-------------|------|------|-------|
| 6 PFY-BXBG50 | 2/Pack | 50 | BX | |



G Cold & Flu Temporarily relieves common cold and flu symptoms: nasal congestion, cough due to minor throat and bronchial irritation, sore throat, headache, minor aches and pains and fever. Packaged for quick refill of Lil' Drugstore Medicine Dispensers (sold separately) or for other use.

| ID No. | Description | Qty. | Unit | Price |
|-------------|--|------|------|-------|
| 7 LIL-97047 | DayQuil® Severe Cold and Flu 2 Tablet Pouch | 20 | PK | |



H Complete Menstrual Caplets Don't suffer - choose a reliable medication that relieves many of the pesky symptoms that come with your period. A unique combination of medicine will get you going in no time. Maximum strength acetaminophen relieves pain, while a diuretic helps relieve bloating and caffeine helps fight fatigue.

| ID No. | Description | Qty. | Unit | Price |
|---------------|-------------|------|------|-------|
| 8 PFY-BXMD30* | 2/Pack | 30 | BX | |



I Ibuprofen Tablets Temporarily relieves minor aches and pains due to headache, muscular aches, minor pain of arthritis, toothache, backache, the common cold and menstrual cramps. Also, temporarily reduces fever. Packaged for individual use to replenish first aid stations and kits.

| ID No. | Description | Qty. | Unit | Price |
|-------------|-------------|------|------|-------|
| 9 MCL-48152 | 2/Pack | 50 | BX | |



J Caplets Multi-symptom relief from heartburn, indigestion, upset stomach, nausea and diarrhea. Packaged for individual use to replenish first aid stations and kits.


| ID No. | Description | Qty. | Unit | Price |
|----------------|-------------|------|------|-------|
| 10 PFY-BXPB-25 | 2/Pack | 25 | BX | |





K Extra Strength Caplets—Two Pack Reduce fever and temporarily relieve minor aches and pains due to headache, muscular ache, backache, minor pain of arthritis, common cold, toothache and premenstrual and menstrual cramps. Packaged for individual use to replenish first aid stations and kits.

| ID No. | Description | Qty. | Unit | Price |
|--------------|-------------|------|------|-------|
| 11 MCL-44910 | 2/Pack | 50 | BX | |




A Medication Station Convenient kit provides quick access to four of the most frequently used medications: ibuprofen, a non-aspirin pain reliever, aspirin and antacids. Handy medication station is an innovative and easy solution for dispensing common medications at the office. Medication boxes are individually replaceable. Includes a unique, easy-to-install grid system. Ideal for use in common areas, like as office kitchens and breakrooms. 

| ID No. | Description | Qty. | Unit | Price | |
|--------|-------------|--|------|-------|--|
| 1 | ACM-90780 | 50 doses each Aspirin, Ibuprofen, X-Strength Non Aspirin and Antacid | 1 | EA | |


B Medication Grid Station Handy station includes a unique, easy-to-install grid system. Use with compatible medications ACM90014, ACM90015, ACM90016 and ACM90089 (sold separately) for easy-access relief to common ailments. Ideal for use in common areas like as office kitchens and breakrooms. Includes: Aspirin, Ibuprofen, Non-Asprin and Antacids.  

| ID No. | Description | Qty. | Unit | Price | |
|--------|-------------|--------------------------------------|------|-------|--|
| 2 | ACM-90794* | Plastic Grid Station for Medications | 1 | EA | |

C Antacid Tablets Calcium carbonate chewable tablets help reduce your stomach's acidity level, providing relief from heartburn and acid indigestion. Packaged for individual use to replenish first aid stations and kits. 

| ID No. | Description | Qty. | Unit | Price | |
|--------|-------------|--------|------|-------|--|
| 3 | ACM-90089 * | 2/Pack | 50 | BX | |

* Ask a doctor before use if you have been taking a prescription drug. Antacids may interact with certain prescription drugs, kidney stones or a calcium-restricted diet.

D Ibuprofen Tablets Anti-inflammatory, fever reducer and pain reliever. Temporarily relieves headache, muscular aches, toothache, minor pain of arthritis, backache and menstrual cramps. Packaged for individual use to replenish first aid stations and kits. 


| ID No. | Description | Qty. | Unit | Price | |
|--------|-------------|--------|------|-------|--|
| 4 | ACM-90015 * | 2/Pack | 100 | BX | |
| 5 | ACM-90109 * | 2/Pack | 125 | BX | |

* Do not use if you have ever had an allergic reaction to any other pain reliever/fever reducer, right before or after heart surgery.

E Extra-Strength Acetaminophen Tablets Temporary relief of minor aches and pains associated with headache, toothache, minor arthritis pain, muscular aches, common cold and menstrual cramps. Packaged for individual use to replenish first aid stations and kits. 


| ID No. | Description | Qty. | Unit | Price | |
|--------|-------------|--------|------|-------|--|
| 6 | ACM-90016 * | 2/Pack | 50 | BX | |

* Do not use with any other drug containing acetaminophen, for more than 10 days for pain unless directed by a doctor, for more than 3 days for fever unless directed by a doctor.

F Aspirin Tablets Easy-to-swallow coated tablets with extra-strength fever reducer and pain reliever. Packaged for individual use to replenish first aid stations and kits. 


| ID No. | Description | Qty. | Unit | Price | |
|--------|-------------|--------|------|-------|--|
| 7 | ACM-90014 * | 2/Pack | 50 | BX | |

* Do not use if you have had an allergic reaction to any other pain reliever/fever reducer, right before or after heart surgery, if you are taking a prescription drug for gout, diabetes or arthritis.

G Allergy Tablets Easy-to-swallow coated tablets. Use for temporary relief from upper allergies in the eyes, mouth and throat. Packaged for individual use. 


| ID No. | Description | Qty. | Unit | Price | |
|--------|-------------|--------|------|-------|--|
| 8 | ACM-90091 * | 2/Pack | 50 | BX | |

* Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

H Cold & Cough Tablets Relieves cold symptoms, including cough, sore throat, minor aches and pains, headache and nasal congestion. Temporarily reduces fever. Packaged for individual use. 

| ID No. | Description | Qty. | Unit | Price | |
|--------|-------------|--------|------|-------|--|
| 9 | ACM-90092 * | 2/Pack | 50 | BX | |

* Do no use with any other drug containing acetaminophen, if you have ever had an allergic reaction to this product or any of its ingredients or if you are taking prescription monoamine oxidase inhibitor (MAO) drug.

I Extra-Strength Pain Reliever Temporary relief of minor aches and pains associated with headache, muscular aches, minor arthritis pain, back pain, common cold, toothache or menstrual cramps. Coated, easy to swallow tablets are packed in a perforated dispenser box. Contains acetaminophen and aspirin. 

| ID No. | Description | Qty. | Unit | Price | |
|--------|-------------|--------|------|-------|--|
| 10 | ACM-90316 | 2/Pack | 100 | BX | |



A Single-Dose Medicine Dispenser Improve productivity by keeping employees at their station when minor maladies occur. Mounts on a wall or back of a door with two screws or picture hangers (not included). Keep primary OTC medicines handy. Medicine dispenser comes with four medicines. Refill with any medicine refill. Plastic 15.5" x 2.25" x 10.75".

| ID No. | Description | Qty. | Unit | Price |
|--------|--|------|------|-------|
| 1 | 135 Pieces —Includes 30 doses each of Advil®, Aleve®, Tylenol® Extra-Strength and 15 doses of Alka-Seltzer. | | EA | |
| 2 | 170 Pieces —Includes 50 doses each of Lil Drugstore® Ibuprofen, Lil Drugstore® Cold Relief, Lil Drugstore® Multi-Symptom Sinus and 20 doses of DayQuil Severe Cold. | | EA | |

Also Consider:

| ID No. | Description | Qty. | Unit | Price |
|--------|--|------|------|-------|
| 3 | LIL-58030 Advil® Ibuprofen Tablets Refill Packs | 30 | BX | |
| 4 | LIL-51030 Aleve® Pain Reliever Tablets Refill | 30 | BX | |
| 5 | LIL-51060* Alka-Seltzer Original Stomach Relief & Pain Relief Medicine | 15 | BX | |
| 6 | LIL-97047 Dayquil Severe Cold & Flu LiquiCaps | 20 | PK | |
| 7 | LIL-97117 Lil' Drugstore® Allergy Relief | 50 | BX | |
| 8 | LIL-97187* Lil' Drugstore® Cold Relief | 50 | BX | |
| 9 | LIL-97197 Lil' Drugstore® Ibuprofen | 50 | BX | |
| 10 | LIL-97217 Lil' Drugstore® Multi-Symptom Sinus | 50 | BX | |
| 11 | LIL-97477 Tylenol® Extra Strength Caplets | 30 | BX | |

Alka-Seltzer®

B Original Stomach Relief & Pain Relief Medicine Suffer no more—get fast relief of heartburn, upset stomach, acid indigestion with headache and body aches from this antacid and pain reliever. Effervescent antacid and pain is an easy-to-use solution for everyday digestive issues. Unlike other antacids, Alka-Seltzer® Original contains an analgesic for pain accompanied by heartburn and acid indigestion.

| ID No. | Description | Qty. | Unit | Price |
|--------|--|------|------|-------|
| 12 | LIL-51060* Alka-Seltzer® Single Dose Pouches | 15 | BX | |



C Cough Drops Enjoy the finest quality ingredients with cough drops made from high quality Swiss mountain herbs. Lozenges bring a unique, delicious taste and soothe the mouth and throat. A combination of honey, herbal lemon balm and Echinacea work in harmony to bring soothing relief to sore throats. Lozenges are ideal for use as cough suppressants and oral pain relievers, battling the uncomfortable symptoms of cough due to a cold or inhaled irritants, as well as minor irritation and pain due to sore throat or sore mouth.

| ID No. | Description | Qty. | Unit | Price |
|--------|---|------|------|-------|
| 13 | LIL-7776 Ricola® Natural Herb Cough Drops | 21 | PK | |

D Herb Throat Drops Soothing throat drop for tired, scratchy throats. Perfect for relieving minor everyday throat irritation such as dryness or hoarseness. Refreshing and unique flavor. Ten drops per stick, 24 sticks per box.

| ID No. | Description | Qty. | Unit | Price |
|--------|--------------------------------------|------|------|-------|
| 14 | LIL-70171 Ricola® Cherry Honey Drops | 24 | BX | |



20-FA-CU-RNU

FIRST AID



A Cough and Sore Throat Lozenges Temporary relief of cough, sore mouth or throat. Contains menthol to help suppress cough. Individually packed in a perforated dispenser box to allow easy access.

| ID No. | Description | Qty. | Unit | Price |
|-------------|----------------------|------|------|-------|
| 1 ACM-90306 | Individually Wrapped | 50 | BX | |



B NyQuil™ Cold & Flu Nighttime Liquid A little liquid brings big cold relief - convenient cold & flu liquid provides powerful relief of cold symptoms. Temporarily relieves common cold and flu symptoms, including cough due to minor throat and bronchial irritation, sore throat, headache, minor aches and pains, fever, runny nose and sneezing. Designed for nighttime use, it helps soothe your cold so you can sleep.

| ID No. | Description | Qty. | Unit | Price |
|----------------|----------------|------|------|-------|
| 2 PGC-01426* * | Liquid, 12 oz. | 12 | CT | |

* FDA Registered.



C NyQuil™ Cold & Flu Nighttime LiquiCaps Get some rest with powerful 6-symptom cold and flu relief in convenient LiquiCaps. Temporarily relieves common cold and flu symptoms, including cough due to minor throat and bronchial irritation, sore throat, headache, minor aches and pains, fever, runny nose and sneezing. Designed for nighttime use, it helps soothe your cold so you can sleep.

| ID No. | Description | Qty. | Unit | Price |
|----------------|-----------------------|------|------|-------|
| 3 PGC-01440* * | LiquiCaps, 24 per Box | 24 | CT | |

* FDA Registered.

D DayQuil™ Cold & Flu Liquid Get your power back and get through your day with convenient non-drowsy, daytime cold relieving liquid. Temporarily relieves common cold and flu symptoms: nasal congestion, cough due to minor throat and bronchial irritation, sore throat, headache, minor aches and pains, and fever. It's non-drowsy, so you can stay alert through your day.

| ID No. | Description | Qty. | Unit | Price |
|----------------|----------------|------|------|-------|
| 4 PGC-01436* * | Liquid, 12 oz. | 12 | CT | |

* FDA Registered.

E DayQuil™ Cold & Flu LiquiCaps Power through your day with the powerful, non-drowsy, multi-symptom cold and flu relief of DayQuil™ LiquiCaps. Temporarily relieves common cold and flu symptoms, including nasal congestion, cough due to minor throat and bronchial irritation, sore throat, headache, minor aches and pains and fever. Convenient LiquiCaps are purse- and pocket-ready - they're great for on-the-go cold relief. It's non-drowsy, so you can stay alert through your day.

| ID No. | Description | Qty. | Unit | Price |
|----------------|-----------------------|------|------|-------|
| 5 PGC-01443* * | LiquiCaps, 24 per Box | 24 | CT | |

* FDA Registered.

F DayQuil™/NyQuil™ Cold & Flu Liquid Combo Pack Get powerful, non-drowsy cold relief, day or night, with a convenient twin pack of DayQuil™ and NyQuil™ liquid. Non-drowsy DayQuil™ liquid temporarily relieves common cold and flu symptoms, including nasal congestion, cough due to minor throat and bronchial irritation, sore throat, headache, minor aches and pains, and fever, while allowing you to stay alert and power through your day. NyQuil™ liquid temporarily relieves common cold and flu symptoms like cough, sore throat, headache, minor aches and pains, fever, runny nose and sneezing, while helping you sleep through the night.

| ID No. | Description | Qty. | Unit | Price |
|----------------|---|------|------|-------|
| 6 PGC-01479* * | Combo Pack - DayQuil Liquid, 12 oz. + NyQuil Liquid, 12 oz. | 6 | CT | |

* FDA Registered.

G DayQuil™/NyQuil™ Cold & Flu LiquiCaps Combo Pack Get powerful, non-drowsy cold relief, day or night, with a convenient combo pack of DayQuil™ and NyQuil™ LiquiCaps. Nighttime LiquiCaps relieve sneezing, sore throat, headache, minor aches and pains, fever, runny nose, and cough and help you sleep, so you can get the rest you need. Multi-symptom cold and flu relief for both daytime and nighttime. Daytime LiquiCaps provide non-drowsy multi-symptom relief, so you can power through your day.

| ID No. | Description | Qty. | Unit | Price |
|----------------|---|------|------|-------|
| 7 PGC-01452* * | Combo Pack - 32 DayQuil LiquiCaps + 16 NyQuil LiquiCaps | 12 | CT | |

* FDA Registered.

H VapoRub® Kiss your cough goodbye, with a topical cough medicine with medicated vapors. It starts working quickly for to relieve cough symptoms. Appropriate for ages two and up.

| ID No. | Description | Qty. | Unit | Price |
|----------------|----------------------|------|------|-------|
| 8 PGC-00361* * | 1.76 oz. (50 g.) Jar | 36 | CT | |

* FDA Registered.

A



B



A Chewable Tablets For multi-symptom relief from heartburn, indigestion, upset stomach, nausea and diarrhea, choose Pepto-Bismol™. Quick-acting chewable tablets.

| ID No. | Description | Qty. | Unit | Price |
|-----------------|---------------------------------|------|------|-------|
| 1 PGC-03977BX * | Chewable Tablets, 30 per Box | 30 | BX | |

* FDA Registered.



B Immune Support Effervescent Tablet Delivers real immune support in a fizzy tablet that dissolves in cold or hot water. A unique combination of 14 vitamins, minerals and herbs.

| ID No. | Description | Qty. | Unit | Price |
|----------------|--|------|------|-------|
| 2 ABN-30004 * | 10 Effervescent Tablets Zesty Orange Flavor | 1 | EA | |
| 3 ABN-10030 * | 30 Effervescent Tablets Zesty Orange Flavor | 30 | PK | |
| 4 ABN-30006 * | 10 Lemon-Lime Effervescent Tablets | 1 | EA | |
| 5 ABN-30017* * | 10 Pink Grapefruit Effervescent Tablets | 1 | EA | |

* These statements have not been evaluated by the U.S. Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent disease. Use only as directed.

C Immune Support Chewable Tablets Delivers real immune support in a convenient chewable tablet. A unique combination of 14 vitamins, minerals, and herbs. Great-tasting, easy-to-chew tablets mean you don't need water to get a blast of Vitamin C.

| ID No. | Description | Qty. | Unit | Price |
|---------------|-------------------------------------|------|------|-------|
| 6 ABN-97970 * | Airborne Chewable Tablets Berry | 1 | EA | |
| 7 ABN-97971 * | Airborne Chewable Tablets Citrus | 1 | EA | |

* These statements have not been evaluated by the U.S. Food and Drug Administration. These products are not intended to diagnose, treat, cure or prevent disease. Use only as directed.

C



20-FA-CU-RNU

FIRST AID



Emergen-C

A Immune+ Formula Brings a rush of 26 nutrients and minerals, including 1,000 mg of vitamin C, enhanced Zinc, A and D vitamins and a proprietary blend of antioxidants.

| ID No. | Flavor | Size | Packing Type | Qty. Unit | Price |
|--------------|----------------|--------|--------------|-----------|-------|
| 1 ALA-100007 | Blueberry Acai | 0.3 oz | Packet | 30 PK | |
| 2 ALA-100008 | Citrus | 0.3 oz | Packet | 10 PK | |

B Original Formula The powerful blend of vitamins, nutrients, antioxidant power and electrolytes makes these drinks as beneficial as they are delicious.

| ID No. | Flavor | Size | Packing Type | Qty. Unit | Price |
|---------------|--------------|---------|--------------|-----------|-------|
| 3 ALA-139052* | Raspberry | 0.32 oz | Packet | 60 PK | |
| 4 ALA-130213* | Super Orange | 0.32 oz | Packet | 60 PK | |
| 5 ALA-139051* | Tangerine | 0.32 oz | Packet | 60 PK | |

Rolaids®

C Ultra Strength Antacid Chewable Tablets Ultra strength tablets deliver the ultimate acid-neutralizing heartburn relief. Tablets provide relief for heartburn, sour stomach and acid indigestion. Tablets neutralize more than 100 times their own weight in excess stomach acid.

| ID No. | Description | Qty. Unit | Price |
|-------------------------------|-------------------------------|-----------|-------|
| Mint | | | |
| 6 LIL-R10034* | 10 per roll, 12 rolls per box | 12 BX | |
| Assorted Fruit Flavors | | | |
| 7 LIL-R10049 | 10 per roll, 12 rolls per box | 12 BX | |

D Ultra Strength Antacid Softchews Ultra strength softchews deliver the ultimate acid-neutralizing heartburn relief. Softchews provide relief for heartburn, sour stomach and acid indigestion. They neutralize more than 100 times their own weight in excess stomach acid.

| ID No. | Description | Qty. Unit | Price |
|-------------------|--------------------------------|-----------|-------|
| Strawberry | | | |
| 8 LIL-R10309* | Six per pack, 12 packs per box | 12 BX | |

E Advanced Antacid Plus Anti-Gas Tablets Take relief to the next level with advanced tablets that go to work instantly on your worst heartburn, bloating and gas. Tablets relieve a variety of unpleasant symptoms, including heartburn, sour stomach, acid indigestion, upset stomach associated with these symptoms, pressure, bloating and gas. They deliver the ultimate in rapid relief, neutralizing more than 100 times their own weight in excess stomach acid.

| ID No. | Description | Qty. Unit | Price |
|-------------------------|-------------------------------|-----------|-------|
| Assorted Berries | | | |
| 9 LIL-R10405* | 10 per roll, 12 rolls per box | 12 BX | |

CARMEX

F Lip Balm Moisturizing lip balm heals dry and chapped lips while protecting them from further damage. Natural emollients are added to your lips, locking in your own body's natural moisture. Alleviates cold sore symptoms.

| ID No. | Flavor | Size | Qty. Unit | Price |
|---|----------|-------------------------------|-----------|-------|
| 10 LIL-62458* | Original | 0.25 ozJar | 12 BX | |
| Tube with Cap —Easy to dispense. | | | | |
| 11 LIL-11313* | Original | 0.35 ozDisplay Box with Tubes | 12 BX | |



A Purified Drinking Water Pure, high quality drinking water provides refreshment at an affordable price. Strong, lightweight Eco-Air Bottles® have over 60% less plastic (*on average vs. original 1998 500mL bottle). Tasty drinking water in portable bottles makes it easy to stay hydrated on the go. 📦 🇺🇸

| ID No. | Size | Packing Type | Unit | Price |
|-------------------|---------|--------------|------|-------|
| 1 NGB-05L24PLT* ✪ | 16.9 oz | Bottle | PL | |

* SQF Level 3 Certified; IBWA Certified; Kosher Schedule B Certified.



B Thirst Quencher Powder Drink Mix “Mix and drink” powder pouches provide an excellent value to anyone who needs to keep a gallon or more on hand. Enjoy the same delicious, refreshing flavors. The Thirst Quencher delivers a fun way to accelerate your rehydration process. 📦 🇺🇸

| ID No. | Flavor | Size | Packing Type | Qty. | Unit | Price |
|---------------------|----------------|--------|--------------|------|------|-------|
| 2 GTD-33665 | Riptide Rush | 8.5 oz | Packet | 40 | CT | |
| 3 GTD-33672 | Riptide Rush | 51 oz | Packet | 14 | CT | |
| 4 GTD-33673 | Riptide Rush | 21 oz | Packet | 32 | CT | |
| 5 GTD-33676* | Glacier Freeze | 51 oz | Packet | 14 | CT | |
| 6 GTD-33677 | Glacier Freeze | 21 oz | Packet | 32 | CT | |
| 7 GTD-33690* | Fruit Punch | 51 oz | Packet | 14 | CT | |
| 8 GTD-33691 | Fruit Punch | 21 oz | Packet | 32 | CT | |
| 9 GTD-03808 | Fruit Punch | 8.5 oz | Packet | 40 | CT | |
| 10 GTD-03956* | Lemon-Lime | 8.5 oz | Packet | 40 | CT | |
| 11 GTD-03957 | Orange | 8.5 oz | Packet | 40 | CT | |
| 12 GTD-03967* | Lemon-Lime | 51 oz | Packet | 14 | CT | |
| 13 GTD-03968 | Orange | 51 oz | Packet | 14 | CT | |
| 14 GTD-03969 | Lemon-Lime | 21 oz | Packet | 32 | CT | |
| 15 GTD-03970 | Orange | 21 oz | Packet | 32 | CT | |
| Variety Pack | | | | | | |
| 16 GTD-03944 | Assorted | 21 oz | Packet | 32 | CT | |

C G-Series® Perform 02 Thirst Quencher Hydrate deliciously with amazingly refreshing flavor combinations. Carbohydrate-infused H2O formula significantly accelerates the rehydration process, and essential electrolytes keep you performing at your best. 📦 🇺🇸

| ID No. | Flavor | Size | Packing Type | Qty. | Unit | Price |
|--------------|----------------|-------|--------------|------|------|-------|
| 17 QKR-28681 | Lemon-Lime | 20 oz | Bottle | 24 | CT | |
| 18 QKR-28667 | Fruit Punch | 20 oz | Bottle | 24 | CT | |
| 19 QKR-32486 | Glacier Freeze | 20 oz | Bottle | 24 | CT | |
| 20 QKR-24812 | Cool Blue | 20 oz | Bottle | 24 | CT | |
| 21 QKR-28674 | Orange | 20 oz | Bottle | 24 | CT | |

D G2® Perform 02 Low-Calorie Thirst Quencher G2 has the same amount of electrolytes as our original Gatorade® formula, but with only 20 calories per 8 oz. It's a low-calorie sports drink that helps athletes and active people stay fueled for an ultimate performance. 📦 🇺🇸

| ID No. | Flavor | Size | Packing Type | Qty. | Unit | Price |
|--------------|-------------|-------|--------------|------|------|-------|
| 22 QKR-04053 | Fruit Punch | 20 oz | Bottle | 24 | CT | |
| 23 QKR-04060 | Grape | 20 oz | Bottle | 24 | CT | |



E Powder Pack® Concentrated Activity Drink Power-packed powder mixes quickly and easily; just add to water and enjoy. A wide range of great-tasting flavors makes it easy to please even the most finicky palates. Isotonic, quick-rehydration formula fortified with minerals and electrolytes. 📦 🇺🇸

| ID No. | Flavor | Size | Packing Type | Qty. | Unit | Price |
|---------------------------------------|-------------|----------|--------------|------|------|-------|
| Yields 2.5 Gallons per Package | | | | | | |
| 24 SQW-0160410R* | Orange | 23.83 oz | Packet | 32 | CT | |
| 25 SQW-016042FP* | Fruit Punch | 23.83 oz | Packet | 32 | CT | |
| 26 SQW-016044AS * | Assorted | 23.83 oz | Packet | 32 | CT | |
| 27 SQW-016046GR* | Grape | 23.83 oz | Packet | 32 | CT | |

* SQW-016044AS—Gluten Free; Vegan.

Keep Cool!



Five-Gallon Insulated Water Cooler Keep beverages cold for hours. Crack-resistant polyethylene for long life. Screw top lid for a tight seal.

| ID No. | Capacity | Dia. x H | Color | Qty | Unit | Price |
|----------------|----------|-------------|--------------|-----|------|-------|
| 28 RCP-1840999 | 5 gal | 10" x 19.5" | Orange/White | 1 | EA | |



HYDRATION



A Battlemat™ Sorbent-Pad Roll Tough-as-it-looks pad soaks up and retains (acidic or alkaline) petroleum-, chemical- and water-based fluids. Heavy-duty, abrasion-resistant fibers ensure maximum durability. Two-layer design enables use as a walk-on mat.

| ID No. | Absorbing Volume (Unit) | W × L | Qty. | Unit | Price |
|--------|-------------------------|--------|--------------|------|-------|
| 1 | SBD-BM15* | 25 gal | 15" × 150 ft | 1 | CT |

B ENV™ MAXX Enhanced Oil-Only Sorbent Pads Take it to the MAXX: Maximum performance; minimum weight. Task-specific pads absorb and retain oil-based liquids. Treated fibers repel water and float indefinitely, making these pads an excellent choice for off-shore use.

| ID No. | Absorbing Volume (Unit) | W × L | Qty. | Unit | Price |
|--------|-------------------------|----------|--------------|------|-------|
| 2 | SBD-ENV300 | 0.24 gal | 15" × 19 in | 100 | BD |
| 3 | SBD-ENV150* | 54 gal | 30" × 150 ft | 1 | RL |



C Slikwik Socks™ AbSorbent SW46 Mold around corners and conform to uneven surfaces to prevent and soak up spills and drips. Corncob-filled SOC for quick, dependable pick-up of all but aggressive fluids.

| ID No. | Absorbing Volume (Unit) | W × L | Qty. | Unit | Price |
|--------|-------------------------|-------|----------|------|-------|
| 4 | SBD-SW46* | 2 qt | 3' × 42" | 40 | CT |



D Super-Sorb Liquid Spills Absorbent Absorbs 60 times its weight immediately! Easy, sanitary disposal of blood, vomit or other liquids. Sprinkle granular absorbent onto spills, sweep up. Quat and microbiocidal eliminate odors.

| ID No. | Absorbs | Qty. | Unit | Price |
|--------|-------------|--------|------|-------|
| 5 | FRS-614SSBX | 720 oz | 6 | BX |



E Universal Sorbent AB-BPU100 Absorbs all industrial liquids (water, petroleum, and chemical based fluids) in facility. Dimpled and perforated. Perfect fit for indoor spills.

| ID No. | Sorbent Type | Capacity (Weight) | Packing Type | Qty. | Unit | Price |
|--------|--------------|-------------------|--------------|------|------|-------|
| 6 | ANR-ABBPU100 | Pad | Heavyweight | Bale | 100 | BX |



F Granular Deodorant Moisture-absorbent, clay-base deodorant makes perfect scents for trash receptacles, floors or even the cat litter box. Neutralizes odors on contact. Easy to apply, easy to remove.

| ID No. | Scent | Size | Qty. | Unit | Price |
|--------|---------|-------|---------------------|------|-------|
| 7 | BGD-150 | Lemon | 16 oz Shaker Bottle | 12 | CT |



A



B



C



A Sorbent This lightweight and high-performance absorbent removes any liquid or semi-liquid of any source or viscosity almost instantly. A quick and economical absorbent for preventing and fall accidents.

| ID No. | Sorbent Type | Capacity (Weight) | Packing Type | Qty | Unit | Price |
|--------|--------------|-------------------|--------------|-----|------|-------|
| 1 | FAO-97110* | 10 lbs | Bag | 1 | EA | |
| 2 | FAO-SM12* | 12 oz | Bag | 1 | EA | |
| 3 | FAO-97115* | 15 lbs | Bag | 1 | EA | |
| 4 | FAO-SM103* | 25 lbs | Box | 1 | EA | |



B Universal Sorbent Pads All-purpose pads absorb petroleum-, chemical- and water-based fluids, ensuring maximum indoor-task versatility. Dimpled, high-capacity format quickly soaks up and reliably retains liquids. Convenient sizing simplifies placement.

| ID No. | Absorbing Volume (Unit) | W x L | Qty | Unit | Price |
|--------------------|-------------------------|--------|--------------|------|-------|
| Heavyweight | | | | | |
| 5 | ANR-AB-BRU120 | 30 gal | 30" x 120 ft | 1 | RL |

C Universal Sorbent AB-BPU500 Absorbs all industrial liquids (water, petroleum, and chemical based fluids) in facility. Dimpled and perforated. Perfect fit for indoor spills.

| ID No. | Sorbent Type | Capacity (Weight) | Packing Type | Qty | Unit | Price |
|--------|--------------|-------------------|------------------|-----|------|-------|
| 6 | ANR-ABBPU500 | Pad | Lightweight Bale | 100 | BX | |



D D-Vour Absorbent Powder Specially formulated polymer transforms liquid mess into semi-solid mass. Immediately neutralizes unpleasant odors. Easy cleanup.

| ID No. | Qty | Unit | Price |
|--------|---------|------|-------|
| 7 | BGD-166 | 6 | CT |



GREENSORB®

E Sorbent Creates a cleaner, safer workplace. Absorbs up to seven times more than ordinary clay absorbents. Safe for blood, vomit and industrial liquids except hydrofluoric acid. Non-leaching and all-natural.

| ID No. | Sorbent Type | Capacity (Weight) | Packing Type | Qty | Unit | Price |
|--------|--------------|-------------------|---------------|-----|------|-------|
| 8 | BCG-GS-4 * | 4 lb | Shaker Bottle | 1 | EA | |

* EPA Compliant; OSHA Compliant; USDA Accepted for Use in Food Processing Facilities.



D



E

SPILL MANAGEMENT



3M

A – C Maintenance Sorbents Lightweight, versatile, and takes just minutes to put in place. Dust-free and contains no abrasive granules that can damage expensive equipment. Can be incinerated or fuel blended, leaving less than 0.2% ash. Wring out and reuse numerous times with virtually no loss of sorbent capacity. Allows you to get at the source of a leak before it becomes a bigger problem.

A High-Capacity Maintenance Sorbent Pad Highly absorbent and nongranular so it's perfect for placing directly on machinery. Will not damage plant equipment. Low profile so it fits in tight places. Tuck it in or around machines to catch and contain leaks at the source.

| ID No. | Absorbing Volume (Unit) | W × L | Qty. | Unit | Price |
|--------|-------------------------|-------|------|------|-------|
|--------|-------------------------|-------|------|------|-------|

| | | | | | |
|---|-----------------|-------------------|-------------|-----|----|
| 1 | MMM-M-PD1520DD* | 0.375 gal per pad | 15½" × 20½" | 100 | CT |
|---|-----------------|-------------------|-------------|-----|----|

* ASTM F 726. 3M products must be used in accordance with OSHA regulations, warnings and limitations for each product.



B High-Capacity Maintenance Folded Sorbent Four sorbents in one. It can be used as a boom, pillow, pad, or roll, which means you stock one product to meet your sorbent needs. Perforations every 16 inches allow you to select the length required, so there's less wasted sorbent. Comes in a handy dispenser box for easy, on-site use. 3M's high capacity sorbent technology: has increased fluid-holding capacity which means less sorbent used; allows for simple reclamation for recycling of valuable liquids and re-use of sorbent; and minimizes sorbent waste for disposal.

| ID No. | Absorbing Volume (Unit) | W × L | Qty. | Unit | Price |
|--------|-------------------------|-------|------|------|-------|
|--------|-------------------------|-------|------|------|-------|

| | | | | | |
|---|----------------|---------|------------|---|----|
| 2 | MMM-M-FL550DD* | 10½ gal | 5" × 50 ft | 1 | BX |
|---|----------------|---------|------------|---|----|

* ASTM F 726. 3M products must be used in accordance with OSHA regulations, warnings and limitations for each product.



C High-Capacity Petroleum Sorbent Pads High-capacity pad ensures superior fluid-holding performance, allowing you to do more with less. Specially treated fibers absorb petroleum-based liquids while repelling water. Reinforced edge provides greater strength and minimizes linting.

| ID No. | Absorbing Volume (Unit) | W × L | Qty. | Unit | Price |
|--------|-------------------------|-------|------|------|-------|
|--------|-------------------------|-------|------|------|-------|

| | | | | | |
|---|------------|-------------------|-----------|-----|----|
| 3 | MMM-28991* | 0.375 gal per pad | 17" × 19" | 100 | CT |
|---|------------|-------------------|-----------|-----|----|

* ASTM F 726. 3M products must be used in accordance with OSHA regulations, warnings and limitations for each product.

3M WARNING!

FAILURE TO PROPERLY HANDLE AND DISPOSE OF SORBENTS CONTAMINATED BY HAZARDOUS MATERIALS MAY RESULT IN SERIOUS PHYSICAL INJURY OR DEATH AND/OR ENVIRONMENTAL HARM. For proper handling, consult the *Safety Data Sheet* for the material adsorbed, and applicable safety and health standards, contact your supervisor, or call 3M at 1-800-243-4630. To reduce the risk of serious injury or death, adequate precautions should be taken when handling or storing sorbents contaminated by hazardous materials, and appropriate personal protective equipment should be worn. Transportation and disposal of container and its contents must comply with applicable laws and regulations.

3M™ Maintenance Sorbents and 3M™ Petroleum Sorbents must not be used with aggressive liquids, including caustics, acids, oxidizers, and reactive chemicals.

3M™ Chemical Sorbents can adsorb most acids, bases, and other hazardous fluids. For further information regarding chemical compatibility, contact 3M.



A



B



C



D



A Site Safety Hanging Sign Safety sign imprinted with “Closed for Cleaning” is mounted on a twist-action pole that extends up to 50” wide to prevent entry through even wide hospital doors. Manufacturer’s limited one-year warranty.

| ID No. | Color | Material | Message(s) | Size | Unit | Price |
|--|--------------|----------|------------|---|-------------|-------|
| Multi-Lingual —Imprinted with “Closed for Cleaning” in English and Spanish. | | | | | | |
| 1 | RCP-9S1600YL | Yellow | Fabric | Closed For Cleaning; Cerrado Por Limpieza | 50 × 1 × 13 | EA |

B Multilingual Pop-Up Safety Cone Safety cone with multi-language imprint and wet floor symbol is collapsible, automatically deployed and multilingual for a strong, easy-to-transport safety statement. Manufacturer’s limited one-year warranty.

| ID No. | Message | W × D × H | Unit | Price |
|--------|--------------|-----------------------------|-----------------|-------|
| 2 | RCP-9S00 YEL | Attention; Caution; Cuidado | 21” × 21” × 20” | EA |
| 3 | RCP-9S0100YL | Caution; Attention; Cuidado | 21” × 21” × 30” | EA |

C Executive 2-Sided Multi-Lingual Caution Sign Lightweight and versatile caution sign is easy to place wherever you need it. Foldable for easy storage. Integrated carry handles. Manufacturer’s limited one-year warranty.

| ID No. | Color | Material | Message(s) | Size | Unit | Price |
|--------|-------------|----------|------------|---------|-------------------------------------|-------|
| 4 | RCP-1867505 | Black | Plastic | Caution | 10% ¹ × 26% ¹ | EA |

D Executive 2-Sided Multi-Lingual Wooden Caution Sign Elegant and sophisticated. Durable rubber feet. Hardwood finish. Manufacturer’s limited one-year warranty.

| ID No. | Color | Material | Message(s) | Size | Unit | Price |
|--------|--------------|----------|-----------------------------|---------|----------|-------|
| 5 | RCP-1867507* | Brown | Brass/Wood/Rubber | Caution | 15 × 23½ | EA |
| 6 | RCP-1867508* | Brown | Stainless Steel/Wood/Rubber | Caution | 15 × 23½ | EA |



PLAY IT SAFE

Wet floor warnings can help significantly reduce the number of slip and fall injuries in the workplace! Make sure signs are visible from every point of entry into the area where work is being done to ensure that anyone entering your facility will take extra care as they pass through. Using proper wet floor signs is the most economical way to give visual warning and avoid injury!

SAFETY SIGNS



A Multilingual "Closed" Folding Floor Sign This bright yellow "Closed" sign is printed in English, French, German and Spanish for maximum effective communication with a large audience. It is lightweight and versatile; easy to transport. The two-sided model is excellent for use in small or narrow areas. Measures 12" deep when open. Manufacturer's limited one-year warranty.

| ID No. | Message | W × D × H | Unit | Price |
|-------------------|-------------------------------------|-----------------|------|-------|
| 1 RCP-6112-78 YEL | Cerrado; Closed; Fermé; Geschlossen | 11" × 12" × 25" | EA | |

B "Caution Wet Floor" Floor Sign 2-Sided Floor Safety Sign with "Caution Wet Floor" Imprint is lightweight and versatile. The caution sign makes a heavy statement about safety. Measures 12" deep when open.

| ID No. | Message | W × D × H | Unit | Price |
|----------------|-------------------|-----------------|------|-------|
| 2 RCP-611277YW | Caution—Wet Floor | 11" × 12" × 25" | EA | |

C Multilingual "Caution" Floor Sign 2-Sided Floor Safety Sign with "Caution" Imprint is lightweight and versatile. The caution sign with multilingual messaging makes a heavy statement about safety. Measures 12" deep when open.

| ID No. | Message | W × D × H | Unit | Price |
|----------------|-----------------------------|-----------------|------|-------|
| 3 RCP-611200YW | Caution; Attention; Cuidado | 11" × 12" × 25" | EA | |

D Multilingual Safety Cone Alert co-workers and visitors alike to proceed carefully. Message is printed in English and Spanish on all four sides of bright yellow cone. Can be read from 40 ft. away. Stackable for easy transport and storage. Manufacturer's limited one-year warranty.

| ID No. | Message | W × D × H | Unit | Price |
|-----------------|--|-------------------|------|-------|
| 4 RCP-6276-77 * | Caution—Wet Floor; Cuidado—Piso Mojado | 12¼" × 12¼" × 36" | EA | |

* With Keyhole Openings.

E "Over-The-Spill"™ System The most effective way to deal immediately with spills, covering the spilled liquid and alerting pedestrians with its bright yellow color.

| ID No. | Absorbing Volume (Unit) | W × L | Qty. | Unit | Price |
|----------------|-------------------------|------------|------|------|-------|
| 5 RCP-4252 YEL | 16 oz | 16½" × 20" | 22 | PK | |

F "Over-The-Spill"™ Pad Tablet Contains 25 absorbent pads that each have a triangular "Caution" symbol and "Caution Wet Floor" in English and Spanish. Each caution pad absorbs 12 oz. of fluid.

| ID No. | Absorbing Volume (Unit) | W × L | Qty. | Unit | Price |
|------------|-------------------------|------------|------|------|-------|
| 6 RCP-4254 | 12 oz | 16½" × 14" | 20 | PK | |

G Portable Mobile Safety Barrier Barrier is easy-to-use, easy-to-see, easy-to-move, and easy-to-store. It uses articulating panels to extend to 13-feet long to be used straight, curved or circular. ANSI- and OSHA-compliant colors. Manufacturer's one-year warranty against defects.

| ID No. | Size | Material | Qty. | Unit | Price |
|-----------------|-------------|----------|------|------|-------|
| 7 RCP-9S1100YEL | 13 ft × 40" | Plastic | 1 | EA | |



A ProLine™ Dry-Chemical Commercial Fire Extinguisher Be prepared; choose ProLine™ dry-chemical extinguishers for your commercial fire-suppression needs. Crystal-clear, step-by-step instruction label helps ensure effective use in a crisis. Easy-to-read, reliable pressure gauge simplifies inspections. Manufacturer's limited six-year warranty.

| ID No. | CW/UW/UL | Material | Unit | Price |
|----------------|------------------------------|---|------|-------|
| 1 KID-466227 * | 2.625 lbs/4 1/2 lbs/1A-10B:C | Aluminum Cylinder; Monoammonium Phosphate | EA | |
| 2 KID-466112 * | 5 lbs/8 1/2 lbs/3A-40B:C | Aluminum Cylinder; Monoammonium Phosphate | EA | |
| 3 KID-466204 * | 10 lbs/19 lbs/4A-60B:C | Steel Cylinder; Monoammonium Phosphate | EA | |
| 4 KID-466206* | 18 lbs/30 lbs/6-A:80-B:C | Steel Cylinder; Monoammonium Phosphate | EA | |

* CW=Charge wt. lbs., UW=Unit wt. lbs., UL=UL rating.

B ProPlus™ 20 MP Dry-Chemical Fire Extinguisher Make safety your top priority, and choose Kidde ProPlus™ Line commercial-grade dry-chemical extinguishers. Step-by-step instruction label featuring graphic illustrations brings the most inexperienced user up to speed in seconds. Pressure gauge. Manufacturer's limited six-year warranty.

| ID No. | CW/UW/UL | Material | Unit | Price |
|---------------|---------------------------|-------------------------------|------|-------|
| 5 KID-468003* | 20 lbs/31 lbs/6-A:120-B:C | Steel; Monoammonium Phosphate | EA | |



Make Fire Safety a Priority!

Each year more than 5,000 people are injured in fires and explosions on the job.* Keep extinguishers within reach to safeguard your workplace. OSHA standards require employers to provide proper exits, firefighting equipment, emergency plans, and employee training. A fire safety program is critical for employee safety and facility compliance — make sure yours includes fire extinguishers and smoke alarms.

For OSHA requirements for placement and maintenance of portable fire extinguishers, visit https://www.osha.gov/SLTC/etools/evacuation/portable_required.html

*Occupational Safety and Health Administration (OSHA)

FIRE & GAS PROTECTION



UL FIRE CLASSIFICATIONS

- A** **Common Combustibles**—Wood, paper, cloth, rubber, trash and most plastics.
- B** **Flammable Liquids**—Gasoline, kerosene, oil, grease, solvents and paint.
- C** **Live Electrical Equipment**—Motors, computers, wiring and appliances. Requires a nonconductive extinguishing agent.



A Full Home Fire Extinguisher 466142 Clear instruction label using graphics to show steps required to operate extinguisher. Easy-to-read gauge tells you fire extinguisher is charged and ready for use. Easy-to-pull safety pin.

| ID No. | CW/UW/UL | Material | Unit | Price |
|-----------------|------------------------------|----------------------------------|------|-------|
| 1 KID-466142MTL | 2.5 lbs./3.9 lbs/1-A, 10-B:C | Aluminum; Monoammonium Phosphate | EA | |

B Pro Series Fire Extinguisher 21005779 Multipurpose rechargeable fire extinguisher. Heavy duty chrome plated brass valve assembly. Pressure gauge allows for immediate pressure status check.

| ID No. | CW/UW/UL | Material | Unit | Price |
|----------------|---------------------------|----------------------------------|------|-------|
| 2 KID-21005779 | 4 lbs/7.5 lbs/2-A, 10-B:C | Aluminum; Monoammonium Phosphate | EA | |

C ProLine™ 5 CO2 Fire Extinguisher Be prepared—choose ProLine™ dry-chemical extinguishers for your commercial fire-suppression needs. Crystal-clear, step-by-step instruction label helps ensure effective use in a crisis.

| ID No. | CW/UW/UL | Material | Unit | Price |
|---------------|--------------------|--------------------------|------|-------|
| 3 KID-466180* | 5 lbs/14 lbs/5-B:C | Aluminum; Carbon Dioxide | EA | |

D ProPlus™ 2.5 W H2O Fire Extinguisher Where refuse, paper and wood combustion is the most likely fire hazard, Class A water-based fire suppression may be your best choice. Illustrated step-by-step instruction label brings inexperienced users up to speed in seconds. Pressure gauge. Manufacturer's limited six-year warranty.

| ID No. | CW/UW/UL | Material | Unit | Price |
|---------------|------------------------|------------------------|------|-------|
| 4 KID-466403* | 20.86 lbs/32.5 lbs/2-A | Stainless Steel; Water | EA | |

E Kitchen Smoke and Carbon Monoxide Sealed Battery Alarm Make personal safety your priority with this combination smoke and carbon monoxide alarm. This unit comes equipped with a sealed-in lithium power supply that lasts the entire ten-year life of the alarm and eliminates concerns about battery removal and unauthorized alarm deactivation. It's quick and easy to install; alarm automatically activates when attached to the mounting bracket. Manufacturer's limited 10 year warranty.

| ID No. | Qty. | Unit | Price |
|------------------|------|------|-------|
| 5 KID-21010071 * | 1 | EA | |

* UL Listed.

F Sealed Battery Carbon Monoxide Alarm Keep your family safe without the hassle of battery-replacement and maintenance. The sealed-in battery keeps this carbon monoxide alarm functioning for ten years without the need for replacement. Easy to install alarm automatically activates when attached to the mounting bracket. Test/reset button tests unit for proper operation and resets carbon monoxide alarm. Manufacturer's limited 10 year warranty.

| ID No. | Qty. | Unit | Price |
|------------------|------|------|-------|
| 6 KID-21010073 * | 1 | EA | |

* UL Listed.

Master Lock

A Portable SafeSpace® Key Storage Lock Box For real estate sales, repair services, contractors and house/pet sitters. Molded bumper and vinyl-coated shackle prevent scratches to your property. Hardened steel shackle resists cutting.

| ID No. | Width | Unit | Price |
|-------------|-------|------|-------|
| 1 MLK-5400D | 3¼" | EA | |

B Combination Lock Three-number dialing and 1,500 combinations for maximum security. Hardened steel shackle for extra cut resistance. Black dial.

| ID No. | Width | Unit | Price |
|--|-------|------|-------|
| 2 MLK-1500D | 1½" | EA | |
| Pack of Two —Both locks have the same combinations. | | | |
| 3 MLK-1500T | 1½" | PK | |

C Twin Brass 3-Pin Tumbler Lock Promote a high level of theft deterrence by using a strong and durable lock. The standard steel shackle and solid brass lock body provide both a stable, yet stylish lock. The 3-pin tumbler ensures security. Keys match both locks. Pack of two.

| ID No. | Width | Unit | Price |
|-------------|-------|------|-------|
| 4 MLK-120-T | ¾" | PK | |

D Wall Mounted SafeSpace® Key Storage Lock Box For children after school, cleaning or maintenance services, vacation properties and elder care providers. Includes mounting screws.

| ID No. | Width | Unit | Price |
|-------------|-------|------|-------|
| 5 MLK-5401D | 3¼" | EA | |

E 4-Pin Tumbler Lock A tough and durable steel lock to help prevent theft and increase security. The laminated steel body provides superior strength, while the 4-pin cylinder helps prevent picking. Rust proofing ensures a longer life, especially with outdoor use.

| ID No. | Width | Unit | Price |
|---|-------|------|-------|
| Model No. 7D —Hundreds of key changes for increased security. | | | |
| 6 MLK-7D | 1½" | EA | |
| Model No. 5D —Thousands of key changes, dual locking levers and hardened boron alloy shackle offer a high-quality and secure lock. | | | |
| 7 MLK-5D | 2" | EA | |
| Model No. 3D —Thousands of key changes, dual locking levers and hardened steel shackle provide a tough and durable lock. | | | |
| 8 MLK-3D | 1¾" | EA | |

F Safety Lockout Padlock Designed specifically for OSHA lockout compliance, sturdy lock is brightly colored with a warning label. Steel shackle has 1½" clearance. Durable, non-conductive lock body is built to last. Manufacturer's limited lifetime warranty. Six pad locks per box.

| ID No. | Width | Unit | Price |
|---------------|-------|------|-------|
| 9 MLK-410RED• | 1½" | BX | |

G 4400D Bluetooth® Padlock Features a 1½" in (47mm) wide metal body for durability. The ¾" in (7mm) diameter shackle offers ⅝" in (22mm) vertical clearance and is made of boron alloy, offering maximum resistance to cutting and sawing. The smartphone/app interface offers speed, ease of use, keyless convenience and the ability to share access. The locking mechanism features anti-shim technology, offering maximum security. Manufacturer's limited one-year warranty.

| ID No. | Width | Unit | Price |
|---------------|-------|------|-------|
| 10 MLK-4400D• | 1½" | EA | |

H 4401DLH Bluetooth® Padlock Features a 2½" inch (56mm) wide metal body for durability. The 1½" inch (9mm) diameter shackle offers 2 inch (51mm) vertical clearance and is made of boron alloy, offering maximum resistance to cutting and sawing. The smartphone/app interface offers speed, ease of use, keyless convenience and greater control with the ability to share access. The locking mechanism features anti-shim technology, offering maximum security. A two-piece weather cover offers maximum outdoor protection. Manufacturer's limited one-year warranty.

| ID No. | Width | Unit | Price |
|-----------------|-------|------|-------|
| 11 MLK-4401DLH• | 2½" | EA | |





STEELMASTER

A Electronic Key Safe Durable, heavy-gauge steel construction provides vault-like security for keys and valuables. Programmable, battery operated keypad eliminates the need for keys (batteries included). Included key tags feature label windows for easy viewing. Removable faceplate reveals back-up lock in case of battery failure. Includes two keys. Manufacturer's limited one year warranty. ♻️

| ID No. | Key Tag Capacity | Color | W x D x H | Qty. | Unit | Price |
|----------------|------------------|-------|--|------|------|-------|
| 1 MMF-20101* ★ | 48 | Sand | 11 ¹ / ₈ " x 4" x 17 ³ / ₄ " | 1 | EA | |

★ Contains a minimum of 20% total recycled content.

B Uni-Tag® Key Cabinet Help avoid wasted time and frustration by organizing your key sets. In these heavy-gauge, welded steel cabinets with piano-hinged doors, all keys are attached to numbered tags and filed securely on key rack slots. For convenience, whenever key is on loan, the "Out Key" control tag records key number, key recipient and date and is then filed under same slot for accountability. Alphabetical and numerical lock location data charts assist in organization. Piano hinge door provides additional strength and easy open/close. Includes disc tumbler lock and two keys. ♻️

| ID No. | Key Tag Capacity | Color | W x D x H | Qty. | Unit | Price |
|--------------------|------------------|-------|---|------|------|-------|
| 2 MMF-201903003 ★ | 30 | Sand | 8" x 2 ⁵ / ₈ " x 12 ¹ / ₈ " | 1 | EA | |
| 3 MMF-2019060A03 ★ | 60 | Sand | 10 ⁵ / ₈ " x 3" x 12 ¹ / ₈ " | 1 | EA | |
| 4 MMF-201911003* ★ | 110 | Sand | 14" x 3 ¹ / ₈ " x 17 ¹ / ₈ " | 1 | EA | |
| 5 MMF-201916003* ★ | 160 | Sand | 16 ¹ / ₂ " x 4 ¹ / ₈ " x 20 ¹ / ₈ " | 1 | EA | |
| 6 MMF-201920003 ★ | 200 | Sand | 16 ¹ / ₂ " x 4 ¹ / ₈ " x 20 ¹ / ₈ " | 1 | EA | |

★ Contains a minimum of 20% total recycled content.

C Slotted Rack Key Tags Write directly on tags with pencil, pen or permanent marker. For use with rack-style cabinets. Plastic tags with nickel-plated snap hooks hold one or more keys.

| ID No. | Color | Size | Qty. | Unit | Price |
|--------------------|----------|---|------|------|-------|
| 7 MMF-201300006* | White | 1 ¹ / ₂ " x 1 ¹ / ₂ " | 20 | PK | |
| 8 MMF-2013004W47 ★ | Assorted | 1 ¹ / ₂ " x 1 ¹ / ₂ " | 20 | PK | |

★ MMF-2013004W47—Blue; Green; Red; Yellow.

DURABLE
THE STYLE OF SUCCESS

D Key Rack Ideal for simple key storage when a cabinet is not required. Large key tag label can be exchanged without removing key ring. Patented key shaft for easy exchange of key ring. Height adjustable key rails. Holds 24 key tags; starter set of 6 key tags included. Mounting hardware included.

| ID No. | Key Tag Capacity | Color | W x D x H | Qty. | Unit | Price |
|--------------|------------------|-------|--|------|------|-------|
| 9 DBL-195610 | 24 | Gray | 8 ³ / ₈ " x 1 ¹ / ₈ " x 14 ¹ / ₈ " | 1 | EA | |

24 Tag Capacity—Six key tags included: two black, two dark blue, one red and one yellow.

E Key Tags Key tags have extra-large snap-open label window and patented key ring shaft. Key tag label can be easily exchanged without removing the key ring. Key tags face out for easy ID. Made from high quality plastic and able to hold multiple keys.

| ID No. | Color | Size | Qty. | Unit | Price |
|------------------|----------|---|------|------|-------|
| 10 DBL-1949-00 ★ | Assorted | 1 ¹ / ₈ " x 2 ³ / ₄ " | 24 | PK | |

★ Black; Dark Blue; Red; Yellow.

AVERY

F Key Tags with Split Ring Round tag with metal rim and metal key ring. Ideal for housekeepers, hotel clerks, janitors, realtors, valets, auto repair services and car wash services. Each tag features a split ring that slides easily onto your key for fast, convenient organization. Inscribe your notes on white or colored tags. Packaged in convenient reusable storage container.

| ID No. | Color | Size | Qty. | Unit | Price |
|----------------|----------|------------------------------------|------|------|-------|
| 11 AVE-11025 | White | 1 ¹ / ₄ dia. | 50 | PK | |
| 12 AVE-11026 ★ | Assorted | 1 ¹ / ₄ dia. | 50 | PK | |

★ AVE-11026—Green; Red; Yellow; White.

universal



G Wrist Coil Plus Key Ring Flexible coil with split ring key-holder expands easily to fit all arms. Sturdy design keeps your keys safe and secure around your wrist. Manufacturer's limited one-year warranty.

| ID No. | Color | Qty. | Unit | Price |
|--------------|---|------|------|-------|
| 13 UNV-56050 | Black | 6 | PK | |
| 14 UNV-56051 | Black; Blue; Green; Purple; White; Yellow | 6 | PK | |


SEE ALL®


A – D Security Mirrors Scan unguarded aisles, eliminate blind intersections, monitor production areas and safeguard entrances and exits. Detection mirrors are curved to eliminate distortion.

A Portable Convex Mirror OSHA-compliant, Plexiglas® convex clip-on security mirror with expanded view and articulating arm adapts to a variety of safety and security uses. 160° view angle. Manufacturer's one-year warranty against defects.


| ID No. | Size | For Areas Up To | Unit | Price |
|--|------|-----------------|------|-------|
| 1 SEE-ICU7 *  | 7" | 7 ft | EA | |
| 2 SEE-ICU10* *  | 10" | 10 ft | EA | |



* Meets OSHA Requirements.

B Full Dome Mirror Panoramic® 360° viewing area, suspended from ceiling. Use for high-hazard areas. Plexiglas®. 

| ID No. | Size | For Areas Up To | Unit | Price |
|---|------|-----------------|------|-------|
| 3 SEE-PV18-360* *  | 18" | 300 sq ft | EA | |

* Meets OSHA Requirements.

C Half-Dome Mirror Panoramic® 180° viewing area for collision protection at intersections, as well as surveillance. Plexiglas®. 

| ID No. | Size | For Areas Up To | Unit | Price |
|---|------|-----------------|------|-------|
| 4 SEE-PV18-180 *  | 18" | 150 sq ft | EA | |
| 5 SEE-PV26-180* *  | 26" | 200 sq ft | EA | |

* Meets OSHA Requirements.



D 160° Convex Security Mirror Double-strength glass. Adjusts for many viewing angles.

| ID No. | Size | For Areas Up To | Unit | Price |
|--------|------|-----------------|------|-------|
|--------|------|-----------------|------|-------|

Circular

| | | | | |
|--|-----|----------|----|--|
| 6 SEE-N12 *  | 12" | 10 sq ft | EA | |
| 7 SEE-N18 *  | 18" | 15 sq ft | EA | |
| 8 SEE-N26 *  | 26" | 20 sq ft | EA | |
| 9 SEE-N36* *  | 36" | 30 sq ft | EA | |

Round Rectangular Shape for Low Ceiling Areas

| | | | | |
|--|-----------|----------|----|--|
| 10 SEE-RR1218* *  | 18" x 12" | 15 sq ft | EA | |
| 11 SEE-RR1524* *  | 24" x 15" | 20 sq ft | EA | |


* Meets OSHA Requirements.

SEE-N12, SEE-N18, SEE-N26, SEE-N36—Circular.

SEE-RR1218, SEE-RR1524—Round Rectangular Shape for Low Ceiling Areas.


TATCO

E Wireless Doorbell For use with front door, back door or customer service area. Water-resistant ringer may be used outdoors or indoors and attaches easily with foam tape or screws, both included. Wireless receiver operates up to 200 ft. away. (1) 12V A23 Battery (Included); (3) AA Batteries (Sold Separately).

| ID No. | Color | W x D x H | Unit | Price |
|--|-------|----------------------|------|-------|
| 12 TCO-57910 *  | Bone | 1.38" x 0.75" x 3.5" | EA | |

* FCC Certified.

F LED Exit Sign with Battery Back-Up Automatically turns on when power fails. Energy-saving LED light source lasts up to 25 years. 120/277 dual-voltage input. Sealed, maintenance-free back-up battery provides 90 minutes of emergency operation and lasts up to ten years. Fully automatic charger. Front and rear stencils with snap-out directionals. Mounts on ceiling or wall. Mounting hardware included. Manufacturer's 10-year warranty.

| ID No. | Color | Material | Size | Qty. | Unit | Price |
|--|-------|----------------------|------------------|------|------|-------|
| 13 TCO-07230 *  | White | Rugged Polycarbonate | 12¼" x 2½" x 8¾" | 1 | EA | |

* UL Listed.



Adjustable arm permits wide range of viewing angles.



MIRRORS